

Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

Issuing Date: 26-December-2007 Revision Date: 1-April -2015 Version: 11 SDS No: BHC018-01-EUUSOTHER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| Product name (code) | LC11C (LK3637001, LC4690001), LC16C (LK3526001, LK4710001), LC38C (LK3661001, LK4196001), LC39C (LK5405001), LC60C (LK5729001), LC61C (LK3366001, LK4297001), LC67C (LK3669001, LK4222001), LC975C (LK5670001), LC980C (LK3374001, LK4048001), LC985C (LK4621001, LK5401001), LC990C (LK4461001), LC1100C (LK3572001, LK3985001), LC65HYC (LK3291001, LK4330001), LC67HYC (LK3524001, LK4277001), LC990HYC (LK3525001, LK4481001), LC1100HYC (LK3523001, LK4021001) |
|---|---|
| 1.2 Relevant identified uses of the sub | ostance or mixture and uses advised against |
| Relevant Identified Use(s) | These products are dark blue ink in a cartridge for Brother Industries, Ltd. inkjet multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by Brother. |
| 1.3 Details of the supplier of the safety | y data sheet |
| Manufacturer | Brother Industries, Ltd. 15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan Telephone (for information): +81-52-824-2735 |
| Importer (USA) | Brother International Corporation 200 Crossing Boulevard, Bridgewater, NJ 08807, USA Telephone (for information): +1-877-276-8437 |
| Importer (Canada) | Brother International Corporation (Canada) Ltd. 1 Hotel de Ville, Dollard des Ormeaux, Quebec, H9B 3H6, Canada Telephone (for information): +1-514-685-0600 |
| Importer (Europe) | Brother International Europe Ltd. Brother House, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE, UK Telephone (for information): +44-161-330-6531 |
| Importer (Australia) | Brother International (Aust.) Pty. Ltd. ACN 001 393 835 Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia Telephone (for information): +61-2-9887-4344 |
| E-mail Address | sds.info@brother.co.jp |
| 1.4 Emergency telephone number | |
| Emergency Telephone (24 hours) | CHEMTREC +1-703-527-3887 (International) +1-800-424-9300 (North America) |
| | For France only: Antipoison Center telephone number: ORFILA +33-1-45-425-959 |



Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

Issuing Date: 26-December-2007 Revision Date: 1-April -2015 Version: 11 SDS No: BHC018-01-EUUSOTHER

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Not classified as hazardous

Classification according to Directive 1999/45/EC

Not classified as hazardous

Australia Classification

Not classified as hazardous according to the criteria of NOHSC

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008

Hazard pictograms
None

Signal Word None

Hazard Statements EUH208 - Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

Precautionary statements None

2.3 Other hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).



Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description of the mixture: Water based inkjet ink (Mixture).

| Chemical Name | CAS-No | EC-No | w/w% | Classification (67/548/EEC) | Classification (EU Reg. 1272/2008) |
|------------------------------------|-----------|-----------|--------|--------------------------------|---------------------------------------|
| Glycerol | 56-81-5 | 200-289-5 | 15-25 | Not classified | Not classified |
| Triethylene glycol monobutyl ether | 143-22-6 | 205-592-6 | 1-5 | Xi; R41 | Eye Dam. 1 (H318) |
| Diethylene glycol | 111-46-6 | 203-872-2 | 1-5 | Xn; R22 | Acute Tox. 4 (H302) |
| Cyan Dye (Copper Phthalocyanine | * | 445-470-1 | <5 | Xi; R41 | Eye Dam. 1 (H318) |
| derivative dye) | | | | R52/53 | Aquatic Chronic 3 (H412) |
| Water | 7732-18-5 | 231-791-2 | 65-75 | Not classified | Not classified |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | 220-120-9 | < 0.05 | Xn; R22 | Acute Tox. 4 (Oral), H302 |
| | | | | Xi; R41 | Skin Irrit. 2, H315 |
| | | | | Xi; R38 | Eye Dam. 1, H318 |
| | | | | R43 | Skin Sens. 1, H317 |
| | | | | N; R50 | Aquatic Acute 1, H400 |

For the full text of R-phrases and H-Statements see Section 16

* Registered

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | If symptoms persist, obtain medical attention. |
|---|--|
| Inhalation | Obtain medical attention. In case of accident by inhalation remove casualty to fresh air and keep at rest. |
| Skin contact | Remove contaminated clothing immediately and wash affected skin with plenty of water or soap and water. |
| Eye contact | Obtain medical attention. If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. |
| Ingestion | Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to drink. |
| 4.2 Most important symptoms and | Skin contact: Repeated and/or prolonged skin contact may cause irritation. |
| effects, both acute and delayed | Eye contact: May cause eye irritation. |
| | Ingestion: Ingestion may cause irritation of the gastrointestinal tract. Unlikely route of exposure. |
| | Inhalation: Unlikely route of exposure. |
| 4.3 Indication of any immediate medical attention and special | Treat symptomatically. |



Issuing Date: 26-December-2007 Revision Date: 1-April -2015 Version: 11 SDS No: BHC018-01-EUUSOTHER

Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

SECTION 5: Firefighting measures

| 5.1 Extinguishing media Suitable Extinguishing Media | Extinguish preferably with dry chemical, carbon dioxide, water spray, foam. |
|---|--|
| Unsuitable Extinguishing Media | None. |
| 5.2 Special hazards arising from the substance or mixture | Thermal decomposition of organic components may result in occurrence of oxides of carbon. Toxic gases may be formed upon combustion and represents a hazard to firefighters. Combustion products: See Section: 10. |
| 5.3 Advice for firefighters | Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source. |

SECTION 6: Accidental release measures

| 6.1 Personal precautions, protective equipment and emergency procedures | Ensure adequate ventilation. Avoid contact with eyes. |
|---|---|
| 6.2 Environmental precautions | Prevent substance entering sewers. Washings must be prevented from entering surface water drains. |
| 6.3 Methods and materials for containment and cleaning up | Wipe up with absorbent towel Wash with water to remove remaining traces of ink |
| 6.4 Reference to other sections | For personal protection: See section 8. For disposal considerations: See section 13. |

SECTION 7: Handling and storage

| 7.1 Precautions for safe handling | Keep out of the reach of children. Avoid contact with skin and eyes. | |
|--|---|--|
| 7.2 Conditions for safe storage, including any incompatibilities | Keep away from oxidizing agents. | |
| 7.3 Specific end use(s) | These products are dark blue ink in a cartridge for Brother Industries, Ltd. inkjet multifunction devices and fax receivers. This cartridge should be used as supplied by Brother and for use in the products stated. | |

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

| Chemical Name | Glycerol 56-81-5 | |
|--------------------|---|--|
| ACGIH TLV | TWA: 10 mg/m ³ mist | |
| OSHA PEL | TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction | |
| European Union | - | |
| The United Kingdom | STEL: 30 mg/m ³ TWA: 10 mg/m ³ | |



Issuing Date: 26-December-2007 Revision Date: 1-April -2015 Version: 11 SDS No: BHC018-01-EUUSOTHER

Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

| France | TWA: 10 mg/m ³ | |
|--------------------|---------------------------------------|--|
| Spain | TWA: 10 mg/m ³ | |
| Germany | TWA: 50 mg/m ³ | |
| - | Ceiling / Peak: 100 mg/m ³ | |
| Portugal | TWA: 10 mg/m ³ | |
| Finland | TWA: 20 mg/m ³ | |
| Switzerland | STEL: 100 mg/m ³ | |
| | TWA: 50 mg/m ³ | |
| Poland | TWA: 10 mg/m ³ | |
| Ireland | TWA: 10 mg/m ³ | |
| Chemical Name | Diethylene glycol | |
| | 111-46-6 | |
| ACGIH TLV | - | |
| OSHA PEL | - | |
| European Union | - | |
| The United Kingdom | STEL: 69 ppm | |
| - | STEL: 303 mg/m ³ | |
| | TWA: 23 ppm | |
| | TWA: 101 mg/m ³ | |
| Germany | TWA: 10 ppm | |
| | TWA: 44 mg/m ³ | |
| | Ceiling / Peak: 40 ppm | |
| | Ceiling / Peak: 176 mg/m ³ | |
| Denmark | TWA: 2.5 ppm | |
| | TWA: 11 mg/m ³ | |
| Austria | STEL 40 ppm | |
| | STEL 176 mg/m ³ | |
| | TWA: 10 ppm | |
| | TWA: 44 mg/m ³ | |
| Switzerland | STEL: 40 ppm | |
| | STEL: 176 mg/m ³ | |
| | TWA: 10 ppm | |
| | TWA: 44 mg/m ³ | |
| Poland | TWA: 10 mg/m ³ | |
| Ireland | TWA: 23 ppm | |
| | TWA: 100 mg/m ³ | |

8.2 Exposure controls

| Appropriate engineering controls | Good general ventilation should be sufficient under normal use. | |
|---|--|--|
| Personal protective equipment | Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied: | |
| Eye Protection Hand Protection Skin and body protection Respiratory protection | Safety goggles. Protective gloves. Long sleeved clothing and long pants. Large spillages: Wear suitable respiratory protective equipment. | |
| Environmental Exposure Controls | Avoid release to the environment. | |



Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

Issuing Date: 26-December-2007 Revision Date: 1-April -2015 Version: 11 SDS No: BHC018-01-EUUSOTHER

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Physical state Liquid Color Dark blue Slight Odor Odor Threshold No information available 7 - 9 pН . Melting point/freezing point -/< -5 °C Initial boiling point and boiling range > 100 °C Flash Point Not less than 93.3°C (Tag closed cup; Cleveland open cup) No information available Evaporation rate Flammability (solid, gas) Not applicable Upper/lower flammability or explosive No information available limits Vapor pressure No information available Vapor density No information available Relative density 1.0 - 1.1 (H₂O=1) Solubility(ies) Soluble (water) Partition coefficient: n-octanol/water No information available Auto-ignition temperature >400 °C Decomposition temperature No information available Viscosity 1 - 5 mPa·s Explosive properties Not explosive Oxidizing properties No information available

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

| 10.1 Reactivity | No information available. |
|--|--|
| 10.2 Chemical stability | Stable. |
| 10.3 Possibility of hazardous reactions | No information available. |
| 10.4 Conditions to avoid | No information available. |
| 10.5 Incompatible materials | Strong oxidizing agents. |
| 10.6 Hazardous decomposition products | Contains: Carbon monoxide (CO). Carbon dioxide (CO ₂). |



Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

Issuing Date: 26-December-2007 Revision Date: 1-April -2015 Version: 11 SDS No: BHC018-01-EUUSOTHER

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Inhalation Eye contact Skin contact Ingestion | No information available. No information available. No information available. $LD_{50} > 2000 mg/kg$ (Method OECD#420) |
|--|---|
| Skin corrosion/irritation | Non-irritant. (Method: OECD#404) |
| Serious eye damage/irritation | Minimal irritant to the eye. (Method: OECD#405) |
| Respiratory or skin sensitisation | It is not a skin sensitizer. (Method: OECD#429) |
| Mutagenicity | Negative. (Method: OECD#471) |
| Carcinogenicity | Ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA |



Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

Issuing Date: 26-December-2007 Revision Date: 1-April -2015 Version: 11 SDS No: BHC018-01-EUUSOTHER

SECTION 12: Ecological information

12.1 Toxicity

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|--|--|--|--|
| Glycerol 56-81-5 | | LC ₅₀ : 51 - 57 mL/L 96 h static (Oncorhynchus mykiss) | EC ₅₀ : >500 mg/L 24 h (Daphnia magna) |
| Triethylene glycol monobutyl ether 143-22-6 | EC ₅₀ : >500 mg/L 72 h (Desmodesmus subspicatus) | LC ₅₀ : 2200 - 4600 mg/L 96 h static (Leuciscus idus) LC ₅₀ : 2400 mg/L 96 h static (Pimephales promelas) LC ₅₀ : 2400 mg/L 96 h (Pimephales promelas) | EC₅₀: ̈>500 mg/L 48 h (Daphnia magna) |
| Diethylene glycol 111-46-6 | | LC ₅₀ : 75200 mg/L 96 h flow-through (Pimephales promelas) | EC₅₀: 84000 mg/L 48 h (Daphnia magna) |

12.2 Persistance and degradability

No information available.

12.3 Bioaccumulative potential

| Chemical Name | | log Pow |
|---|---|---------|
| Glycerol | | -1.76 |
| Triethylene glycol monobutyl ether | | 0.51 |
| Diethylene glycol | | -1.98 |
| 12.4 Mobility in soil | No information available. | |
| 12.5 Results of PBT and vPvB assessment | This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB). | |
| 12.6 Other adverse effects | No information available. | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of in accordance with Federal, State, and local regulations.



Issuing Date: 26-December-2007 Revision Date: 1-April -2015 Version: 11 SDS No: BHC018-01-EUUSOTHER

Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

SECTION 14: Transport information

Not classified according to the United Nations "Recommendations on the Transport of Dangerous Goods"

| 14.1 UN Number | None |
|---|----------------|
| 14.2 UN proper shipping name | None |
| 14.3 Transport hazard class(es) | None |
| 14.4 Packing Group | None |
| 14.5 Environmental hazards | None |
| 14.6 Special precautions for user | None |
| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code | Not applicable |

Not regulated under DOT, IMDG, IATA.

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 EU:Not classified as dangerous for supply/use. (1999/45/EC)

 USA: All chemical substances contained in this product are and had been listed on the TSCA Chemical Substances Inventory, and none is subject to any of the following TSCA requirements: section 4 test rules; proposed or final section 5(a)(2) significant new use rules; section 5(e) consent orders; section 8(a) preliminary assessment information rules; and section 8(d) health and safety data reporting rules.

 Canada: WHMIS: Not applicable. (Manufactured article)

15.2 Chemical Safety Assessment No.



Product name: LC11C, LC16C, LC38C, LC39C, LC60C, LC61C, LC67C, LC975C, LC980C, LC985C, LC990C, LC1100C, LC65HYC, LC67HYC, LC990HYC, LC1100HYC Ink

Issuing Date: 26-December-2007 Revision Date: 1-April -2015 Version: 11 SDS No: BHC018-01-EUUSOTHER

SECTION 16: Other information

| Full text of R-phrases referred to under sections 2 and 3 | R22 - Harmful if swallowed R41 - Risk of serious damage to eyes R38 - Irritating to skin R43 - May cause sensitization by skin contact R50 - Very toxic to aquatic organisms R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
|--|--|
| Full text of H-Statements referred to under sections 2 and 3 | H302 - Harmful if swallowed H315 - Causes skin irritation H318 - Causes serious eye damage H317 - May cause an allergic skin reaction H400 - Very toxic to aquatic life H412 - Harmful to aquatic life with long lasting effects |
| Additional information | The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision). |
| Revision Note | SECTION 2, 3. |
| References: | U.S. 29CFR Part 1910 ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization EU Directive 91/322/EEC and 2000/39/EC NTP 11th Report on Carcinogens |
| Abbreviations: | ACGIH: American Conference of Governmental Industrial Hygienists DOT: Department Of Transportation (US) IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods NOHSC: National Occupational Health and Safety Commission (Australia) NTP: National Toxicology Program (US) OSHA: Occupational Safety and Health Administration (US) PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit TLV: Threshold Limit Value (ACGIH) TSCA: Toxic Substances Control Act (US) TWA: Time Weighted Average WHMIS: Workplace Hazardous Material Information System (Canada) |