

ProduMt Name

LC201M, LC203M, LC205M, LC210M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261 M, LC263M, LC605M, LC625M, LC635M, LC645M, LC663M, LC665XLM, LC683M, LC685XLM, LC695XLM,

First Issue:Sep. 26, 2013

Revised:-

Version Number:1 SDS No.: BHM026

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name: LC201M LC203M LC205M LC210M LC211M LC213M LC215M LC221M

Product Code: LK7748001 LK8310001

Product Name: LC223M LC225XLM LC231M LC233M LC235XLM LC261M LC263M LC605M

Product Code: LK8388001 LK8420001

Product Name: LC625M LC635M LC645M LC663M LC665XLM LC683M LC685XLM LC695XLM

Product Code:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Cartridge contained water based ink for inkjet printing machine Identified use(s):

Details of the supplier of the safety 1.3

data sheet

Manufacturer: BROTHER INDUSTRIES, LTD.

> 5-1, Hamada-cho, Minami-ku, Nagoya 457-0822, JAPAN Telephone Number for Information: +81-52-824-3445

BROTHER INTERNATIONAL EUROPE LTD. Importer (Europe):

Brother House, 1 Tame Street, Audenshaw, Manchester

M34 5JE, UK

Telephone Number for Information: +44-161-330-6531 BROTHER INTERNATIONAL CORPORATION

Importer (USA): 100 Somerset Corporate Boulevard, Bridgewater,

NJ 08807-0911, USA

Telephone Number for Information: +1-908-704-1700

BROTHER INTERNATIONAL CORPORATION (Canada) LTD. Importer (Canada):

1 rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6, CANADA

Telephone Number for Information: +1-514-685-0600

BROTHER INTERNATIONAL (AUST.) PTY. LTD. ACN 001 393 835 Importer (Australia):

Level 3, Building A, 11 Talavera Road Macquarie Park, N.S.W. 2113, AUSTRALIA

Telephone Number for Information: +61-2-9887-4344

E-Mail (competent person):

**Emergency telephone number** 

sds.ieink@brother.co.jp

Emergency Phone No. (24 hours) We do not provide 24 hours cover for information contact.

Please telephone to the above office during our business hours.

# **SECTION 2: HAZARDS IDENTIFICATION**

Classification of the substance or mixture 2.1

> **EU Classification:** Ink is not classified according to EU-Directive 1999/45/EC. Label elements Label elements according to EU Directive 1999/45EC.: None

2.3 None Other hazards

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 **Mixtures**

2.2

CHEMICAL NAME	CAS No.	EC No.	% by weight	EU Symbol	EU Risk Phrases
Glycerol	56-81-5	200-289-5	10 - 20	Not classified	Not classified
Magenta Dye	Registered	Registered	< 2.5	N	R51/53
Water	7732-18-5	231-791-2	65 - 80	Not classified	Not classified

# **SECTION 4: FIRST AID MEASURES**

4 1 Description of first aid measures

> Inhalation: Remove to fresh air area and obtain medical attention immediately. Skin Contact: Wash with water and soap. If irritation continues, obtain medical attention. Eye Contact: Flush immediately with gentle running water for 15 minutes at least. If

irritation continues, obtain medical attention. Ingestion:

Rinse mouth with water, give one or two of glasses of water, and obtain

medical attention immediately.

4.2 Most important symptoms and effects, both

acute and delayed

Inhalation:No harmful effects are expected under normal use. Over exposure to vapor or mist, may cause symptoms such as respiratory irritation, cough, dizziness, headache and nausea.

Page: 1/4



ProduMt Name

6.3

7.3

LC201M, LC203M, LC205M, LC210M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC233M, LC233M, LC235XLM, LC261M, LC263M, LC665M, LC

First Issue:Sep. 26, 2013 Revised:-

Version Number:1 SDS No.: BHM026

4.3 Indication of any immediate medical attention

and special treatment needed

None

## **SECTION 5: FIRE-FIGHTING MEASURES**

5.1 Extinguishing media

Suitable Extinguishing Media: Water, CO<sub>2</sub>, Foam, Dry chemical.

Unsuitable Extinguishing Media: None

5.2 Special hazards arising from the substance or

mixture

May produce toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides,

sulfur oxides if burning.

5.3 Advice for fire-fighters Use self-contained breathing apparatus.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment

and emergency procedures

Avoid contact with eyes, skin and clothing.

6.2 Environmental precautions

Methods and material for containment and

cleaning up

Wipe up ink with absorbent towel. Wash with water

Do not release to surface water or ground water.

to remove remaining traces of ink.

**6.4 Reference to other sections** See Section: 8.

#### **SECTION 7: HANDLING AND STORAGE**

**7.1** Precautions for safe handling Avoid contact with skin, eyes and clothing.

7.2 Conditions for safe storage, including any

incompatibilities

Specific end use(s)

Keep out of reach of children. Store in a cool and dark place.

Cartridge contained water based ink for inkjet printing machine

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1 Control parameters

#### **Occupational Exposure Limits:**

CHEMICAL NAME	OSHA PEL	ACGIH TLV	EU IOELV
Glycerol	(as mist)	(as mist)	Not
	Total dust TWA 15mg/m <sup>3</sup>	TWA 10mg/m <sup>3</sup>	established

8.2 Exposure controls

Appropriate engineering controls

Use in a ventilated area.

Personal Protection

Eye/face protectionNot required under normal use.Skin protectionNot required under normal use.Hand protectionNot required under normal use.Respiratory protectionNot required under normal use.Other:Not applicable.

Environmental Exposure Controls

Avoid release to the environment.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 Information on basic physical and chemical properties

Appearance (20 °C)

Odor

Odor Slight odor

Odor threshold (ppm)

PH (Value)

Dark red liquid

Not available

7 – 9

 $\label{eq:melting-point of C} \mbox{Melting point (°C) / Freezing point (°C)} \qquad \mbox{Melting point (°C) : $<-5^{\circ}$C} \\ \mbox{Boiling point/boiling range (°C)} \qquad \mbox{Boiling point (°C) : $>100^{\circ}$C} \\ \mbox{Helting point (°C) : $>100^$ 

Flash point (°C) Does not flash at 93.3°C or lower

(Tag closed cup & Cleveland opened cup)

Evaporation rate Not available

Flammability (solid, gas) LEL: Not available UEL: Not available

Explosive limit ranges Not available Vapor pressure (Pa) Not available



ProduMt Name

LC201M, LC203M, LC205M, LC210M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261M, LC263M, LC665M, LC

First Issue:Sep. 26, 2013 Revised:-Version Number:1

SDS No.: BHM026

Vapor density (Air=1) Not available Density (g/cm<sup>3</sup>) 1.0 - 1.1 g/mlSolubility (Water) Soluble Not available Solubility (Other) Partition coefficient (n-Octanol/water) Not available >400°C Auto ignition point (°C) Decomposition temperature (°C) Not available Viscosity (mPa. s) 2 - 5 mPa·s Explosive properties Not available Oxidising properties Not available Other information Not available

# **SECTION 10: STABILITY AND REACTIVITY**

 10.1
 Reactivity
 None

 10.2
 Chemical stability
 Stable

 10.3
 Possibility of hazardous reactions
 Will not occur

**10.4** Conditions to avoid High-temperature or High-humidity

10.5 Incompatible materials Acids, Bases, Oxidizing agents, Reducing agents

10.6 Hazardous Decomposition Product(s) Carbon monoxide, Carbon dioxide, Nitrogen oxides, Sulfur oxides

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on toxicological effects

Acute toxicity (oral): $LD_{50}$  of ink is greater than 2000mg/kg.Skin corrosion/irritation:Ink is classified as a NON IRRITANTSerious eye damage/irritation:Ink is classified as a MINIMAL IRRITANTRespiratory or skin sensitization:Respiratory sensitization: Not available

Skin sensitization: Non-sensitizer

Mutagenicity: Ames test : Negative

Carcinogenicity: Ingredients of ink have not been classified as carcinogens according to IARC

monographs, NTP, and OSHA regulated.

Reproductive toxicity:Not availableSTOT-single exposure:Not availableSTOT-repeated exposure:Not availableAspiration hazard:Not available

**Potential Health Effects:** Eye: Ink may cause slight irritation.

Skin: Prolonged exposure to ink may cause irritation.

Ingestion: Ink may cause gastrointestinal or other adverse effects.

Inhalation: Not expected to be a route of exposure under normal use.

Over exposure may cause respiratory irritation.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1	Toxicity	Not available
12.2	Persistence and degradability	Not available
12.3	Bioaccumulative potential	Not available
12.4	Mobility in soil	Not available
12.5	Results of PBT and vPvB assessment	Not available
12.6	Other adverse effects	Not available

### **SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1** Waste treatment methods Dispose in accordance with federal, state and local regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

14.1UN numberNone14.2Proper Shipping NameNone14.3Transport hazard class(es)None14.4Packing GroupNone

US Department of Transportation (DOT): Not regulated as dangerous goods.



ProduMt Name

LC201M, LC203M, LC205M, LC210M, LC211M, LC213M, LC215M, LC221M, LC223M, LC225XLM, LC231M, LC233M, LC235XLM, LC261 M, LC263M, LC605M, LC625M, LC635M, LC645M, LC663M, LC665XLM, LC683M, LC685XLM, LC695XLM,

First Issue:Sep. 26, 2013 Revised:-Version Number:1

SDS No.: BHM026

Not regulated as dangerous goods. Maritime Transport IMDG: Air Transport ICAO/IATA: Not regulated as dangerous goods.

**Environmental hazards** 14.5

14.6 Special precautions for user

Transport in bulk according to Annex II of 14.7 MARPOL73/78 and the IBC Code

Not available None

Not applicable

**SECTION 15: REGULATORY INFORMATION** 

Safety, health and environmental regulations/legislation specific for the

substance or mixture

EU: All components in ink comply with REACH rules and regulations. Ink is not classified according to EU-Directive 1999/45/EC. US: All components in ink comply with TSCA rules and regulations.

Canada: WHMIS: Not applicable. (Manufactured article)

15.2 Chemical Safety Assessment None

**SECTION 16: OTHER INFORMATION** 

**Hazard Symbol: Risk Phrases:** 

Issue Date:

The following sections contain revisions or new

statements:

Additional information:

References:

Abbreviations:

N; Dangerous for the environment

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

Sep. 26, 2013

section 1

The information only relates to this specific ink cartridge. It may not be valid for this ink cartridge, if used in combination with any other materials or in any other process. And it is based on our best knowledge as of the date of

preparation (revision).

World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risks to Humans,

Volume 93

EU Directive 1999/45/EC

U.S. Department of labor, 29CFR Part 1910.

ACGIH, Threshold Limit Values for Chemical Substances and Physical

Agents and Biological Exposure Indices EU Commission Directive 2009/161/EU

ACGIH: American Conference of Governmental Industrial Hygienists

DOT: Department Of Transportation (US)

IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods IOELV: Indicative Occupational Exposure Limit Value

NTP: National Toxicology Program (US)

OSHA: Occupational Safety and Health Administration (US)

PEL: Permissible Exposure Limit

REACH: Registration, Evaluation, Authorization and Restriction of

Chemicals (EU)

TLV: Threshold Limit Value(ACGIH) TSCA: Toxic Substances Control Act (US)

WHMIS: Workplace Hazardous Material Information System (Canada)