Page 1 of 8 MSDS #:

Revision Date: February 29, 2012

Product Code:

IC1864-0405 2971B

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **SECTION 1** COMPANY/UNDERTAKING

Product Identifier:

Canon FINE Cartridge CL-513 **Product Name:**

2971B **Product Code:**

Relevant Identified Uses: Ink for Ink Jet Printer

Details of Supplier of Safety Data Sheet:

Canon Europa NV Supplier:

Bovenkerkerweg 59, 1185XB Amstelveen, The Nederlands Address:

Telephone Number: +31 20 5458545, +31 20 5458222

www.canon-europe.com, ceu-Reach@canon-europe.com E-mail Address:

DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240;

Emergency Telephone Number: BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48;

UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

Manufacturer: Canon Inc.

Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

SECTION 2 HAZARDS IDENTIFICATION

Emergency Overview:

A three-color ink cartridge. (Cyan, Magenta and Yellow)

All the ink is liquid mixture with slight odor.

US Regulatory Status under FHSA:

Not classified as hazardous.

US Label Elements under FHSA:

Signal Word: Not required

Hazard Warning: Not required

Not required **Safety Advice:**

Hazardous Component: Not required

EU Classification under 1999/45/EC:

Not classified as dangerous.

EU Label Elements under 1999/45/EC:

Symbol & Indication: Not required

R-Phrase: Not required

S-Phrase: Not required

Dangerous Component: Not required

Applicable Label Elements in accordance with Annex V to 1999/45/EC:

Not required

Other Hazards:

None



MSDS #:

Page 2 of 8 IC1864-0405

Product Code: 2971B

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Substance or Mixture: Mixture

Ingredient(s):

Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration	EU Classification according to 67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other
Generic Name	EC#	Range (%)	Symbol/ Indication of Danger	R-Phrase*1	Hazard Class/ Category Code	Hazard Statement* ¹	Hazards*
Etylene urea	120-93-4 / 204-436-4	1 - 10	Xi / Irritant	R36	Eye Irrit. 2	H319	
Glycerin	56-81-5 / 200-289-5	1 - 5	None	None	None	None	(1)
Substituted Phthalocyanine salt (Contained in cyan ink)	Confidential	1 - 5	Xi / Irritant	R41	Eye Dam. 1	H318	
Substituted Phthalocyanine salt (Contained in cyan ink)	Confidential	1 - 5	Xi / Irritant	R41 R52/53	Eye Dam. 1 Aquatic Chronic 3	H318 H412	
Glycol	Confidential	1 - 10	None	None	None	None	
Gycol (Contained in yellow ink)	Confidential	5 - 10	None	None	None	None	
Magenta dye (Contained in magenta ink)	Confidential	5 - 10	None	None	None	None	
Water	7732-18-5 / 231-791-2	60 - 80	None	None	None	None	

^{*1} Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

Carcinogen(s):

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Date of Issue: May 21, 2008 Revision Date: February 29, 2012

^{*2} The following substance(s) is (are) marked with (1), (2) and/or (3)

⁽¹⁾ Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

⁽²⁾ PBT substance or vPvB substance under Regulation (EC) No 1907/2006

⁽³⁾ Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

MSDS #: _ Product Code: Page 3 of 8 IC1864-0405

2971B

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed. If irritation persists, obtain medical advice immediately.

Most Important Symptoms and Effects, both Acute and Delayed:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Skin:

Cyan: May cause mild irritation and no sensitization.

Magenta and Yellow: Neither irritation nor sensitization is expected. (See SECTION 11)

Eye:

May cause minimal irritation. (See SECTION 11)

Chronic Effects:

Not identified

Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing Media:

Suitable Extinguishing Media:

CO₂, water, foam or dry chemicals

Unsuitable Extinguishing Media:

None

Special Hazards:

None

Hazardous Combustion Products:

CO, CO₂, NOx and SOx

Advice for Fire-fighters:

None

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with skin, eyes and clothing.

Environmental Precautions:

Do not release to sewer, surface water or ground water.

Methods and Material for Containment and Cleaning Up:

Wipe off with wet cloth or paper.

Date of Issue: May 21, 2008

Revision Date: February 29, 2012



Page 4 of 8 IC1864-0405

MSDS #: 2971B Product Code:

Keep in a cool and dry perotect from sunlight. Keep out of the reach of the cool of the cool of the cool of the for Ink Jet Printer.		ompationities.		
Keep out of the reach of cific End Uses: Ink for Ink Jet Printer.	f children.			
cific End Uses: Ink for Ink Jet Printer.	f children.			
Ink for Ink Jet Printer.				
For more information r	lease refer to the instru	ation of this product		
roi more imormation, p	nease telef to the mstru	ction of this product.		
CTION 8 EXPO	SURE CONTROLS / 1	PERSONAL PROT	ECTION	
ntrol Parameters:	USA OSHA PEL	ACGIH TLV	EU OEL	
Product (Ink)	Not established	Not established	Not established	
Glycerin	Glycerin mist: TWA 15 mg/m³ (Total dust) TWA 5 mg/m³ (Respirable fraction)	Glycerin mist: TWA 10 mg/m ³	Not established	
osure Controls:	No anasial martilation			
Engineering Controls: Individual Protection 1		equipment is needed	under intended use of this	s product.
Eye/Face Protecti		Not Required		
•	Required Required	-		
Skin Protection:		VI NOT Required		

Page 5 of 8 IC1864-0405 MSDS #:

Revision Date: February 29, 2012

Product Code:

2971B

PHYSICAL AND CHEMICAL PROPERTIES **SECTION 9 Information on Basic Physical and Chemical Properties:** Appearance: Cyan, magenta and yellow liquid Odor: Slight odor 7 - 9 pH: **Melting Point/Freezing Point (°C):** Not available **Initial Boiling Point and** Not available **Boiling Range (°C):** Flash Point(°C): None (Estimate) **Evaporation Rate:** Not available Neither flammable nor combustible. Flammability: Upper/Lower Flammable or **Explosive Limits:** Not available Vapor Pressure: Not available Vapor Density: Not available **Relative Density:** 1.0 - 1.1Water Solubility: Miscible **Fat Solubility:** Not available Partition Coefficient (n-Octanol/Water): Not available **Auto-ignition Temperature (°C):** Not available **Decomposition Temperature**(${}^{\circ}$ C): Not available Viscosity (mPa s): 1 - 5 None (Estimate) **Explosive Properties: Oxidizing Properties:** None (Estimate) Other Information: Not available **SECTION 10** STABILITY AND REACTIVITY Reactivity: None **Chemical Stability:** Possibility of Hazardous Reactions: None **Conditions to Avoid:** None **Incompatible Materials:** Acids, bases, oxidizing materials and reducing agents Hazardous Decomposition Products: CO, CO2, NOx and SOx

MSDS #: ____

Product Code: 2971B

Page 6 of 8 IC1864-0405

SECTION 11 TOXICOLOGICAL INFORMATION

Information on Toxicological Effects:

Acute Toxicity: Inhalation:

Not available

Ingestion:

Not available

Corrosivity/Irritation:

Skin:

Cyan: Mild irritant (rabbit) Magenta: Non-irritant (rabbit)

Yellow: Non-irritant (rabbit) (Estimate)

OECD Guidelines No. 404 (2002), 2004/73/EC Method B4

Eve:

Cyan and Magenta: Minimal irritant (rabbit) Yellow: Minimal irritant (rabbit) (Estimate)

OECD Guidelines No. 405 (2002), 2004/73/EC Method B5

Sensitization:

Skin:

Cyan and Magenta: Non-sensitizer (mouse) Yellow: Non-sensitizer (mouse) (Estimate)

OECD Guidelines No. 429 (2002), 2004/73/EC Method B42

Repeated Dose Toxicity:

Not available

Carcinogenicity:

Not available

Mutagenicity:

Ames test:

All colors: Negative (S. typhimurium & E. Coli)

Toxicity for Reproduction:

Not available

Other Information:

Not available

Date of Issue: May 21, 2008

Revision Date: February 29, 2012

Page 7 of 8 IC1864-0405

MSDS #: Product Code:

2971B

ECOLOGICAL INFORMATION SECTION 12 Toxicity: Not available

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available **Mobility in Soil:** Not available

Results of PBT and vPvB

No results that the component(s) of this ink meet(s) the PBT or vPvB criteria under **Assessment:** Regulation (EC) No 1907/2006.

Other Adverse Effects: Not available

DISPOSAL CONSIDERATIONS SECTION 13

Waste Treatment Methods:

Disposal should be subject to federal, state and local laws.

SECTION 14 TRANSPORT INFORMATION

None **UN Number:**

None **UN Proper Shipping Name:**

None **Transport Hazard Class:**

None **Packing Group:**

Not classified as environmentally hazardous under UN Model Regulations and marine **Environmental Hazards:**

pollutant under IMDG Code.

Special Precautions for User: None

SECTION 15 REGULATORY INFORMATION

< USA Information >

SARA Title III §313:

Chemical Name Weight %

"Copper Compounds" (Contained in cyan ink) 1 - 5 (as Cu) (< 0.35)

California Proposition 65:

Chemical Name Weight %

None

< EU Information >

Safety, Health and Environmental Regulations/Legislation:

(EC) No 1907/2006: Authorisation: Not regulated

Restriction: Not regulated

(EC) No 1005/2009: Not regulated

(EC) No 850/2004: Not regulated

(EC) No 689/2008: Not regulated

Others: None

Chemical Safety Assessment under (EC) No 1907/2006: Not required

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

Date of Issue: May 21, 2008 Revision Date: February 29, 2012



MSDS #:

IC1864-0405

Page 8 of 8

Product Code: 2971B

SECTION 16 OTHER INFORMATION

<EU R-phrase according to 67/548/EEC>

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<EU Hazard statement according to (EC) No 1272/2008>

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substance [NOHSC:1008]

Abbreviations:

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)

FHSA: Federal Hazardous Substances Act (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
SVHC: Substances of Very High Concern

IARC: International Agency for Research on Cancer

NTP: National Toxicology Program (USA)

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)

ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists

EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and

2009/161/EU

TWA: Time Weighted Average STEL: Short Term Exposure Limit

WHMIS: Workplace Hazardous Materials Information System NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue: May 21, 2008 Revision Date: February 29, 2012