Page 1 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1656-0101 0896B

Product Code:

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE **SECTION 1** 

**COMPANY/UNDERTAKING** 

Canon Ink Tank PFI-102C iPF500\_iPF600\_iPF700 **Product Name:** 

0896B **Product Code:** Distributor: Canon Australia Pty.Ltd. 1 Thomas Holt Drive **Company Name:** Canon Inc.

North Ryde, NSW 2113 Address: 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan Tel: (02) 9805-2000

			ON ON INGRE			
CAS#/ EC#	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Confidential	5 - 10	Xi / R41 R52/53	Not established	Not established	Not established	Not established
67-63-0 / 200-661-7	1 - 5	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 200 ppm, 492 mg/m <sup>3</sup> STEL = 400 ppm, 984 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>
25322-68-3 / Not applicable	1 - 5	None / None	Not established	Not established	Not established	1000 mg/m <sup>3</sup>
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
7732-18-5 / 231-791-2	60 - 80	None / None	Not established	Not established	Not established	Not established
	EC#  Confidential   67-63-0 / 200-661-7   25322-68-3 / Not applicable   Confidential   Confidential   7732-18-5 /   7732-18-5 /   1   7732-18-5 /   1   7732-18-5 /   1   7732-18-5 /   1   7   7   7   7   7   7   7   7   7	EC# %  Confidential   5 - 10  67-63-0 / 200-661-7   1 - 5  25322-68-3 / Not applicable   5 - 10  Confidential   5 - 10  7732-18-5 / 60 - 80	EC#         %         R-Phrase           Confidential         5 - 10         Xi / R41 R52/53           67-63-0 / 200-661-7         1 - 5         F / R11 Xi / R36 R67           25322-68-3 / Not applicable         1 - 5         None / None           Confidential         5 - 10         None / None           Confidential         5 - 10         None / None           7732-18-5 /         60 - 80         None / None	EC #         %         R-Phrase         OSHA PEL           Confidential         5 - 10         Xi / R41 R52/53         Not established           67-63-0 / 200-661-7         1 - 5         F / R11 Xi / R36 R67         TWA = 400 ppm, 980 mg/m³           25322-68-3 / Not applicable         1 - 5         None / None         Not established           Confidential         5 - 10         None / None         Not established           Confidential         5 - 10         None / None         Not established           7732-18-5 /         60 - 80         None / None         Not established	EC #         %         R-Phrase         OSHA PEL           Confidential         5 - 10         Xi / R41 R52/53         Not established         Not established           67-63-0 / 200-661-7         1 - 5         F / R11 Xi / R36 R67         TWA = 400 ppm, 980 mg/m³ STEL = 400 ppm, 984 mg/m³ STEL = 400 ppm, 984 mg/m³ STEL = 400 ppm, 984 mg/m³           25322-68-3 / Not applicable         1 - 5         None / None         Not established         Not established           Confidential         5 - 10         None / None         Not established         Not established           Confidential         5 - 10         None / None         Not established         Not established           7732-18-5 / 60 - 80         None / None         Not established         Not established	EC#       %       R-Phrase       OSHA PEL         Confidential       5 - 10       Xi / R41 R52/53       Not established       Not established       Not established         67-63-0 / 200-661-7       1 - 5       F / R11 Xi / R36 R67       TWA = 400 ppm, 980 mg/m³ STEL = 400 ppm, 984 mg/m³ STEL = 400 ppm, 984 mg/m³       Not established         25322-68-3 / Not applicable       1 - 5       None / None       Not established       Not established       Not established         Confidential       5 - 10       None / None       Not established       Not established       Not established         Confidential       5 - 10       None / None       Not established       Not established       Not established         7732-18-5 / 60 - 80       None / None       Not established       Not established       Not established

Date of Issue: March 15, 2006 Revised:



IC1656-0101 MSDS #: Product Code:

0896B

### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

### **SECTION 3** HAZARDS IDENTIFICATION

### **EU Classification:**

STATEMENT OF HAZARDOUS NATURE:

Not classified as hazardous according to the criteria of Worksafe

Not classified as dangerous.

### **Emergency Overview:**

Ink tank containing cyan liquid ink with slight odor.

Combustible liquid and vapor.

Vapor or mist may cause respiratory tract and eye irritation.

### **Potential Health Effects and Symptoms:**

### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

### **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

May cause moderate irritation. (See SECTION 11)

### Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

### **Chronic Effects:**

Not identified

### Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

### **SECTION 4** FIRST AID MEASURES

## **First Aid Measures:**

# **Inhalation:**

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

### Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

### Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

### Note to Physicians:

None



MSDS #: IC1656-0101
Product Code: 0896B

SECTION 5 FIRE FIG	GHTING MEASURES			
Fire Fighting Measures:				
<b>Extinguishing Media:</b>				
CO <sub>2</sub> , water, foam or dry	y chemicals			
Unsuitable Extinguishing None	g Media:			
Special Fire Fighting Pro	ocedures:			
Unusual Fire and Explos None	sion Hazards:			
Fire and Explosive Propertie	es (See also Section 9):			
Hazardous Combustion 2 CO, CO <sub>2</sub> , NOx and SO				
Other Properties: None				
and an	NELL DEL GLASSICO			
SECTION 6 ACCIDE	NTAL RELEASE MEASURES			
Personal Precautions: Avoid contact with skin, ey Avoid breathing vapor and				
<b>Environmental Precautions:</b>				
Do not release to sewer, su	urface water or ground water.			
<b>Method for Cleaning Up:</b>				
Wipe off with wet cloth or	paper.			
SECTION 7 HANDLI	ING AND STORAGE			
Handling:				
Avoid breathing vapor and	mist.			
Use with adequate ventilation				
Avoid contact with skin, ey	yes and clothing. In case of contact, wash out the contaminated area immediately.			
Storage:				
Keep in a cool and dry place	ce.			
Protect from sunlight.  Keep away from heat and flame.				
Specific Uses:				
Ink for Ink Jet Printer.				
	se refer to the instruction of this product.			
SECTION 8 EXPOSU	TRE CONTROLS / PERSONAL PROTECTION			
<b>Exposure Guidelines:</b>				
Not established for this inle	k. (See also SECTION 2)			
<b>Engineering Controls:</b>				
Use adequate ventilation.				
Personal Protection Equipm	ent(s):			
Respiratory Protection:				
Eye/Face Protection:	☐ Required  ☑ Not Required			
Skin Protection:	☐ Required ☑ Not Required			

Page 4 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1656-0101
Product Code: 0896B

SECTION 9 PHYSICAL AND CH	HEMICAL PROPERTIES	
Appearance:	Cyan liquid	
Odor:	Slight odor	
pH:	7 - 10	
<b>Boiling Point/Range(°C):</b>	Not available	
<b>Melting Point/Range(°C):</b>	Not available	
<b>Decomposition Temperature</b> ( ${}^{\circ}C$ ):	Not available	
Flash Point(°C):	59.3 (Tag. Closed Cup. Combustion is not sustainable.)	
Flammable (Explosive) Limits:	Not available	
Autoignition Temperature (°C):	Not available	
Flammability:	Classified as "combustible liquid" under OSHA-HCS.  Not classified as "flammable" or "combustible" under FHSA.  Not classified as "flammable" under 1999/45/EC.	
<b>Explosive Properties:</b>	Estimate: None	
Oxidizing Properties:	Estimate: None	
Vapor Pressure :	Not available	
Vapor Density:	Not available	
Density / Specific Gravity:	1.0 - 1.1	
Water Solubility:	Miscible	
Fat Solubility:	Not available	
Partition Coefficient (n-Octanol/Water):	Not available	
Percent Volatile (%):	60 - 80	
<b>Evaporation Rate:</b>	Not available	
Viscosity (mPa s):	1 - 5	
SECTION 10 STABILITY AND R	EACTIVITY	
Stability:	■ Stable     Unstable	
Conditions to Avoid:	None	
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents	
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and SOx	
Hazardous Polymerization:	☐ May Occur  ☑ Will Not Occur	
Conditions to Avoid:	None	



MSDS #: IC1656-0101
Product Code: 0896B

# **SECTION 11** TOXICOLOGICAL INFORMATION **Acute Toxicity:** Inhalation: Not available **Ingestion:** Not available Eye: [Data of similar composition ink] Moderately irritating (rabbit) OECD Guidelines No.405 (2002), 2004/73/EC Method B5 Skin: [Data of similar composition ink] Mild irritant (rabbit) OECD Guidelines No.404 (2002), 2004/73/EC Method B4 **Sensitization:** [Data of similar composition ink] Non-sensitizer (mouse) OECD Guidelines No.429 (2002), 2004/73/EC Method B42 **Mutagenicity:** Ames test: Negative (S. typhimurium & E. Coli) **Reproductive Toxicity:** Not available

Others:

Carcinogenicity:

Not available

Not available

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1656-0101
Product Code: 0896B

CECTION 12	ECOLOGICAL INFORMATION
	ECOLOGICAL INFORMATION
<b>Mobility:</b>	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
<b>Ecotoxicity:</b>	Not available
Other Adverse Effe	Not available Not available
SECTION 13	DISPOSAL CONSIDERATIONS
<b>Method of Disposal</b>	:
Disposal should b	be subject to federal, state and local laws.
SECTION 14	TRANSPORT INFORMATION
UN #:	None
<b>UN Shipping Name</b>	: None
<b>UN Classification:</b>	None
<b>UN Packing Group</b>	: None
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No
<b>Special Precautions</b>	: None
SECTION 15   SECTI	REGULATORY INFORMATION
Information on the	
Symbol & Indic	eation: Not required
R-Phrase:	
Not required	
S-Phrase:	
S-Phrase: Not required	
S-Phrase:	nponent(s):
S-Phrase: Not required Dangerous Com Not required	ions under 1999/45/EC Annex V:
S-Phrase: Not required Dangerous Com Not required Special Precaut	
S-Phrase: Not required Dangerous Com Not required Special Precaut Safety data sh	ions under 1999/45/EC Annex V:
S-Phrase: Not required Dangerous Com Not required Special Precaut Safety data sh	ions under 1999/45/EC Annex V: neet available for professional user on request.
S-Phrase: Not required Dangerous Com Not required Special Precaut Safety data sh Specific Provisions i	ions under 1999/45/EC Annex V: neet available for professional user on request. in Relation to Protection of Man or the Environment: Not regulated
S-Phrase: Not required Dangerous Com Not required Special Precaut Safety data sh Specific Provisions i 76/769/EEC:	ions under 1999/45/EC Annex V: neet available for professional user on request. in Relation to Protection of Man or the Environment: Not regulated
S-Phrase: Not required Dangerous Com Not required Special Precaut Safety data sh Specific Provisions i 76/769/EEC: (EC)2037/2000:	ions under 1999/45/EC Annex V: neet available for professional user on request. in Relation to Protection of Man or the Environment: Not regulated Not regulated



MSDS #: IC1656-0101
Product Code: 0896B

< USA Information >

Information on the Label under OSHA HCS:

Signal Word: Not required

**Hazard warning:** 

COMBUSTIBLE LIQUID AND VAPOR.

VAPOR OR MIST MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION.

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

Not required

SARA Title III §313:

Chemical Name Weight %

"Copper Compounds" 5 - 10 (as Cu) (< 0.35)

**California Proposition 65:** 

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R11: Highly flammable.

R36: Irritating to eyes.

R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R67: Vapours may cause drowsiness and dizziness.

Date of Issue: March 15, 2006

Revised:



Page 8 of 8
MSDS #: IC1656-0101

Product Code: 0896B

### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

### **Abbreviations:**

EU: European Union.

OSHA PÈL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.