

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
 - Mixture identification: Trade name:

INK CARTRIDGE, T02V1

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Ink for inkjet printing

1.3. Details of the supplier of the safety data sheet Company:

EPSON EUROPE B.V. Azie building, Atlas ArenA, Hoogoorddreef 5,1101 BA Amsterdam Zuidoost The Netherlands Phone number: +31-20-314-5000 Competent person responsible for the safety data sheet: chemicals@epson-europe.com Date: 04/08/2017 Revision: 1.0 1.4. Emergency telephone number Phone number: +31-20-314-5000

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture
 - EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

- No other hazards
- 2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms:

None Hazard statements:

zaro stateme

None

Precautionary statements:

None

Special Provisions:

EUH210 Safety data sheet available on request.

EUH208 Contains 2,4,7,9-tetramethyldec-5-yne-4,7-diol. May produce an allergic reaction.

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - No
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:



Qty	Name	Ident. Numb	er	Classification
65% ~ 80%	Water	CAS: EC:	7732-18-5 231-791-2	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
5% ~ 7%	Carbon black	CAS: EC:	1333-86-4 215-609-9	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
5% ~ 7%	Glycerol	CAS: EC:	56-81-5 200-289-5	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
3% ~ 5%	2-[2-(2-butoxyethoxy)et hoxy]ethanol; TEGBE; triethylene glycol monobutyl ether	Index number: CAS: EC: REACH No.:	603-183-00-0 143-22-6 205-592-6 01-21194751 07-38	😵 3.3/1 Eye Dam. 1 H318
0.5% ~ 1%	Triethanol amine	CAS: EC:	102-71-6 203-049-8	The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
0.1% ~ 0.25%	2,4,7,9-tetramethyldec- 5-yne-4,7-diol	CAS: EC:	126-86-3 204-809-1	 3.3/1 Eye Dam. 1 H318 3.4.2/1B Skin Sens. 1B H317 4.1/C3 Aquatic Chronic 3 H412

SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:
 - Wash with plenty of water and soap.
 - In case of eyes contact:
 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 - In case of Ingestion:
 - Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
 - In case of Inhalation:
 - Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:
 - None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media:
 - Water.
 - Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters

CLP, T02V1_en Page n. 2 of 8



Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
 - Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises.
- 7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters Carbon black - CAS: 1333-86-4 - OEL Type: ACGIH - LTE(8h): 3 mg/m3 - OEL Type: OSHA - LTE: 3.5 mg/m3 Glycerol - CAS: 56-81-5 - OEL Type: OSHA - LTE: 5 mg/m3 - OEL Type: OSHA - LTE: 15 mg/m3 DNEL Exposure Limit Values No data available PNEC Exposure Limit Values 2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether -CAS: 143-22-6 Target: Fresh Water - Value: 1.5 mg/l Target: Fresh Water sediments - Value: 5.77 mg/kg

CLP, T02V1_en Page n. 3 of 8 Version 8.0 Revison 1.0



Target: Marine water - Value: 0.15 mg/l Target: Marine water sediments - Value: 0.13 mg/kg Target: Microorganisms in sewage treatments - Value: 200 mg/l 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3 Target: Fresh Water - Value: 0.04 mg/l Target: Marine water - Value: 0.004 mg/l Target: Freshwater sediments - Value: 0.32 mg/kg Target: Marine water sediments - Value: 0.032 mg/kg 8.2. Exposure controls 8.2.1. Appropriate engineering controls: None 8.2.2. Individual protection measures, such as personal protective equipment Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None 8.2.3. Environmental exposure controls: None

SECTION 9: Physical and chemical properties

inert er rifferear and enermour properties					
9.1. Information on basic physical and chemical properties					
Appearance and colour:	Black Liquid				
Odour:	Slightly				
Odour threshold:	No data available				
pH:	8.9 ~ 9.9 at 20 ℃				
Melting point / freezing point:	No data available				
Initial boiling point and boiling range:	No data available				
Solid/gas flammability:	No data available				
Upper/lower flammability or explosive limits:	No data available				
Vapour density:	No data available				
Flash point:	> 100 ℃ / 212 °F				
Evaporation rate:	No data available				
Vapour pressure:	No data available				
Relative density:	No data available				
Solubility in water:	Complete				
Solubility in oil:	No data available				
Partition coefficient (n-octanol/water):	No data available				
Auto-ignition temperature:	No data available				
Decomposition temperature:	No data available				
Viscosity:	< 5 mPa⋅s at 20 ℃				
Explosive properties:	No data available				
Oxidizing properties:	No data available				
9.2. Other information					
Miscibility:	No data available				
Fat Solubility:	No data available				
Conductivity:	No data available				

SECTION 10: Stability and reactivity

CLP, T02V1_en Page n. 4 of 8



- 10.1. Reactivity
- 10.2. Chemical stability
- 10.3. Possibility of hazardous reactions
- 10.4. Conditions to avoid
- 10.5. Incompatible materials
- 10.6. Hazardous decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative

f) carcinogenicity:

Components do not come under carcinogens (Ref. 1), except for Carbon black g) reproductive toxicity:

Does not contain reproductive toxicity and developmental toxic substances (Ref. 2)

Toxicological information of the main substances found in the mixture:

Carbon black - CAS: 1333-86-4

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit > 3 g/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15 Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity

Data. Journal of the American College of Toxicology, Part B. Vol. 15

Glycerol - CAS: 56-81-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 7750 mg/kg - Source: Journal of Industrial Hygiene and Toxicology. Vol. 23, Pg. 259, 1941

Test: LDLo - Route: Oral - Species: Human = 1428 mg/kg - Source: "Toxicology of Drugs and Chemicals," Deichmann, W.B., New York, Academic Press, Inc., 1969Vol. -, Pg. 288, 1969.

2-[2-(2-butoxyethoxy)ethoxy]ethanol; TEGBE; triethylene glycol monobutyl ether - CAS: 143-22-6

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit = 3.54 ml/kg - Source: American Industrial Hygiene Association Journal. Vol. 23, Pg. 95, 1962.

Test: LD50 - Route: Oral - Species: Rat = 5300 mg/kg - Source: Office of Toxic Substances Report. Vol. OTS,

Triethanol amine - CAS: 102-71-6

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Guinea pig = 2200 mg/kg - Source: "Toxicometric Parameters of Industrial Toxic Chemicals Under Single Exposure," Izmerov, N.F., et al., Moscow, Centre of International Projects, GKNT, 1982Vol. -, Pg. 114, 1982.

Test: LD50 - Route: Oral - Species: Mouse = 5846 mg/kg - Source: Science Reports of the Research Institutes, Tohoku University, Series C: Medicine. Vol. 36(1-4), Pg. 10, 1989.

2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Species: Rabbit Mild irritant

c) serious eye damage/irritation:

CLP, T02V1_en Page n. 5 of 8 Stable under normal conditions Stable under normal conditions None Stable under normal conditions. None in particular. None.



Test: Eye Irritant - Species: Rabbit Highly irritating d) respiratory or skin sensitisation:

Test: Skin Sensitisation - Route: LLNA - Species: Mouse Sensitiser e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium Negative Carbon black - CAS: 1333-86-4

With excessive exposure, carbon black has been listed as a possible human carcinogen. However, as engineered within this ink cartridge, emissions to air of carbon black during normal printing use have not been found. IARC, the International Agency for Research on Cancer, has found printing inks to be not classifiable as human carcinogens.

If not differently specified, the information required in Regulation (EU) 2015/830 listed below must be considered as 'No data available':

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. 2,4,7,9-tetramethyldec-5-yne-4,7-diol - CAS: 126-86-3

- a) Aquatic acute toxicity:
 - Endpoint: LC50 Species: Fish = 36 mg/l Duration h: 96
 - Endpoint: EC50 Species: Daphnia = 88 mg/l Duration h: 48
 - Endpoint: EC50 Species: Algae = 15 mg/l Duration h: 72
- c) Bacteria toxicity:

Endpoint: EC50 - Species: activated sludge = mg/l

12.2. Persistence and degradabilityNo data available12.3. Bioaccumulative potentialNo data available12.4. Mobility in soilNo data available12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances:None12.6. Other adverse effectsNone

SECTION 13: Disposal considerations

13.1. Waste treatment methods Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
- No data available
- 14.3. Transport hazard class(es) No data available
- 14.4. Packing group

No data available

- 14.5. Environmental hazards
- No data available Ser No data available
- 14.6. Special precautions for user

CLP, T02V1_en Page n. 6 of 8 Version 8.0 Revison 1.0



14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

No data available

15.2. Chemical safety assessment No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Skin Sens. 1B	3.4.2/1B	Skin Sensitisation, Category 1B
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

This safety data sheet has been completely updated in compliance to Regulation 2015/830. This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold CCNL - Appendix 1

CLP, T02V1_en Page n. 7 of 8 Version 8.0 Revison 1.0



Ref. 1 ·IARC Monographs on the Evaluation Carcinogenic Risks to Humans (IARC: International Agency for Research on Cancer) Journal of Occupational Health (JOH) (Japan Society of Occupational Health (JSOH)) ·TLVs and BEIs (ACGIH: American Conference of Governmental Industrial Hygienists) IRIS Carcinogenic Assessment (IRIS: Integrated Risk Information System of US EPA) ·National Toxicology Program (NTP) Report on Carcinogens -Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 ·MAK und BAT Werte Liste (DFG: German Research Foundation) ·TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany) Ref. 2 Annex VI of REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

•TRGS 905, Verzeichnis krebserzeugender, keimzell mutagener oder reproduktionstoxischer Stoffe (AGS: Committee on Hazardous Substances, Germany)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS: CLP: DNEL:	Chemical Abstracts Service (division of the American Chemical Society). Classification, Labeling, Packaging. Derived No Effect Level.
EINECS: GefStoffVO:	European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany.
GHS: IATA:	Globally Harmonized System of Classification and Labeling of Chemicals. International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.