

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	HP Color LaserJet CB380A-AC-YC Black Print Cartridge
Registration number	-
Synonyms	None.
Issue date	17-Sep-2015
Version number	04
Revision date	04-Sep-2018
Supersedes date	17-Mar-2016
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	This product is a black toner preparation that is used in HP CLJ CM6030 Series MFP, HP CLJ CP6015 , HP Color LaserJet CM6040 MFP series printers.
Uses advised against	None known.
1.3. Details of the supplier of th	ne safety data sheet
	HP PPS Austria GmbH
	Wienerbergstrasse 41, 3rd Floor
	Wien, Austria 1120
Telephone	+43 (1) 81118-0000
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	+43 (1) 406 43 43

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended				
Contains:	Amorphous silica, Carbon black, Styrene acrylate copolymer, Wax			
Hazard pictograms	None.			
Signal word	None.			
Hazard statements	The mixture does not meet the criteria for classification.			
Precautionary statements				
Prevention	Not available.			
Response	Not available.			
Storage	Not available.			
Disposal	Not available.			
Supplemental label information	None.			

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

neral information					
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -		-			
Wax	<15	Trade Secret	-	-	
Classification:		-			
Carbon black	<6	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification:					
Amorphous silica	<2	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

SECTION 4: First aid measures

equipment for firefighters Special fire fighting

procedures Specific methods

General information	Not available.		
4.1. Description of first aid meas	sures		
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.		
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.		
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.		
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.		
4.2. Most important symptoms and effects, both acute and delayed	Not available.		
4.3. Indication of any immediate medical attention and special treatment needed	Not available.		
SECTION 5: Firefighting n	neasures		
General fire hazards	Not available.		
5.1. Extinguishing media Suitable extinguishing media	CO2, water, or dry chemical		
Unsuitable extinguishing media	None known.		
5.2. Special hazards arising from the substance or mixture	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.		
5.3. Advice for firefighters			
Special protective	Not available.		

If fire occurs in the printer, treat as an electrical fire.

None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protect	ctive equipment and emergency procedures
For non-emergency personnel	Minimize dust generation and accumulation.
For emergency responders	Not available.
6.2. Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
6.3. Methods and material for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.
6.4. Reference to other sections	Not available.

7.1. Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits					
Austria. MAK List, OEL Or Components	dinance (GwV)	, BGBI. II, no. 184/20 Type	01	Value	Form
Amorphous silica (CAS 7631-86-9)		MAK		4 mg/m3	Inhalable fraction.
Biological limit values	No biologica	al exposure limits note	d for the ingredie	nt(s).	
Recommended monitoring procedures	Not availabl	e.			
Derived no effect levels (DNEL	_s)				
Components		Туре	Route	Value	Form
Carbon black (CAS 1333-86	5-4)	Consumers Workers	Inhalation Inhalation Inhalation Inhalation	1.75 mg/m3 0.06 mg/m3 2 mg/m3 1 mg/m3	Local long term Systemic long term Local long term Systemic long term
Predicted no effect concentrat	tions (PNECs)				
Components		Туре	Route	Value	Form
Carbon black (CAS 1333-86	6-4)	Not applicable	Freshwater Marine water	5 mg/l 5 mg/l	
Exposure guidelines	, 5 mg/m3 (I	Respirable Fraction)			
	, 3 mg/m3 (I	Respirable Particulate)		
	Amorphous mg/m3	silica: USA OSHA (T	WA/PEL): 20 mp	opcf 80 (mg/m3)/%	6SiO2, ACGIH (TWA/TLV): 10
	UK WEL: 10) mg/m3 (Respirable I	Dust), 5 mg/m3 (I	nhalable Dust)	
8.2. Exposure controls					
Appropriate engineering controls	Use in a we	Il ventilated area.			
Individual protection measure	s, such as pers	onal protective equi	ipment		
General information	No persona	respiratory protective	e equipment requi	ired under normal	conditions of use.
Eye/face protection	Not availabl	e.			
Skin protection					
- Hand protection	Not availabl	e.			
- Other	Not availabl	e.			
Respiratory protection	Not availabl	e.			

Material name: CB380A-AC-YC

12557 Version #: 04 Revision date: 04-Sep-2018 Issue date: 17-Sep-2015

Thermal hazards	Not available.
Hygiene measures	Not available.
Environmental exposure controls	Not available.
CONTROLS	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolidFormsolidColorNot available.OdorSlight plastic odorOdor thresholdNot available.Odor thresholdNot available.Melting point/freezing pointNot available.Initial boiling point and boiling angeNot applicableFlash pointNot applicableStapporation rateNot applicableImmability (solid, gas)Not available.Jpper/lower flammability or explicableNot available.Flammability limit - lower (%)Not flammable.Flammability limit - upper (%)Not available.Vator pressureNot available.
ColorNot available.OdorSlight plastic odorOdor thresholdNot available.Odor thresholdNot applicableMelting point/freezing pointNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicable.Immability (solid, gas)Not available.Flammability limit - lower (%)Not flammable.Flammability limit - upper (%)Not available.
OdorSlight plastic odorOdor thresholdNot available.Odor thresholdNot available.Od HNot applicableMelting point/freezing pointNot available.Initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Jpper/lower flammability or explosive limitsNot flammable.Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.
Odor thresholdNot available.OdNot applicableMelting point/freezing pointNot available.Melting point and boiling rangeNot available.Flash pointNot applicableFlash pointNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Jpper/lower flammability or explore limitsFlammability limit - lower (%)Not flammable.Flammability limit - upper (%)Not available.
bHNot applicableMelting point/freezing pointNot available.initial boiling point and boiling rangeNot applicableFlash pointNot applicableEvaporation rateNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Jpper/lower flammability or explosive limitsFlammability limit - lower (%)Not flammableFlammability limit - upper (%)Not available.
Melting point/freezing pointNot available.nitial boiling point and boiling angeNot applicableFlash pointNot applicableFlash point rateNot applicableEvaporation rateNot applicableFlammability (solid, gas)Not available.Jpper/lower flammability or explosive limits (%)Not flammableFlammability limit - lower (%)Not available.
nitial boiling point and boiling Not applicable ange Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) Not available. Jpper/lower flammability or explosive limits Not flammable Flammability limit - lower Not available. Flammability limit - upper Not available.
Flash point Not applicable Flash point Not applicable Evaporation rate Not applicable Flammability (solid, gas) Not available. Jpper/lower flammability or explosive limits Not flammable Flammability limit - lower Not flammable (%) Not available.
Evaporation rate Not applicable Flammability (solid, gas) Not available. Jpper/lower flammability or explosive limits Flammability limit - lower Not flammable (%) Not available.
Flammability (solid, gas) Not available. Jpper/lower flammability or explosive limits Flammability limit - lower Not flammable (%) Flammability limit - upper Not available. (%)
Jpper/lower flammability or explosive limits Flammability limit - lower Not flammable (%) Flammability limit - upper Not available. (%)
Flammability limit - lower (%)Not flammableFlammability limit - upper (%)Not available.
(%) Flammability limit - upper Not available. (%)
(%)
(apor pressure Not applicable
/apor density Not applicable
Solubility(ies)
Solubility (water) Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient Not available. n-octanol/water)
Auto-ignition temperature Not applicable
Decomposition temperature Not available.
/iscosity Not applicable
Explosive properties Not available.
Dxidizing properties No information available.
9.2. Other information
Percent volatile 0 % estimated
Softening point 212 - 302 °F (100 - 150 °C)
Specific gravity 1 - 1.2

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under normal storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Imaging Drum: Exposure to light
10.5. Incompatible materials	Strong oxidizers
10.6. Hazardous decomposition products	Carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

General information	Not available.	
Information on likely routes of e	xposure	
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.	
Skin contact	Contact with skin may result in mild irritation.	
Eye contact	Contact with eyes may result in mild irritation.	

Ingestion	-	Ingestion is not a likely route of exposure.				
Symptoms	Not available.					
11.1. Information on toxicologic	al effects					
Acute toxicity	Based on available data, the classification criteria are not met.					
Components	Species		Test Results			
Carbon black (CAS 1333-86-4)						
<u>Acute</u>						
Oral LD50	Rat		> 10000 mg/kg			
Skin corrosion/irritation		Based on available data, the classification criteria are not met.				
Serious eye damage/eye		ilable data, the classification				
irritation	Dasca on ava					
Respiratory sensitization	Based on ava	ilable data, the classification	criteria are not met.			
Skin sensitization	Based on ava	ilable data, the classification	criteria are not met.			
Germ cell mutagenicity		es not indicate mutagenic pot ilable data, the classification	ential (Ames Test: Salmonella typhimurium) criteria are not met.			
Carcinogenicity	Based on ava	ilable data, the classification	criteria are not met.			
	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.					
IARC Monographs. Overall I	Evaluation of C	Carcinogenicity				
Carbon black (CAS 1333						
Reproductive toxicity	Based on available data, the classification criteria are not met.					
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.					
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.					
Aspiration hazard	Based on ava	Based on available data, the classification criteria are not met.				
Mixture versus substance information	Not available.	Not available.				
Other information	Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.					
SECTION 12: Ecological i	nformation					
12.1. Toxicity	LL50: >= 100	0 mg/l, Rainbow Trout, 96.00	Hours			
Product		Species	Test Results			
CB380A-AC-YC						
	LL50	Rainbow Trout	>= 1000 mg/l, 96 Hours			
12.2. Persistence and degradability	Not available.					
12.3. Bioaccumulative potential	Not available.					
Partition coefficient n-octanol/water (log Kow)	Not available.					
Bioconcentration factor (BCF)	Not available.					
12.4. Mobility in soil	Not available.					
12.5. Results of PBT and vPvB assessment	Not a PBT or	vPvB substance or mixture.				
12.6. Other adverse effects	Not available.					

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste

Not available.

Contominated neekoning	Natavailabla
Contaminated packaging EU waste code	Not available. Not available.
Disposal methods/information	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.
SECTION 14: Transport in	iformation
Further information	Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.
SECTION 15: Regulatory i	information
15.1. Safety, health and environr	mental regulations/legislation specific for the substance or mixture
EU regulations	
Regulation (EC) No. 1005/20	09 on substances that deplete the ozone layer, Annex I
Not listed.	
Regulation (EC) No. 1005/20 Not listed.	09 on substances that deplete the ozone layer, Annex II
	4 On persistent organic pollutants, Annex I as amended
Not listed.	
• • • •	2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Not listed. Regulation (EU) No. 649/201	2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.	
• • •	2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed. Regulation (FU) No. 649/201	2 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.	2 concerning the export and import of dangelous chemicals, Amer V as amenaed
Regulation (EC) No. 166/200	6 Annex II Pollutant Release and Transfer Registry
Not listed. Regulation (EC) No. 1907/20 Not listed.	06, REACH Article 59(1) Candidate List as currently published by ECHA
Authorizations	
Regulation (EC) No. 143/201 Not listed.	1 Annex XIV Substances Subject to Authorization
Restrictions on use	
Not listed.	06, REACH Annex XVII Substances subject to restriction on marketing and use as amended
work	e protection of workers from the risks related to exposure to carcinogens and mutagens at
Not regulated.	
	jor accident hazards involving dangerous substances, as amended
Not listed. Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
National regulations	Not available.

SECTION 16: Other information

References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).	
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.	
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).	
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.	
Full text of any H-statements not written out in full under Sections 2 to 15	None.	
Revision information	 SECTION 5: Firefighting measures: 5.2. Special hazards arising from the substance or mixture SECTION 6: Accidental release measures: 6.3. Methods and material for containment and cleaning up SECTION 11: Toxicological information: Eye contact SECTION 11: Toxicological information: Ingestion SECTION 11: Toxicological information: Inhalation SECTION 11: Toxicological information: Skin contact SECTION 15: Regulatory information: Other information SECTION 16: Other information: Information on evaluation method leading to the classification of mixture SECTION 16: Other information: References SECTION 16: Other information: Training information 	
Training information	Follow training instructions when handling this material.	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the	

considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

10011	American Conference of Covernmental Industrial University
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds