

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or

HP LaserJet CE390A-X-XC-XD Print Cartridge

designation of the mixture

Registration number

Synonyms None.

Issue date 10-Jul-2015

Version number 02

Revision date 19-Sep-2015 Supersedes date 10-Jul-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a toner preparation that is used in HP LaserJet Enterprise M4555 MFP, 600 M601,

600 M602, 600 M603, HP LaserJet Enterprise M604, HP LaserJet Enterprise M605, HP LaserJet

Enterprise M606 series printers.

Uses advised against None known.

Company identification HP PPS Austria GmbH

Wienerbergstrasse 41, 3rd Floor

Wien, Austria 1120

Telephone +43 (1) 81118-0000

HP health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 **HP Customer Care Line**

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com Emergency number +43 (1) 406 43 43

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Iron oxide, Polyester resin

Hazard pictograms None. Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not available. Response Not available. Not available. **Storage** Not available. **Disposal**

Supplemental label

information

None.

2.3. Other hazards None of the other ingredients in this preparation are classified as carcinogens according to ACGIH,

> EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined

under Regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Material name: CE390A-X-XC-XD SDS Austria 1/7

12499 Version No.: 02 Revision date: 19-Sep-2015 Print date: 19-Sep-2015

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Polyester resin	<55	Trade Secret	-	-	
Classification: -					
Iron oxide	<50	1317-61-9 215-277-5	-	-	
Classification: -					
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth with water. Drink one to two glasses of water. If symptoms occur, consult a physician. **Ingestion**

4.2. Most important

symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

Not available.

Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

CO2, water, or dry chemical

Unsuitable extinguishing

None known.

5.2. Special hazards arising from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders

Not available.

6.2. Environmental

Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

precautions

considerations.

6.3. Methods and material for Not available.

containment and cleaning up

Material name: CE390A-X-XC-XD SDS Austria 12499 Version No.: 02 Revision date: 19-Sep-2015 Print date: 19-Sep-2015

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Components **Value Form Type** Amorphous silica (CAS MAK 4 mg/m3 Inhalable fraction. 7631-86-9)

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring

Not available.

procedures

Derived no-effect level (DNEL)

Not available.

Predicted no effect

concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

controls

Individual protection measures, such as personal protective equipment

General information No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection Not available.

Skin protection

- Hand protection Not available. - Other Not available. Not available. Respiratory protection Thermal hazards Not available. **Hygiene measures** Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Fine powder Physical state Solid. Color Black.

Odor Slight plastic odor **Odor threshold** Not available. Not applicable pН Melting point/freezing point Not available. Initial boiling point and Not applicable

boiling range

Flash point Not applicable **Evaporation rate** Not applicable. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower Not flammable

Flammability limit -

upper (%)

Not available.

Material name: CE390A-X-XC-XD

Version No.: 02 Revision date: 19-Sep-2015 Print date: 19-Sep-2015 3 / 7

Vapor pressure Not applicable Relative density Not available.

Solubility(ies) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature No data available >= 392 °F (>= 200 °C) **Decomposition temperature**

Viscosity Not applicable **Explosive properties** Not available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile Negligible

Softening point 212 - 302 °F (100 - 150 °C)

VOC (Weight %) Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

Carbon monoxide and carbon dioxide. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Not available.

11.1. Information on toxicological effects **Acute toxicity** Based on available data, the classification criteria are not met.

Skin corrosion/irritation Serious eye damage/eye Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

irritation

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium)

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity Specific target organ toxicity Based on available data, the classification criteria are not met.

- single exposure

Specific target organ toxicity

- repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Components **Species Test Results**

Amorphous silica (CAS 7631-86-9)

Acute Oral

LD50 Mouse > 15000 mg/kg

> 22500 mg/kg Rat

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity LL50: > 1000 mg/l, Fish, 96.00 Hours

SDS Austria Material name: CE390A-X-XC-XD

Product Species Test Results

CE390A-X-XC-XD

Aquatic

LL50 Fish Fish > 1000 mg/l, 96 Hours

12.2. Persistence and

degradability

Not available.

12.3. Bioaccumulative

potential

Not available.

Not available.

Partition coefficient n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil Not available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available. **EU** waste code Not available.

Disposal methods/information Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state,

and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is

available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number UN2807

UN proper shipping name Magnetized Material

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not applicable.

Environmental hazards No.

Special precautions for Not available.

user **IMDG**

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

19 or more of these cartridges shipped together in a single package (e.g., box, container), by air, are regulated as a magnetized material. These requirements do not apply to single or dual pack cartridges contained in an original HP package and shrink wrapped on a pallet for shipment by air.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

SDS Austria Material name: CE390A-X-XC-XD Version No.: 02 Revision date: 19-Sep-2015 Print date: 19-Sep-2015

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not regulated.

Other EU regulations

Other regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not regulated.

Directive 94/33/EC on the protection of young people at work

Not regulated.

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and

China.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. Other information

National regulations Not available. 15.2. Chemical safety Not available.

assessment

classification of mixture

SECTION 16: Other information

References Not available. Information on evaluation Not available. method leading to the

Tssue date 10-Jul-2015

Revision information SECTION 16: Other information: Disclaimer

Training information Not available.

Disclaimer This Safety Data Sheet document is provided without charge to customers of HP. Data is the most

current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other

countries.

Material name: CE390A-X-XC-XD SDS Austria

12499 Version No.: 02 Revision date: 19-Sep-2015 Print date: 19-Sep-2015 **Manufacturer information** HP

11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199

(Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

Comprehensive Environmental Response Compensation and Liability Act **CERCLA**

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds

Material name: CE390A-X-XC-XD SDS Austria 7/7

12499 Version No.: 02 Revision date: 19-Sep-2015 Print date: 19-Sep-2015