

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

1.1. Product identifier

Trade name or designation

HP Color LaserJet CF450A Black Print Cartridge

of the mixture

Registration number -

Synonyms None.

Issue date 03-Aug-2018

Version number 02

Revision date 05-Jul-2019 Supersedes date 03-Aug-2018

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a black toner preparation that is used in HP Color LaserJet LJ M652 / HP Color

LaserJet M681 / HP Color LaserJet LJ M653 / HP Color LaserJet M682 series printers.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP PPS Austria GmbH

Wienerbergstrasse 41, 3rd Floor

Wien, Austria 1120

Telephone +43 (1) 81118-0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

Line

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

+43 (1) 406 43 43

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Amorphous silica, Carbon black, Styrene acrylate copolymer, Wax

Hazard pictograms None.

Signal word None.

Hazard statements None

Precautionary statements

PreventionNot available.ResponseNot available.StorageNot available.DisposalNot available.

Supplemental label information None

Material name: CF450A SDS AUSTRIA

14220 Version #: 02 Revision date: 05-Jul-2019 Issue date: 03-Aug-2018

2.3. Other hazards

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification:		-			
Carbon black	<10	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification: -					
Wax	<10	Trade Secret	-	-	
Classification:		-			
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a Ingestion

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

CO2, water, or dry chemical

media

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

Special fire fighting procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods

None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

Not available. For emergency responders

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for containment and cleaning up Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Value Form Components **Type** Amorphous silica (CAS MAK 4 mg/m3 Inhalable fraction.

7631-86-9)

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Recommended monitoring

procedures

Pre

Not available.

Derived no effect levels (DNELs)

Components	Туре	Route	Value	Form
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term
edicted no effect concentrations (PNEC	Cs)			
Components	Туре	Route	Value	Form

Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Marine water 5 mg/l

Exposure guidelines , 5 mg/m3 (Respirable Fraction)

, 3 mg/m3 (Respirable Particulate)

Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10

mg/m3

UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information No personal respiratory protective equipment required under normal conditions of use.

Not available. Eye/face protection

Skin protection

Not available. - Hand protection - Other Not available.

Not available Respiratory protection Material name: CF450A

SDS AUSTRIA

Thermal hazards Not available.

Hygiene measures Not available.

Environmental exposure Not available.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Fine powder
Physical state Solid.
Form solid
Color Black.

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not flammable

Flammability limit - upper

(%)

Not available.

Vapor pressure Not applicable
Vapor density Not applicable

Solubility(ies)

Solubility (water) Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicableExplosive propertiesNot available.

Oxidizing properties No information available.

9.2. Other information

Percent volatile 0 % estimated

Softening point 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Contact with skin may result in mild irritation.

Eye contact Contact with eyes may result in mild irritation.

Ingestion is not a likely route of exposure. Ingestion

Not available. **Symptoms**

11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Test Results Components **Species**

Carbon black (CAS 1333-86-4)

Acute Oral

LD50 Rat > 10000 mg/kg

Skin corrosion/irritation Serious eye damage/eye irritation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous silica (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity Specific target organ toxicity -

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity repeated exposure

Aspiration hazard Based on available data, the classification criteria are not met.

Mixture versus substance

Crustacea

Fish

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

> 100 mg/l, 48 Hours

> 100 mg/l, 96 Hours

SECTION 12: Ecological information

12.1. Toxicity LC50: > 100 mg/l, Fish, 96.00 Hours

EC50

LC50

Product Test Results Species CF450A Aquatic ErC50 Algae Algae > 100 mg/l, 72 Hours

12.2. Persistence and Not available.

degradability 12.3. Bioaccumulative potential Not available.

Partition coefficient Not available. n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil Not available

12.5. Results of PBT Not a PBT or vPvB substance or mixture.

and vPvB assessment

Crustacea

Fish

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Not available. Residual waste Contaminated packaging Not available. EU waste code Not available.

Disposal methods/information Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkiet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

All chemical substances in this HP product have been notified or are exempt from notification Other regulations

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

National regulations

Not available.

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References

Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements not written out in full under

None.

Sections 2 to 15 **Revision information**

SECTION 1: Identification of the substance/mixture and of the company/undertaking: Important

information

Composition / Information on Ingredients: Ingredients Follow training instructions when handling this material.

Training information Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

Comprehensive Environmental Response Compensation and Liability Act **CERCLA**

Code of Federal Regulations **CFR**

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

IARC International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

Occupational Safety and Health Administration **OSHA**

Permissible Exposure Limit **PEL**

Resource Conservation and Recovery Act RCRA

REC Recommended

REL Recommended Exposure Limit

Superfund Amendments and Reauthorization Act of 1986 **SARA**

STFL Short-Term Exposure Limit

Toxicity Characteristics Leaching Procedure **TCLP**

TLV Threshold Limit Value

TSCA Toxic Substances Control Act VOC Volatile Organic Compounds