

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

CLT-K406Series

Registration number

**Synonyms** None.

17-Mar-2018 Issue date

Version number 02

**Revision date** 12-Jul-2018 17-Mar-2018 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** This product is a toner mixture that is used in printing systems.

Uses advised against Do not use with non compatible printer.

1.3. Details of the supplier of the safety data sheet

HP PPS Austria GmbH

Wienerbergstrasse 41, 3rd Floor

Wien, Austria 1120 +43 (1) 81118-0000

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

**Telephone** 

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551

Email: hpcustomer.inquiries@hp.com

1.4 Emergency telephone

number

+43 (1) 406 43 43

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

Not available. Prevention Not available. Response Not available. Storage Not available. Disposal

Supplemental label information None.

2.3. Other hazards Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly

carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present

this carcinogenic risk. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Material name: CLT-K406Series SDS AUSTRIA

14606 Version #: 02 Revision date: 12-Jul-2018 Issue date: 17-Mar-2018

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

## **SECTION 4: First aid measures**

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move person to fresh air immediately. If irritation persists, consult a physician.

Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation Skin contact

develops or persists.

Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at Eye contact

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth with water. Drink one to two glasses of water. DO NOT induce vomiting. Get medical

attention immediately.

4.2. Most important symptoms and effects, both acute and

Difficulty in breathing. Coughing.

delayed 4.3. Indication of any

immediate medical attention and special treatment needed Treat symptomatically.

### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Dry chemical, foam, carbon dioxide, water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Special fire fighting

procedures

Firefighters should wear full protective clothing including self contained breathing apparatus.

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. See Section 8 of the SDS for Personal Protective Equipment.

For emergency responders

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum

up spillage and collect in suitable container for disposal.

6.4. Reference to other

sections

See Section 8 of the SDS for Personal Protective Equipment. See also section 13 Disposal considerations

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Minimize dust generation and accumulation. Use local exhaust ventilation. Avoid prolonged exposure. Practice good housekeeping.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Not available. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Occupational exposure limits No exposure limits noted for ingredient(s).

Material name: CLT-K406Series 14606 Version #: 02 Revision date: 12-Jul-2018 Issue date: 17-Mar-2018 **Biological limit values** 

Recommended monitoring

procedures

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

No biological exposure limits noted for the ingredient(s).

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Rubber gloves are recommended. Wash hands after handling.

- Other Protection suit must be worn.

Respiratory protection No personal respiratory protective equipment required under normal conditions of use.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately Hygiene measures

after handling the product.

**Environmental exposure** 

controls

Do not allow the spilled product to enter public drainage system or open water courses.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Not available. Solid. Fine powder **Form** 

Color Black. Odor Odorless Not available. Odor threshold Not available. pН Melting point/freezing point Not available. Initial boiling point and boiling

range

Not available.

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

(%)

Not available.

Vapor pressure Not available. Not available Vapor density

Solubility(ies)

Insoluble in water. Solubility (water)

Solubility (other) Partially soluble in toluene, chloroform and tetrahydrofuran

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature Not available. > 392 °F (> 200 °C) **Decomposition temperature** 

Material name: CLT-K406Series

SDS AUSTRIA

Not available. **Viscosity Explosive properties** Not available.

Oxidizing properties No information available.

9.2. Other information Not available.

### **SECTION 10: Stability and reactivity**

10.1. Reactivity Not available.

Stable under normal storage conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

This product may react with strong oxidizing agents. 10.5. Incompatible materials

10.6. Hazardous Carbon monoxide and carbon dioxide.

decomposition products

10.4. Conditions to avoid

# **SECTION 11: Toxicological information**

**General information** Not available.

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Contact with eyes may result in mild irritation.

Ingestion Expected to be a low ingestion hazard.

Not available. **Symptoms** 

11.1. Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

LD50/oral/rat >5000 mg/kg.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 404).

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met.

Not a known irritant. (OECD 405).

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Negative Ames Test (Test strains: Salmonella typhimurium).

Carcinogenicity Based on available data, the classification criteria are not met.

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard** 

Mixture versus substance

information

Not available.

Material name: CLT-K406Series SDS AUSTRIA

14606 Version #: 02 Revision date: 12-Jul-2018 Issue date: 17-Mar-2018

#### Other information

Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

# **SECTION 12: Ecological information**

**12.1. Toxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential

Not available.

Partition coefficient

Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) 12.4. Mobility in soil Not available. Not available.

40 5 D ... 14 ... CDDT

Not a PBT or vPvB substance or mixture.

12.5. Results of PBT

Not a PB I

and vPvB assessment

**12.6. Other adverse effects** Not available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Disposal methods/information

Dispose of in compliance with federal, state, and local regulations. Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Do not put toner container into fire; heated toner may cause severe burns. Do not incinerate. Do not allow this material to drain into

sewers/water supplies.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

## **SECTION 14: Transport information**

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

#### **ADR**

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I

Not listed.

Material name: CLT-K406Series sps austria

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

#### **Authorizations**

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other information This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.

Classification according to Regulation (EC) No 1272/2008 as amended.

Other regulations All chemical substances in this HP product have been notified or are exempt from notification

under chemical substances notification laws in the following countries: US (TSCA), EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

Not available.

**National regulations** 

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

None.

Revision information None.

**Training information** Follow training instructions when handling this material.

Material name: CLT-K406Series SDS AUSTRIA

#### Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

#### **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CLT-K406Series SDS AUSTRIA