

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***				
1.1. Product identifier					
Trade name or designation of the mixture	F9K15Series				
Registration number	-				
Synonyms	None.				
Issue date	11-Mar-2016				
Version number	08				
Revision date	24-May-2019				
Supersedes date	23-May-2019				
1.2. Relevant identified uses of	the substance or mixture and uses advised against				
Identified uses	Inkjet printing				
Uses advised against	None known.				
1.3. Details of the supplier of the	ne safety data sheet				
	HP PPS Austria GmbH				
	Wienerbergstrasse 41, 3rd Floor				
	Wien, Austria 1120				
Telephone	+43 (1) 81118-0000				
HP Inc. health effects line					
(Toll-free within the US)	1-800-457-4209				
(Direct)	1-760-710-0048				
HP Inc. Customer Care Line					
(Toll-free within the US)	1-800-474-6836				
(Direct)	1-208-323-2551				
Email:	hpcustomer.inquiries@hp.com				
1.4 Emergency telephone number	+43 (1) 406 43 43				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

······································		
Contains:	1-(2-hydroxyethyl)-2-pyrrolidone, 1,2-Benzisothiazolin-3-one, 2-pyrrolidone, Polyethylene glycol, Water	
Hazard pictograms	None.	
Signal word	None.	
Hazard statements	None	
Precautionary statements		
Prevention	Not available.	
Response	Not available.	
Storage	Not available.	
Disposal	Not available.	
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one. May produce an allergic reaction.	

Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific formulation.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
Water		70-85	7732-18-5	_	-	
Classification:	-		231-791-2			
1-(2-hydroxyethyl)-2-pyrr	olidone	< 10	3445-11-2	01-2119977089-21-XXXX	-	
			222-359-4			
Classification:	-					
2-pyrrolidone		< 7.5	616-45-5	01-2119475471-37-XXXX	-	
			210-483-1			
Classification:	Eye Irrit. 2;I	H319				
1,2-Benzisothiazolin-3-or	ne	<0.1	2634-33-5	-	613-088-00-6	
			220-120-9			
Classification:	Acute Tox. Acute 1;H4		in Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H3	18, Aquatic	
Polyethylene glycol		<0.1	25322-68-3	-	-	
			500-038-2			
Classification:	-					

SECTION 4: First aid measures

General information	Not available.

4.1. Description of first aid meas	sures
Inhalation	Move to fresh air. If symptoms persist, get medical attention.
Skin contact	Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention.
Ingestion	If ingestion of a large amount does occur, seek medical attention.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	CO2, water, dry chemical, or foam
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.

Specific methods	None established.							
SECTION 6: Accidental rel	ease measures							
6.1. Personal precautions, protect For non-emergency personnel	c tive equipment and e Wear appropriate pers							
For emergency responders	Not available.							
6.2. Environmental precautions	Do not let product ente							
6.3. Methods and material for containment and cleaning up	or diatomaceous earth	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.						
6.4. Reference to other sections	Not available.	Not available.						
SECTION 7: Handling and	storage							
7.1. Precautions for safe handling	Avoid contact with skir	n, eyes and clo	othing.					
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach	of children. Ke	ep away from	excessive heat or o	cold.			
7.3. Specific end use(s)	Not available.							
SECTION 8: Exposure cor	trols/personal pro	otection						
8.1. Control parameters								
Occupational exposure limits								
Austria. MAK List, OEL Ordin Components	nance (GwV), BGBI. II, Type	no. 184/2001		Value	Form			
Polyethylene glycol (CAS 25322-68-3)	MAK			1000 mg/m3	Inhalable fraction.			
,	STEL			4000 mg/m3	Inhalable fraction.			
Biological limit values	No biological exposure	e limits noted f	or the ingredie	nt(s).				
Recommended monitoring procedures	Not available.							
Derived no effect levels (DNELs)					_			
Components	Туре		Route	Value	Form			
2-pyrrolidone (CAS 616-45-5)	Consum	iers	Dermal Dermal	6 mg/kg bw/d 167 mg/kg bw/d	Systemic long term Systemic acute short term			
			Inhalation	17.1 mg/m3	Systemic long term			
			Oral	5.2 mg/kg bw/d	Systemic long term			
			Oral	33.3 mg/kg bw/d	Systemic acute short term			
	Workers	3	Dermal	277 mg/kg bw/d	Systemic acute short term			
			Dermal Inhalation	10 mg/kg bw/d 57.8 mg/m3	Systemic long term Systemic long term			
			Innalation	57.8 mg/m3	Systemic long term			
Predicted no effect concentration Components	ns (PNECs) Type		Route	Value	Form			
2-pyrrolidone (CAS 616-45-5)	Not app	licable	Freshwater	0.5 mg/l				
	Notapp	lioubic	Intermittent	0.5 mg/l	Releases			
			Marine water	0.05 mg/l				
			Sediment	0.4205 mg/kg	Freshwater			
			Soil	0.0612 mg/kg				
			STP	10 mg/l	Sewage Treatment Plant			
Exposure guidelines	Exposure limits have r	not been estab	lished for this	product.				
8.2. Exposure controls		1						
Appropriate engineering controls	Use in a well ventilated							
Individual protection measures,				nouro to akin and a				
General information	Use personal protectiv Not available.	e equipment t	o minimze exp		5yc.			
Eye/face protection	NUL AVAIIANE.							
Skin protection								

- Hand protection

Not available.

- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	hemical properties
---	--------------------

Physical stateNot available.FormNot available.ColorYellowOdorNot available.Odor thresholdNot available.pH7.1 - 7.7Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 230.0 °F (> 110.0 °C) Setaflash Closed TesterEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or expive limitsFlammability limit - lower (%)Not determinedVapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity> 2 cp
ColorYellowOdorNot available.Odor thresholdNot available.pH7.1 - 7.7Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 230.0 °F (> 110.0 °C) Setaflash Closed TesterEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explicityNot available.flammability (solid, gas)Not available.Upper/lower flammability or explicityNot determined(%)Not available.flammability limit - lower (%)Not available.flammability limit - upper (%)Not determinedVapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Vato-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity> 2 cp
OdorNot available.Odor thresholdNot available.pH7.1 - 7.7Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 230.0 °F (> 110.0 °C) Setaflash Closed TesterEvaporation rateNot determinedFlarmability (solid, gas)Not available.Upper/lower flammability or exp>:ve limitsFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not determinedVapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Vot available.Not available.Upcomposition temperatureNot available.Vot available.Not available.Partition coefficient (n-octanol/water)Not available.Partition coefficient (n-octanol/water)Not available.Partition coefficient (n-octanol/water)Not available.Partition temperatureNot available.Decomposition temperatureNot available.Not available.Not available.Partition coefficient (n-octanol/water)Not available.Decomposition temperatureNot available.Not available.Not available.Partition coefficient (n-octanol/water)Not available.Partition coefficient (n-octanol/water)Not available.Partition coefficie
Odor thresholdNot available.pH7.1 - 7.7Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 230.0 °F (> 110.0 °C) Setaflash Closed TesterEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explore limitsFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not determinedVapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Vato-ignition temperatureNot available.Viscosity> 2 cp
pH 7.1 - 7.7 Melting point/freezing point Not available. Initial boiling point and boiling range Flash point > 230.0 °F (> 110.0 °C) Setaflash Closed Tester > 230.0 °F (> 110.0 °C) Setaflash Closed Tester Not determined Flammability (solid, gas) Not available. Vpper/lower flammability or explore limits Flammability limit - lower Not determined (%) Flammability limit - upper Not determined (%) Yapor pressure Not determined Vapor density > 1 (air = 1.0) Solubility(ies) Solubility(ies) Solubility (water) Soluble in water Partition coefficient Not available. (n-octanol/water) Auto-ignition temperature Not available. Piccomposition temperature Not available. Not available. Yot available. Not available. Not available. Not available. Yapor Piccomposition temperature Not available. Not available. Yation coefficient Not available. Piccomposition temperature Not available. Not available. Not available. Yation coefficient Not available. Not available. Piccomposition temperature Not available. Not available. Yation coefficient Not available. Piccomposition temperature Not available. Piccomposition
PrimeNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot determinedFlash point> 230.0 °F (> 110.0 °C) Setaflash Closed TesterEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explosive limits Flammability limit - lower (%)Not determinedFlammability limit - lower (%)Not available.Vapor pressureNot determinedVapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Viscosity> 2 cp
Initial boiling point and boiling rangeNot determinedFlash point> 230.0 °F (> 110.0 °C) Setaflash Closed TesterEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explosive limits Flammability limit - lower (%)Not determinedFlammability limit - lower (%)Not determinedVapor pressureNot determinedVapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Viscosity> 2 cp
rangeFlash point> 230.0 °F (> 110.0 °C) Setaflash Closed TesterEvaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or expl>sive limitsFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not available.Vapor pressureNot available.Vapor density> 1 (air = 1.0)Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Viscosity> 2 cp
Evaporation rateNot determinedFlammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lowerNot determined(%)Not available.Flammability limit - upper (%)Not available.Vapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature ViscosityNot available.Viscosity> 2 cp
Flammability (solid, gas)Not available.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not available.Vapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.Viscosity> 2 cp
Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not determinedFlammability limit - upper (%)Not available.Vapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature ViscosityNot available.Viscosity> 2 cp
Flammability limit - lower (%)Not determinedFlammability limit - upper (%)Not available.Vapor pressureNot determinedVapor density> 1 (air = 1.0)Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature ViscosityNot available.Viscosity> 2 cp
(%) Flammability limit - upper (%) Vapor pressure Vapor density Solubility(ies) Solubility (water) Not available. (n-octanol/water) Auto-ignition temperature Decomposition temperature Viscosity Not available. > 2 cp
(%) Vapor pressure Not determined Vapor density > 1 (air = 1.0) Solubility(ies) Solubility (water) Soluble in water Partition coefficient Not available. (n-octanol/water) Auto-ignition temperature Not available. Decomposition temperature Not available. Viscosity > 2 cp
Vapor density> 1 (air = 1.0)Solubility(ies)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.Viscosity> 2 cp
Solubility(ies) Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.Viscosity> 2 cp
Solubility (water)Soluble in waterPartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity> 2 cp
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity> 2 cp
(n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperature> 2 cp
Decomposition temperatureNot available.Viscosity> 2 cp
Viscosity > 2 cp
Explanive properties Not available
Explosive properties Not available.
Oxidizing properties Not determined
9.2. Other information
Percent volatile 5.45 % estimated
VOC< 225 g/L EPA Method 24

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

Not available.

Information	ı on	likely	routes	of exposure	
-------------	------	--------	--------	-------------	--

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Contact with skin may result in mild irritation.

Material name: F9K15Series

General information

Eye contact	Contact with e	eyes may result in mild irritation.			
Ingestion	Health injuries	Health injuries are not known or expected under normal use.			
Symptoms	Not available.	Not available.			
11.1. Information on toxicologic	al effects				
Acute toxicity	Based on available data, the classification criteria are not met.				
Components	Species Test Results		Test Results		
2-pyrrolidone (CAS 616-45-5)					
<u>Acute</u>					
Oral					
LD50	Rat		> 5000 mg/kg		
Skin corrosion/irritation	Based on ava	ilable data, the classification criteria are	not met.		
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.				
Respiratory sensitization	Based on ava	Based on available data, the classification criteria are not met.			
Skin sensitization	Based on ava	ilable data, the classification criteria are	not met.		
Germ cell mutagenicity	Based on ava	ilable data, the classification criteria are	not met.		
Carcinogenicity	Based on ava	Based on available data, the classification criteria are not met.			
Reproductive toxicity	Based on ava	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - single exposure	Based on ava	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.				
Aspiration hazard	Based on ava	ilable data, the classification criteria are	not met.		
Mixture versus substance information	Not available.				
Other information		Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.			
SECTION 12: Ecological i	nformation				
•					
12.1. Toxicity		to be harmful to aquatic organisms.			
12.1. Toxicity Aquatic toxicity		to be harmful to aquatic organisms.	Test Results		
12.1. Toxicity Aquatic toxicity Product		to be harmful to aquatic organisms. Species	Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series			Test Results		
12.1. Toxicity Aquatic toxicity Product			Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic					
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute	Not expected	Species			
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish	Not expected	Species Fathead minnow (Pimephales promela	as) > 750 mg/l, 96 hours		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components	Not expected	Species Fathead minnow (Pimephales promela	as) > 750 mg/l, 96 hours		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5)	Not expected	Species Fathead minnow (Pimephales promela	as) > 750 mg/l, 96 hours		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic	Not expected	Species Fathead minnow (Pimephales promela Species	as) > 750 mg/l, 96 hours Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and	Not expected LC50 EC50 Not available.	Species Fathead minnow (Pimephales promela Species	as) > 750 mg/l, 96 hours Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability	Not expected LC50 EC50 Not available.	Species Fathead minnow (Pimephales promela Species	as) > 750 mg/l, 96 hours Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)	Not expected LC50 EC50 Not available.	Species Fathead minnow (Pimephales promela Species Water flea (Daphnia pulex)	as) > 750 mg/l, 96 hours Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	Not expected LC50 EC50 Not available. Not available.	Species Fathead minnow (Pimephales promela Species Water flea (Daphnia pulex)	as) > 750 mg/l, 96 hours Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Bioconcentration factor (BCF)	Not expected LC50 EC50 Not available. Not available. Not available.	Species Fathead minnow (Pimephales promela Species Water flea (Daphnia pulex)	as) > 750 mg/l, 96 hours Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB	Not expected LC50 EC50 Not available. Not available. Not available.	Species Fathead minnow (Pimephales promela Species Water flea (Daphnia pulex) -0.85	as) > 750 mg/l, 96 hours Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects	Not expected LC50 EC50 Not available. Not available. Not available. Not available. Not available. Not available.	Species Fathead minnow (Pimephales promela Species Water flea (Daphnia pulex) -0.85 vPvB substance or mixture.	as) > 750 mg/l, 96 hours Test Results		
12.1. Toxicity Aquatic toxicity Product F9K15Series Aquatic Acute Fish Components 2-pyrrolidone (CAS 616-45-5) Aquatic Crustacea 12.2. Persistence and degradability 12.3. Bioaccumulative potential Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone Bioconcentration factor (BCF) 12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment	Not expected LC50 EC50 Not available. Not available. Not available. Not available. Not available. Not available.	Species Fathead minnow (Pimephales promela Species Water flea (Daphnia pulex) -0.85 vPvB substance or mixture.	as) > 750 mg/l, 96 hours Test Results		

 Contaminated packaging
 Not available.

 EU waste code
 Not available.

 Disposal methods/information
 Do not allow this material to drain into sewers/water supplies.

 Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.	
	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.	
National regulations	Not available.	
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.	
SECTION 16: Other inform	ation	
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).	
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.	
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).	
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.	
Full text of any H-statements		
not written out in full under Sections 2 to 15	 H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. 	
Revision information	None.	
Training information	Follow training instructions when handling this material.	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.	

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists	
CAS	Chemical Abstracts Service	
CERCLA	Comprehensive Environmental Response Compensation and Liability Act	
CFR	Code of Federal Regulations	
COC	Cleveland Open Cup	
DOT	Department of Transportation	
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)	
IARC	International Agency for Research on Cancer	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
RCRA	Resource Conservation and Recovery Act	
REC	Recommended	
REL	Recommended Exposure Limit	
SARA	Superfund Amendments and Reauthorization Act of 1986	
STEL	Short-Term Exposure Limit	
TCLP	Toxicity Characteristics Leaching Procedure	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
VOC	Volatile Organic Compounds	

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.			
Operational conditions				
Maximum duration	Up to 8 hours per day			
Frequency of exposure	< 240 days per year			
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions			
	followed.			
Risk management measures				
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.			
related to Personal Protection				
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.			
Equipment, hygiene and	Wear appropriate chemical resistent clothing.			
health evaluation	In case of inadequate ventilation wear respiratory protection.			
	Eye wash fountain and emergency showers are recommended.			
	Avoid breathing mist/vapours.			
	Avoid contact with skin, eyes and clothing.			
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.			
Good practice advice				
Use personal protective equipme	ent as required.			
Wash hands before breaks and a	after work.			
Keep good industrial hygiene and	d safety practice.			
Use only with adequate ventilati				
Do no eat, drink or smoke when				
Wash contaminated clothing be				
Store at room temperature.				
Environmental measures				
	in intercourse/unitercourselies			
Do not allow this material to dra				
-	ding to Local, State, Federal and Provincial Environmental Regulations.			
	ith appropriately licenced waste contractor.			
Use descriptors				
IS-Use at industrial sites				
PW-Widespread use by profession	onal workers			
SU7-Printing and reproduction n	nedia			
PC18-Inks and Toners				
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.			
PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions				
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities			
ERC5-Use at industrial site leading				
	io inclusion into/onto article (indoor)			
Additional information on prod				
	s on the label, the classification of the mixture is provided.			
Most of the water based inks are				
	is based on the individuel ingredients and their concentration within the mixture.			
	ne classification are stated in Section 3 of the SDS.			
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.			
	zing ingredients that may cause allergic reaction to certain people.			
Section 2 of the SDS states these				
I	WB01 English.pdf			