

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***
1.1. Product identifier	
Trade name or designation of the mixture	L0S70Series
Registration number	-
Synonyms	None.
Issue date	12-Apr-2016
Version number	04
Revision date	09-Apr-2019
Supersedes date	06-Sep-2018
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	Inkjet printing
Uses advised against	None known.
1.3. Details of the supplier of the	ne safety data sheet
	HP PPS Austria GmbH
	Wienerbergstrasse 41, 3rd Floor
	Wien, Austria 1120
Telephone	+43 (1) 81118-0000
HP Inc. health effects line	
(Toll-free within the US)	1-800-457-4209
(Direct)	1-760-710-0048
HP Inc. Customer Care Line	
(Toll-free within the US)	1-800-474-6836
(Direct)	1-208-323-2551
Email:	hpcustomer.inquiries@hp.com
1.4 Emergency telephone number	+43 (1) 406 43 43

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

5 5 (
Contains:	1,2-Benzisothiazolin-3-one, 2-methyl-2h-isothiazol-3-one, 2-pyrrolidone, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	None
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Potential routes of exposure to this product are skin and eye contact, ingestion, and inhalation. Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. Complete toxicity data are not available for this specific formulation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

O	1
General	information

Seneral information						
Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		70-90	7732-18-5 231-791-2	-	-	
Classification:	-					
2-pyrrolidone		<10	616-45-5 210-483-1	01-2119475471-37-XXXX	-	
Classification:	Eye Irrit. 2;	H319				
1,2-Benzisothiazolin-3-or	ne	<0.1	2634-33-5 220-120-9	-	613-088-00-6	
Classification:	Acute Tox. Acute 1;H4		in Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H3	18, Aquatic	
2-methyl-2h-isothiazol-3-	one	<0.1	2682-20-4 220-239-6	-	-	
Classification:			cute Tox. 3;H311, Skir juatic Chronic 1;H410	n Corr. 1B;H314, Skin Sens. 1	A;H317,	
omposition comments	This i	ink supply c	ontains an aqueous ir	nk formulation.		
	Carbo	on black is p	present only in a bour	d form in this preparation.		
ECTION 4: First aid r	neasures	i				
eneral information	Not a	vailable.				
1. Description of first aid I	measures					
Inhalation	Remo	ove to fresh	air. If symptoms pers	ist, get medical attention.		
Skin contact		n affected ar		nild soap and water. Get medi	cal attention if irrit	ation
Eye contact				h large amounts of clean, war emoved. If irritation persists g		
Ingestion	If inge	estion of a la	arge amount does oc	cur, seek medical attention.		
2. Most important sympto nd effects, both acute and elayed		vailable.				
3. Indication of any nmediate medical attention nd special treatment need	n	vailable.				
SECTION 5: Firefightin	ng measu	ires				
eneral fire hazards	Not a	vailable.				
1. Extinguishing media						
Suitable extinguishing media				uch as foam, sand, dry chemi) quantities of water and/or foa		
Unsuitable extinguishir media	ng None	known.				
2. Special hazards arising om the substance or mixt		vailable.				
3. Advice for firefighters						
Special protective equipment for firefighte		vailable.				
	NI_1 - 1	veileb!-				

Material name: L0S70Series

procedures

Special fire fighting

Not available.

Specific methods	None established.			
SECTION 6: Accidental re	lease measures			
6.1. Personal precautions, protect For non-emergency personnel	ctive equipment and emergend Wear appropriate personal pro			
For emergency responders	Not available.			
6.2. Environmental precautions	Do not let product enter drains.	Do not flush into	surface water or sani	tary sewer system.
6.3. Methods and material for containment and cleaning up		Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.		
6.4. Reference to other sections	Not available.			
SECTION 7: Handling and	storage			
7.1. Precautions for safe handling	Avoid contact with skin, eyes a	nd clothing.		
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of childre	en. Keep away fror	n excessive heat or c	cold.
7.3. Specific end use(s)	Not available.			
8.1. Control parameters Occupational exposure limits Austria. MAK List, OEL Ordi Components	nance (GwV), BGBI. II, no. 184 Type	/2001	Value	
· · · · · · · · · · · · · · · · · · ·				
2-methyl-2h-isothiazol-3-on e (CAS 2682-20-4)	MAK		0.05 mg/m3	
Biological limit values	No biological exposure limits n	oted for the ingred	ient(s).	
Recommended monitoring procedures	Not available.			
Derived no effect levels (DNELs)				
Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Consumers Workers	Dermal Dermal Inhalation Oral Oral Dermal	6 mg/kg bw/d 167 mg/kg bw/d 17.1 mg/m3 5.2 mg/kg bw/d 33.3 mg/kg bw/d 277 mg/kg bw/d	Systemic long term Systemic acute short term Systemic long term Systemic long term Systemic acute short term Systemic acute short term
	VVUIKEIS	Dermal Dermal Inhalation	10 mg/kg bw/d 10 mg/kg bw/d 57.8 mg/m3	Systemic long term Systemic long term

Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form
2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l	
		Intermittent	0.5 mg/l	Releases
		Marine water	0.05 mg/l	
		Sediment	0.4205 mg/kg	Freshwater
		Soil	0.0612 mg/kg	
		STP	10 mg/l	Sewage Treatment Plan
kposure guidelines	Exposure limits have not been es	tablished for this	product.	
2. Exposure controls				
opropriate engineering	Use in a well ventilated area.			

Individual protection measures, such as personal protective equipment

General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.

Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7.5 - 9
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 230.0 °F (> 110.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
VOC	209 g/L

SECTION 10: Stability and reactivity

	5
10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazard reactions	ous Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materia	Is Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicological information

General information	Not available.	
Information on likely routes of exposure		
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.	
Skin contact	Contact with skin may result in mild irritation.	
Eye contact	Contact with eyes may result in mild irritation.	
Ingestion	Health injuries are not known or expected under normal use.	

Material name: L0S70Series

Symptoms

Not available.

11.1. Information on toxicological effects

Acute toxicity	Bacca on available data, the	s data, the blacomouton oftend are not met.	
Components	Species	Test Results	
2-pyrrolidone (CAS 616-45-5)			
Acute			
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Based on available data, the	classification criteria are not met.	
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Respiratory sensitization	Based on available data, the	classification criteria are not met.	
Skin sensitization	Based on available data, the	classification criteria are not met.	
Germ cell mutagenicity	Based on available data, the	classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.		
	2B) and by the State of Califor organizations indicate that ex	a carcinogen by the IARC (possibly carcinogenic to humans, Group ornia under Proposition 65. In their evaluations of carbon black, bot posure to carbon black, per se, does not occur when it remains k, specifically, rubber, ink, or paint. Carbon black is present only in a n.	
Reproductive toxicity	Based on available data, the	classification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the	classification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the	classification criteria are not met.	
Aspiration hazard	Based on available data, the	classification criteria are not met.	
Mixture versus substance information	Not available.		
Other information	Complete toxicity data are not available for this specific formulation		
SECTION 12: Ecological i	nformation		
12.1. Toxicity			

12.1. Toxicity	
----------------	--

Aquatic toxicity This product has not been tested for ecological effects.			
Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone		-0.85	
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or v	PvB substance or mixture.	
12.6. Other adverse effects	Not available.		

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.

Disposal methods/information Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

	15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture		
	EU regulations			
	Regulation (EC) No. 1005/20	Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I		
	Not listed.			
	Regulation (EC) No. 1005/20	009 on substances that deplete the ozone layer, Annex II		
	Not listed.			
	• • •	04 On persistent organic pollutants, Annex I as amended		
	Not listed.	2 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended		
	Not listed.	2 concerning the export and import of dangerous chemicals, Amexil, Fart 1 as amended		
		2 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended		
	Not listed.			
		2 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended		
	Not listed.			
	Regulation (EU) No. 649/201	2 concerning the export and import of dangerous chemicals, Annex V as amended		
Not listed.				
	•	6 Annex II Pollutant Release and Transfer Registry		
Not listed. Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.		106 PEACH Article 59(1) Candidate List as currently published by ECHA		
		too, REACH Article 39(1) Candidate List as currently published by ECHA		
	Authorizations			
		A Amore XIV Cubatanana Cubiast to Authorization		
	Not listed.	1 Annex XIV Substances Subject to Authorization		
	Restrictions on use			
		006, REACH Annex XVII Substances subject to restriction on marketing and use as amended		
	Not listed.	e protection of workers from the risks related to exposure to carcinogens and mutagens at		
work Not regulated.		protection of workers from the fisks related to exposure to carcinogens and mutagens at		
	Other EU regulations			
Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed.		jor accident hazards involving dangerous substances, as amended		
	Other information	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).		

Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.		
National regulations	Not available.		
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.		
SECTION 16: Other inform	nation		
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).		
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.		
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).		
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.		
Full text of any H-statements not written out in full under Sections 2 to 15	 H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. 		
Revision information	None.		
Training information	Follow training instructions when handling this material.		
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.		
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.		

Explanation of abbreviations

ACGIH	American Conference of Covernmental Industrial Ungionista	
	American Conference of Governmental Industrial Hygienists	
CAS	Chemical Abstracts Service	
CERCLA	Comprehensive Environmental Response Compensation and Liability Act	
CFR	Code of Federal Regulations	
COC	Cleveland Open Cup	
DOT	Department of Transportation	
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)	
IARC	International Agency for Research on Cancer	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
RCRA	Resource Conservation and Recovery Act	
REC	Recommended	
REL	Recommended Exposure Limit	
SARA	Superfund Amendments and Reauthorization Act of 1986	
STEL	Short-Term Exposure Limit	
TCLP	Toxicity Characteristics Leaching Procedure	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
VOC	Volatile Organic Compounds	

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3), where uppicable, completes an extended product 3D3.
Operational conditions	
Maximum duration	Up to 8 hours per day
Frequency of exposure	< 240 days per year
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions
	followed.
Risk management measures	
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.
related to Personal Protection	
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.
Equipment, hygiene and	Wear appropriate chemical resistent clothing.
health evaluation	In case of inadequate ventilation wear respiratory protection.
	Eye wash fountain and emergency showers are recommended.
	Avoid breathing mist/vapours.
	Avoid contact with skin, eyes and clothing.
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.
Good practice advice	
Use personal protective equipme	ent as required.
Wash hands before breaks and a	after work.
Keep good industrial hygiene and	d safety practice.
Use only with adequate ventilati	
Do no eat, drink or smoke when	
Wash contaminated clothing be	
Store at room temperature.	
Environmental measures	
	is into source/unitor supplies
Do not allow this material to dra	
-	ding to Local, State, Federal and Provincial Environmental Regulations.
	ith appropriately licenced waste contractor.
Use descriptors	
IS-Use at industrial sites	
PW-Widespread use by profession	onal workers
SU7-Printing and reproduction n	nedia
PC18-Inks and Toners	
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
condition PROC8a-Transfer of substance o	ntion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment or mixture (charging and discharging) at non-dedicated facilities
PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities ERC5-Use at industrial site leading to inclusion into/onto article	
ERCS-Use at industrial site leading to inclusion into/onto article ERC8c-Widespread use leading to inclusion into/onto article (indoor)	
Additional information on prod	
	s on the label, the classification of the mixture is provided.
Most of the water based inks are "not classified".	
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.	
All ingredients contributing to the classification are stated in Section 3 of the SDS.	
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.	
The product may contain sensitiz	zing ingredients that may cause allergic reaction to certain people.
Section 2 of the SDS states these	ingredients where applicable.
	WB01 English.pdf