

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or designation of the mixture	F9K06Series	
Registration number	-	
Synonyms	None.	
Issue date	11-Jun-2016	
Version number	06	
Revision date	11-Oct-2018	
Supersedes date	27-Jun-2018	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
Identified uses	Inkjet printing.	
Uses advised against	None known.	
1.3. Details of the supplier of th	he safety data sheet	
	HP PPS Austria GmbH	
	Wienerbergstrasse 41, 3rd Floor	
	Wien, Austria 1120	
Telephone	+43 (1) 81118-0000	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care		
Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	
1.4 Emergency telephone number	+43 (1) 406 43 43	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	1,2-Benzisothiazolin-3-one, 2-methyl-2h-isothiazol-3-one, Diethylene glycol, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	Contains 1,2-Benzisothiazolin-3-one and 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction.
2.3. Other hazards	Complete toxicity data are not available for this specific formulation.
	Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

eneral information						
Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Note
onemical name		70		REACT Registration no.		Note
Water		70-85	7732-18-5 231-791-2	-	-	
Classification:	-					
Diethylene glycol		<5	111-46-6 203-872-2	01-2119457857-21-XXXX	603-140-00-6	
Classification:	Acute T	ox. 4;H302				
1,2-Benzisothiazolin-3-or	ne	<0.1	2634-33-5 220-120-9	-	613-088-00-6	
Classification:	Acute T Acute 1		kin Irrit. 2;H315, Skin S	Sens. 1;H317, Eye Dam. 1;H3	18, Aquatic	
2-methyl-2h-isothiazol-3-	one	<0.1	2682-20-4 220-239-6	-	-	
Classification:	Acute Tox. 2;H	ox. 3;H301, Ao I330, STOT SI	cute Tox. 3;H311, Ski E 3;H335, Aquatic Ac	n Corr. 1B;H314, Skin Sens. 1 ute 1;H400	;H317, Acute	
mposition comments	Th	is ink supply c	ontains an aqueous i	nk formulation.		
ECTION 4: First aid r	noseur	06				
eneral information		ot available.				
. Description of first aid						
. Description of first alu	measure					
Inhalation			air. If symptoms pers	ist get medical attention		
Inhalation Skin contact	Re	emove to fresh	• • •	ist, get medical attention.	cal attention if irrits	ation
Inhalation Skin contact	Re Wa	emove to fresh	reas thoroughly with r	ist, get medical attention. nild soap and water. Get medi	cal attention if irrita	ation
	Re Wa de Do	emove to fresh ash affected an velops or pers o not rub eyes.	reas thoroughly with r ists. Immediately flush wit	-	m water (low press	sure) for
Skin contact	Re Wa de Do Iea	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes	reas thoroughly with r ists. Immediately flush wit or until particles are r	nild soap and water. Get medi h large amounts of clean, war	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto d effects, both acute and	Re Wa de Do lea Ifi ms No	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes	reas thoroughly with r ists. Immediately flush wit or until particles are r	nild soap and water. Get medi h large amounts of clean, war emoved. If irritation persists g	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto	Re Wa de Do lea Ifi ms No No No n	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes ngestion of a h	reas thoroughly with r ists. Immediately flush wit or until particles are r	nild soap and water. Get medi h large amounts of clean, war emoved. If irritation persists g	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto d effects, both acute and layed 3. Indication of any mediate medical attention	Re Wa Do lea Ifi ms No No n ed	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes ngestion of a la ot available.	reas thoroughly with r ists. Immediately flush wit or until particles are r	nild soap and water. Get medi h large amounts of clean, war emoved. If irritation persists g	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto d effects, both acute and layed 3. Indication of any mediate medical attention d special treatment need	Re Wa de Do lea Ifi ms No No n ed ng mea	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes ngestion of a la ot available.	reas thoroughly with r ists. Immediately flush wit or until particles are r	nild soap and water. Get medi h large amounts of clean, war emoved. If irritation persists g	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto d effects, both acute and layed 3. Indication of any mediate medical attention d special treatment need ECTION 5: Firefightin	Re Wa de Do lea Ifi ms No No n ed No	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes ngestion of a la ot available. ot available.	reas thoroughly with r ists. Immediately flush wit or until particles are r	nild soap and water. Get medi th large amounts of clean, war removed. If irritation persists g cur, seek medical attention.	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto d effects, both acute and layed 3. Indication of any mediate medical attention d special treatment need ECTION 5: Firefighting meral fire hazards I. Extinguishing media Suitable extinguishing	Re Wa de Do lea If i ms No ng mea No Dr	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes ngestion of a la ot available. ot available.	reas thoroughly with r ists. Immediately flush wit or until particles are r arge amount does oc	nild soap and water. Get medi th large amounts of clean, war removed. If irritation persists g cur, seek medical attention.	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto d effects, both acute and layed 3. Indication of any mediate medical attention d special treatment need ECTION 5: Firefighting meral fire hazards 1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing	Re Wa de Do lea Ifi ms No ed ng mea No Dr ng No	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes ngestion of a la ot available. ot available. sures ot available. y chemical, CO	reas thoroughly with r ists. Immediately flush wit or until particles are r arge amount does oc	nild soap and water. Get medi th large amounts of clean, war removed. If irritation persists g cur, seek medical attention.	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto d effects, both acute and layed 3. Indication of any mediate medical attention d special treatment need ECTION 5: Firefighting eneral fire hazards 1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 2. Special hazards arising	Re Wa de Do lea Ifi ms No ed ng mea No Dr ng No	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes ngestion of a la ot available. ot available. sures ot available. y chemical, CC	reas thoroughly with r ists. Immediately flush wit or until particles are r arge amount does oc	nild soap and water. Get medi th large amounts of clean, war removed. If irritation persists g cur, seek medical attention.	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto d effects, both acute and layed 3. Indication of any mediate medical attention d special treatment need ECTION 5: Firefightin meral fire hazards 1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 2. Special hazards arising on the substance or mixto	Re Wa de Do lea If i ms No ng No Dr ng No ure No	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes ngestion of a la ot available. ot available. sures ot available. y chemical, CC	reas thoroughly with r ists. Immediately flush wit or until particles are r arge amount does oc	nild soap and water. Get medi th large amounts of clean, war removed. If irritation persists g cur, seek medical attention.	m water (low press	sure) for
Skin contact Eye contact Ingestion 2. Most important sympto d effects, both acute and layed 3. Indication of any mediate medical attention d special treatment need ECTION 5: Firefighting media Ectinguishing media Suitable extinguishing media Unsuitable extinguishing media Special hazards arising on the substance or mixto 3. Advice for firefighters Special protective	Re Wa de Do lea If i ms No ed ng mea No Dr ng No ure No ers	emove to fresh ash affected an velops or pers o not rub eyes. ast 15 minutes ngestion of a la ot available. ot available. sures ot available. y chemical, CC one known.	reas thoroughly with r ists. Immediately flush wit or until particles are r arge amount does oc	nild soap and water. Get medi th large amounts of clean, war removed. If irritation persists g cur, seek medical attention.	m water (low press	sure) for

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency	Wear appropriate personal protective equipment.
personnel	

For emergency responders	Not available.				
6.2. Environmental precautions	Do not let product enter drains. Do not flush into surface water or sanitary sewer system.				
6.3. Methods and material for containment and cleaning up	Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, san or diatomaceous earth, commercial sorbents, or recover using pumps.				
6.4. Reference to other sections	Not available.				
SECTION 7: Handling and	storage				
7.1. Precautions for safe handling	Avoid contact	t with skin, eyes and	l clothing.		
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep away from excessive heat or cold.				
7.3. Specific end use(s)	Not available.				
SECTION 8: Exposure con	trols/perso	nal protection			
8.1. Control parameters					
Occupational exposure limits					
Austria. MAK List, OEL Ordin Components	nance (GwV),	BGBI. II, no. 184/20 Type	001	Value	
2-methyl-2h-isothiazol-3-on e (CAS 2682-20-4)		MAK		0.05 mg/m3	
Diethylene glycol (CAS 111-46-6)		MAK		44 mg/m3	
		STEL		10 ppm 176 mg/m3	
Billion and Billion and Billion				40 ppm	
Biological limit values Recommended monitoring procedures	No biological Not available.	exposure limits note	ed for the ingredie	nt(s).	
Derived no effect levels (DNELs)					
Components					
		Туре	Route	Value	Form
Diethylene glycol (CAS 111-46	i-6)	Type Consumers Workers	Route Dermal Inhalation Dermal Inhalation	Value 53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3	Form Systemic long term Local long term Systemic long term Local long term
· ·		Consumers	Dermal Inhalation Dermal	53 mg/kg 12 mg/m3 106 mg/kg	Systemic long term Local long term Systemic long term
Diethylene glycol (CAS 111-46		Consumers	Dermal Inhalation Dermal	53 mg/kg 12 mg/m3 106 mg/kg	Systemic long term Local long term Systemic long term
Diethylene glycol (CAS 111-46 Predicted no effect concentration	ns (PNECs)	Consumers Workers	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l	Systemic long term Local long term Systemic long term Local long term Form Releases
Diethylene glycol (CAS 111-46 Predicted no effect concentration Components	ns (PNECs)	Consumers Workers Type	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg	Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater
Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46	ns (PNECs) 9-6)	Consumers Workers Type Not applicable	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l	Systemic long term Local long term Systemic long term Local long term Form Releases
Diethylene glycol (CAS 111-46 Predicted no effect concentration Components	ns (PNECs) 9-6)	Consumers Workers Type	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l	Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater
Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 Exposure guidelines	ns (PNECs) 9-6)	Consumers Workers Type Not applicable	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l	Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater
Diethylene glycol (CAS 111-46 Predicted no effect concentration <u>Components</u> Diethylene glycol (CAS 111-46 Exposure guidelines 8.2. Exposure controls Appropriate engineering	ns (PNECs) i-6) Exposure limi Not available such as perso	Consumers Workers Type Not applicable	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l product.	Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater Sewage Treatment Plant
Diethylene glycol (CAS 111-46 Predicted no effect concentration <u>Components</u> Diethylene glycol (CAS 111-46 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures, s	ns (PNECs) 5-6) Exposure limi Not available such as perso Use personal	Consumers Workers Type Not applicable its have not been es	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l product.	Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater Sewage Treatment Plant
Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 Biethylene glycol (CAS 111-46 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures, se General information	ns (PNECs) 5-6) Exposure limi Not available such as perso Use personal Wear safety c	Consumers Workers Type Not applicable its have not been es onal protective equipme	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this stablished for this istablished for this stablished for this	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l product.	Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater Sewage Treatment Plant
Diethylene glycol (CAS 111-46 Predicted no effect concentration <u>Components</u> Diethylene glycol (CAS 111-46 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures, s General information Eye/face protection Skin protection	ns (PNECs) -6) Exposure limit Not available such as personal Wear safety g Use protective	Consumers Workers Type Not applicable its have not been es onal protective equipme glasses with side sh e gloves made of: N	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this itablished for this ields (or goggles).	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l product.	Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater Sewage Treatment Plant
Diethylene glycol (CAS 111-46 Predicted no effect concentration <u>Components</u> Diethylene glycol (CAS 111-46 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures, s General information Eye/face protection Skin protection - Hand protection	ns (PNECs) -6) Exposure limit Not available such as personal Wear safety g Use protective	Consumers Workers Type Not applicable its have not been es protective equipme glasses with side sh e gloves made of: N riate chemical resist	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this itablished for this ields (or goggles).	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l product.	Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater Sewage Treatment Plant
Diethylene glycol (CAS 111-46 Predicted no effect concentration Components Diethylene glycol (CAS 111-46 Exposure guidelines 8.2. Exposure controls Appropriate engineering controls Individual protection measures, s General information Eye/face protection Skin protection - Hand protection - Other	ns (PNECs) 5-6) Exposure limi Not available Such as personal Use personal Wear safety of Use protective Wear appropri	Consumers Workers Type Not applicable its have not been es onal protective equipme glasses with side sh e gloves made of: N riate chemical resist	Dermal Inhalation Dermal Inhalation Route Freshwater Intermittent Marine water Sediment Soil STP stablished for this itablished for this ields (or goggles).	53 mg/kg 12 mg/m3 106 mg/kg 60 mg/m3 Value 10 mg/l 10 mg/l 1 mg/l 20.9 mg/kg 1.53 mg/kg 199.5 mg/l product.	Systemic long term Local long term Systemic long term Local long term Form Releases Freshwater Sewage Treatment Plant

Material name: F9K06Series

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance

Appearance	
Physical state	Not available.
Form	Not available.
Color	Red
Odor	Not available.
Odor threshold	Not available.
рН	8 - 10
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 230.0 °F (> 110.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
Specific gravity	1 - 1.1
VOC	< 174 g/L

SECTION 10: Stability and reactivity

10.1. Reactivity 10.2. Chemical stability	Not available. Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	None known.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons., fluorinated hydrocarbons and hydrogen fluoride.

SECTION 11: Toxicological information

Not	avai	lah	
ΙΝΟΙ	avai	iab	ie.

General information

ons of intended use, this material is not expected to be an inhalation hazard.
result in mild irritation.
y result in mild irritation.
y route of exposure.

11.1. Information on toxicological effects

Acute toxicity	Based on available data, the clas	sification criteria are not met.	
Components	Species	Test Results	
Diethylene glycol (CAS 111-46-6)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	11890 mg/kg	
Inhalation			
<i>Aerosol</i> LC50	Rat	> 4.6 mg/l, 4 Hours	
Oral	Nat	2 4.0 mg/l, 4 mours	
LD50	Rat	12565 mg/kg	
Skin corrosion/irritation			
Serious eye damage/eye	Non irritant in rabbit (OECD 404) Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.		
irritation			
Respiratory sensitization	Based on available data, the clas	sification criteria are not met.	
Skin sensitization	Based on available data, the clas	ssification criteria are not met.	
Germ cell mutagenicity	Based on available data, the clas	sification criteria are not met.	
Carcinogenicity	Based on available data, the clas	sification criteria are not met.	
Reproductive toxicity	Based on available data, the clas	sification criteria are not met.	
Specific target organ toxicity - single exposure	Based on available data, the clas	ssification criteria are not met.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.		
Aspiration hazard	Based on available data, the clas	sification criteria are not met.	
Mixture versus substance information	Not available.		
Other information	Complete toxicity data are not av	ailable for this specific formulation	
SECTION 12: Ecological i	nformation		
12.1. Toxicity	No information available.		
Aquatic toxicity	No information available.		
Product	Species	Test Results	
F9K06Series			
Aquatic			
Fish	LC50 Fathead minnow	(Pimephales promelas) > 750 mg/l, 96 Hours	
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		
Partition coefficient n-octanol/water (log Kow)	Not available.		
Bioconcentration factor (BCF)	Not available.		
12.4. Mobility in soil	Not available.		
12.5. Results of PBT and vPvB	Not a PBT or vPvB substance or	mixture.	
assessment 12.6. Other adverse effects	Not available.		
SECTION 13: Disposal co			
-			
13.1. Waste treatment methods	Not available.		
Residual waste	Not available.		
Contaminated packaging EU waste code	Not available. Not available.		
		n into sewers/water supplies. Dispose of wasto matorial according	
Disposal methods/information	to Local, State, Federal, and Pro (trademark) supplies recycling pr	n into sewers/water supplies. Dispose of waste material according vincial Environmental Regulations. HP's Planet Partners ogram enables simple, convenient recycling of HP original inkjet e information and to determine if this service is available in your np.com/recycle.	

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

EO regulacións	
• • •	/2009 on substances that deplete the ozone layer, Annex I
Not listed.	
Regulation (EC) No. 1005 Not listed.	/2009 on substances that deplete the ozone layer, Annex II
	2004 On persistent organic pollutants, Annex I as amended
Not listed.	······································
	2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
	2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.	
	2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed.	
Regulation (EU) No. 649/2	2012 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.	
Regulation (EC) No. 166/2	2006 Annex II Pollutant Release and Transfer Registry
Not listed.	
• • • •	/2006, REACH Article 59(1) Candidate List as currently published by ECHA
Not listed.	
Authorizations	
Regulation (EC) No. 143/2	2011 Annex XIV Substances Subject to Authorization
Not listed.	
Restrictions on use	
Regulation (EC) No. 1907	/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed.	
Directive 2004/37/EC: on work	the protection of workers from the risks related to exposure to carcinogens and mutagens at
Not regulated.	
Other EU regulations	
•	najor accident hazards involving dangerous substances, as amended
Not listed.	
Other information	This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830.
	Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and

assessment

amendments).

SECTION 16: Other information

SECTION 16: Other Inform	mation
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	 H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.
Revision information	None.
Training information	Follow training instructions when handling this material.
Disclaimer	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or r	refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.	
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading		
	o inclusion into/onto article (indoor)	
Additional information on prod		
In section 2 of the SDS as well as on the label, the classification of the mixture is provided.		
Most of the water based inks are "not classified".		
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.		
All ingredients contributing to the classification are stated in Section 3 of the SDS.		
	nts on which the exposure assessment is based, are listed in section 8 of the SDS.	
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
I	WB01 English.pdf	