HP LaserJet Enterprise M611 series

This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.¹

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.¹



HP LaserJet Enterprise M611dn



HP LaserJet Enterprise M611x

The world's most secure printing¹

- With HP Sure Start, operating code is automatically checked at startup and repairs itself if compromised.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy hundreds of HP and third-party solutions.

High-speed performance meets energy efficiency

- Speed through tasks and save paper. Print two-sided documents nearly as fast as single-sided.
- This printer wakes up and prints your first page fast—in as quickly as 7.8 seconds.⁴
- This printer uses low amounts of energy thanks to its innovative design and toner technology.
- Easily manage print jobs directly at the printer—just tap and swipe the 4.3-inch (10.9 cm) color touchscreen.

Performance and protection you can count on

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁵

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at http://www.hp.com/go/learnaboutsupplies

Data sheet | HP Laser Jet Enterprise M611 series

Product walkaround



HP LaserJet Enterprise M611x shown



Series at a glance



		<u>.</u>	
	M611dn	M611x	
Part number	7PS84A	7PS85A	
Print speeds (A4) ²	Up to 61 ppm	Up to 61 ppm	
Control panel	10.9 cm (4.3-inch) colour touchscreen	10.9 cm (4.3-inch) colour touchscreen	
Automatic two-sided printing	\checkmark	✓	
Hardware Integration Pocket ¹	\checkmark	\checkmark	
100-sheet tray 1, 550-sheet tray 2	\checkmark	\checkmark	
550-sheet paper feeder ³	Optional (up to four)	✓ (plus up to three optional)	
2,100-sheet paper feeder ³	Optional	Optional	
Envelope feeder	Optional (up to two)	Optional (up to two)	
Printer stand	Optional	Optional	
5-bin stapler/stacker/mailbox with job offset	Optional	Optional	
Direct mobile printing	Optional wireless direct ⁴ /NFC ⁵	Embedded Wi-Fi Direct ⁴ / Bluetooth Low Energy ⁷	
Wireless networking	Optional ⁶	Optional ⁶	
HP High-Performance Secure Hard Disk	Optional	Optional	

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase

⁵ Touch-to-print capability is optional for all models (except M611x and M612x) with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

6 All models can add wireless networking with the purchase of the optional HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

⁷ Bluetooth Low Energy is standard only on the HP Laser Jet Enterprise M611x and M612x models, and it cannot be added to other models. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license

² Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

document complexity. ³ All models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP LaserJet Enterprise M611x and M612x models come with one additional 550-sheet paper feeder standard, and can add up to three additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. The M610dn, M611dn, and M612dn models can add up to four additional optional 550-sheet paper feeders and the

optional 2,100-sheet paper feeder. ⁴ Wi-Fi Direct printing is embedded in the HP Laser Jet Enterprise M611x and M612x models. All other models can add wireless direct with the purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct[®] supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network **Configuration Service**

Basic Care (minimum recommended support): Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit J8 including parts, materials, and labor LC

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices







AirPrint

HP Care Pack

Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.

With speeds up to 65 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Help protect your printer using Original HP Toner cartridges with JetIntelligence.

Product 7PS84A 7PS85A	HP LaserJet Enterprise M611dn HP LaserJet Enterprise M611x
Accessories 3JN69A 4QL32A B5L28A B5L28A B5L29A G6W84A L0H17A L0H18A L0H19A L0H20A L0H21A L0H22A X3D03A Y7C05A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory HP Legic Secure USB Reader HP Internal USB Ports HP High-Performance Secure Hard Disk HP 1 GB 90-pin DDR3 DIMM HP LaserJet 550-sheet Paper Tray HP LaserJet 2100 Sheet Paper Tray HP LaserJet Printer Stand HP LaserJet Stapler/Stacker/Mailbox HP LaserJet Envelope Feeder HP LaserJet Extension Tray Cover HP Universal USB Proximity Card Reader HP HIP2 Keystroke Reader

Supplies

J8J96A	HP Staple Catridge Refill (5,000 staples)		
LOH24A	HP LaserJet 110v Maintenance Kit (225,000 pages)		
LOH25A	HP LaserJet 220v Maintenance Kit (225,000 pages)		
W1470A	HP 147A Black Original LaserJet Toner Cartridge (10,500 pages)		
W1470X	HP 147X High Yield Black Original LaserJet Toner Cartridge (25,200 pages)		
W1470Y	HP 147Y Extra High Yield Black Original LaserJet Toner Cartridge (42,000 pages)		

HP Care Packs

U9NE0E U9NE1E U9NE2E U9NE3E U9NE4E U9NF5E U9NF6E U9NF6E U9NF7E U9NF8E U9NF9E U9NF9E U9NG0E U9NG4PE	HP 3 Year Next Business Day HW Support w/Defective Media Retention HP 4 Year Next Business Day HW Support w/Defective Media Retention HP 5 Year Next Business Day HW Support w/Defective Media Retention HP 3 Year 4 Hour 9x5 HW Support W/Defective Media Retention HP 4 Year 4 Hour 9x5 HW Support W/Defective Media Retention HP 5 Year 4 Hour 9x5 HW Support W/Defective Media Retention HP 3 Year Return for Repair Service HP 4 Year Return for Repair Service HP 5 Year Return for Repair Service HP 3 year Next Business Day Parts Exchange Service HP 4 year Next Business Day Parts Exchange Service HP 5 year Next Business Day Parts Exchange Service HP 1 Year Post Warranty Next Business Day Hardware Support w/DMR
U9NG5PE	HP 2 Year Post Warranty Next Business Day Hardware Support w/DMR

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

4WM80A	HP CHP113 Office Paper-2500 sht/A4/210 x 297 mm	
4WM81A	HP CHP150 Home and Office Paper-500 sht/A4/210 x 297 mm	
4WM82A	HP CHP650 Everyday Paper 75 gsm-500 sht/A4/210 x 297 mm	
4WM83A	HP CHP755 Color Choice Paper 200 gsm-250 sht/A4/210 x 297 mm	
4WM84A	HP CHP855 Premium Paper 80 gsm-250 sht/A4/210 x 297 mm	
4WM85A	HP CHP910 Copy Paper 80 gsm-500 sht/A4/210 x 297 mm	

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja

HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Enterprise M611 series

Model	HP LaserJet Enterprise M611dn	HP LaserJet Enterprise M611x			
Product number	7PS84A	7PS85A			
Functions	Print Print				
Print					
Duplex print options	Automatic (standard)				
Print speed ⁹	Black (A4, normal): Up to 61 ppm; Black (letter, normal): Up to 65 ppm; Black (A4, duplex): Up	o to 50 ipm; Black (letter, duplex): Up to 53 ipm			
First page out ¹¹ Print technology	Black (A4, ready): As fast as 5.1 sec; Black (A4, sleep): As fast as 7.9 sec in mm Laser				
Print resolution	Black (best) Up to 1200 x 1200 dpi; Black (normal) FastRes 1200; Black (fine lines) Up to 120	1200 dni			
Print resolution technology	Normal FastRes 1200; Fine Lines (1200 x 1200 dpi), Quickveiw (300 x 300 dpi), Economode				
Print cartridges number	1 (black)				
Standard print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrin				
Printer management	HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Secu Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Man	rity Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource			
Connectivity	The office of the office of the configuration of the office of the office of the				
Standard connectivity	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T netv	vork; 1 Hardware Integration Pocket			
Mobile printing capability ⁷	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified; ROAM optional for easy printing	HP ePrint; Apple AirPrint™; Google Cloud Print™; Mopria™ Certified; ROAM capable for easy printing; Wi-Fi® Direct printing			
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JJN69A, Dual band Wireless Station functionality available with HP Jetdirect 2900nw Print Server J8031A	Yes, built-in WiFi with Dual band Wireless Station, Wi-Fi Direct functionality and BLE.			
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEB) support on Fast Ethernet and Gig Links; IPsec (standard), 802.11a/b/g/n wireless networking (optional).	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base–T, 100Base–Tx, 1000Base–T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Built-in 802.11a/b/g/n wireless networking (standard);			
Memory	Standard: 512 MB; Maximum: 1.5 GB, MAX memory, when 1GB Accessory DIMM is installed				
Hard disk Processor speed	Optional, 500 GB (with accessory B5L29A) 1.2 GHz				
Duty cycle (monthly)	Up to 275,000 pages; Recommended monthly page volume¹²: 5000 to 25000				
Paper handling					
Input	100-sheet multipurpose feeder, 550-sheet input feeder				
Output	500 sheet output bin				
Media types		olored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope			
Media weight	Tray 1: 60 to 200 g/m ² ; Automatic Duplexer: 60 to 120 g/m ²				
Media Sizes Custom	100-sheet multipurpose Tray 1: 76 x 127 to 216 to 356 mm; 550-sheet input Tray 2: 99 x 1 envelope feeder: 90 x 148 to 178 x 254 mm	48 to 216 x 356 mm; 550-sheet optional feeder: 99 x 148 to 216 x 356 mm; 75-sheet			
Dimensions (w x d x h)	431 x 466 x 380 mm	431 x 466 x 505 mm			
Weight	21.6 kg	26.3 kg			
What's in the box ² Software included	HP LaserJet Multifunction Printer; HP Black Original LaserJet Toner Cartridge (~10.5K yield); No software solutions are included in the box, only on http://hp.com, http://123.hp.com;	Documentation (Hardware Install Guide, Regulatory Flyer); Power cord.			
Warranty features		equirements. Go to http://www.hp.com/support to learn about HP award winning service and			
Systems					
Compatible operating systems	Windows Client OS (32/64 bit)-, Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® macOS Sierra v10.13, Apple® macOS High Sierra v10.14, Apple® macOS Mojave v10.15, Discrete PCL6 Printer Driver-, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) – User Guide, Search for the Supported operating Systems section, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for the Supported operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems, Sor more information on the supported operating systems see www.hp.com/go/upd;				
Minimum system requirements	PC:2 GB available hard disk space, Internet connection, or USB port, Internet browser. For ad	ditional OS hardware requirements see microsoft.com;; additional OS hardware requirements see apple.com;			
Security management	Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com; Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device: Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMS				
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts				
Control panel	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	display; Home button			
Display	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)				
Energy efficiency compliance ENERGY STAR Qualified	ENERGY STAR® qualified; EPEAT® Silver; EPEAT® Gold (#AAZ, #201 options only) ¹ Yes				
ENERGI STAR Qualified		es by part number with # Option code identifier): Power supply required: 100V - 127V nominal			
Power	Power supply type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power supply required: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 12 A; 220V - 240V nominal, @ +/-10% (min 198V, Max 264V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 4.28 watts (sleep), < 0.1 watts (Auto 0ff/Manual 0n), < 0.1 watts (Manual 0ff); Typical Electricity Consumption number'; Blue Angel: 2.525 kWh/Week; Energy Star: 0.733 kWh/Week				
Acoustics	Acoustic power emissions ⁸ : 6.9 B(A) ; Acoustic power emissions (ready): Inaudible ; Acoustic pressure emissions bystander (active, printing): 55 dB(A) ; Acoustic pressure emissions bystander (ready): Inaudible				
Environmental ranges	Operating temperature range: 10 to 32.5°C; Recommended operating temperature: 15 to 27°C; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH				
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International): EN60950-1:2006 +A11:2009 +A1:2011 +A2:2011 +A2:2013 (EU): EN 60825-1:2014(ICass 1 Laser Product); EN 62479:2010/IEC 62479:2210; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/CUL Listed and UC CoC (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.				
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x				

Footnotes

HPS most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: http://www.hp.com/go/PrinterStatProtect. For more information, visit: http://www.hp.com/go/PrinterStatProtect. For more information, visit: http://www.hp.com/go/PrinterStatProtect. For more information, visit: http://www.hp.com/go/PrinterStatProtect.

³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and

² Measured using iSU/IEC 24/34, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity.
 ⁵ HP 147X High Yield Black Original Laser let Toner Cartridges not included; please purchase separately.
 ⁶ An ECC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

Technical specifications disclaimers

Percent and the product spectral set of the printer set of the pr

¹ To enable HP Roam, some devices may require intrivate to be upgraded and an optional accessory to add bluetooth^w. Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://hc.orm/go/roam
⁸ Acoustic values are subject to change. For current information see http://www.hp.com/support. Noise measured during printing mono simplex A4 at 62 ppm.
⁹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
¹⁰ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
¹⁰ Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

¹¹ Measured using 150/LF Takes. The factor of the state of the state

period. ¹³ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications.

To learn more, visit http://www.hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation, AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. Published in APJ 4AA7-6733EEP, June 2020

