

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Trade name or designation of the mixture	HP Color LaserJet CF411A-X-XC Cyan Print Cartridge
Registration number	-
Synonyms	None.
Issue date	16-Oct-2015
Version number	04
Revision date	31-Mar-2016
Supersedes date	17-Mar-2016
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	This product is a cyan toner preparation that is used in HP Color LaserJet Pro M452, HP Coloi LaserJet Pro MFP M477, HP Color LaserJet Pro MFP M377 series printers.
Uses advised against	None known.
Company identification	HP PPS Austria GmbH Wienerbergstrasse 41, 3rd Floor Wien, Austria 1120 Telephone +43 (1) 81118-0000
	HP Inc. health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com Emergency number +43 (1) 406 43 43

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Amorphous silica, Pigment, Styrene acrylate copolymer, Wax
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.
2.3. Other hazards	None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

	0/	CAS No. / EC	DEACH Degistration No.	Index No	Natas
Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	Trade Secret	-	-	
Classification: -					
Wax	<10	Trade Secret	-	-	
Classification: -					
Pigment	<5	Trade Secret	-	-	
Classification:					
Amorphous silica	<3	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification: -					

SECTION 4: First aid measures

General information

Not available.

4.1. Description of first aid me	asures
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.
4.2. Most important symptoms and effects, both acute and delayed	Not available.
4.3. Indication of any immediate medical attention and special treatment needed	Not available.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media Suitable extinguishing media	CO2, water, or dry chemical
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures For non-emergency Minimize dust generation and accumulation. personnel

For emergency responders	Not available.
6.2. Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.
6.3. Methods and material for containment and cleaning up	Not available.
6.4. Reference to other sections	Not available.
SECTION 7: Handling and	d storage

7.1. Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Components	Туре	Value	Form
Amorphous silica (CAS 7631-86-9)	МАК	4 mg/m3	Inhalable fraction.
Biological limit values	No biological exposure limits noted for	the ingredient(s).	
Recommended monitoring procedures	Not available.		
Derived no-effect level (DNEL)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
8.2. Exposure controls			
Appropriate engineering controls	Use in a well ventilated area.		
Individual protection measure	es, such as personal protective equip	ment	
General information	No personal respiratory protective equip	pment required under norma	al conditions of use.
Eye/face protection	Not available.		
Skin protection			
- Hand protection	Not available.		
- Other	Not available.		
Respiratory protection	Not available.		
Thermal hazards	Not available.		
Hygiene measures	Not available.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

· · · · · · · · · · · · · · · · · · ·	
Appearance	Fine powder
Physical state	Solid.
Color	Cyan
Odor	Slight plastic odor
Odor threshold	Not available.
рН	Not applicable
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable
Flash point	Not applicable
Evaporation rate	Not applicable
Flammability (solid, gas)	Not applicable.

Material name: CF411A-X-XC

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not flammable
Flammability limit - upper (%)	Not available.
Vapor pressure	Not applicable
Relative density	1 - 1.2 g/cm3
Solubility(ies)	Negligible in water. Partially soluble in toluene and xylene.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable
Decomposition temperature	> 392 °F (> 200 °C)
Viscosity	Not applicable
Explosive properties	Not available.
Oxidizing properties	No information available.
9.2. Other information	
Percent volatile	0 % estimated
Softening point	176 - 266 °F (80 - 130 °C)
Specific gravity	1 - 1.2

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under normal storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to sucid	Terraine Description - La Palat
10.4. Conditions to avoid	Imaging Drum: Exposure to light
10.4. Conditions to avoid 10.5. Incompatible materials	Strong oxidizers

SECTION 11: Toxicological information

General information	Not available.	
11.1. Information on toxicological effects		
Acute toxicity	Based on available data, the classification criteria are	e not met.
Skin corrosion/irritation	Based on available data, the classification criteria are	e not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are	e not met.
Respiratory sensitization	Based on available data, the classification criteria are	e not met.
Skin sensitization	Based on available data, the classification criteria are	e not met.
Germ cell mutagenicity	Negative, does not indicate mutagenic potential (Am Based on available data, the classification criteria are	/1 /
Carcinogenicity	Based on available data, the classification criteria are	e not met.
Reproductive toxicity	Based on available data, the classification criteria are	e not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are	e not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are	e not met.
Aspiration hazard	Based on available data, the classification criteria are	e not met.
Components	Species	Test Results
Amorphous silica (CAS 7631-86-9)		
Acute		
Oral		
LD50	Mouse	> 15000 mg/kg
	Rat	> 22500 mg/kg
Mixture versus substance information	Not available.	

SECTION 12: Ecological information

12.1. Toxicity	LC50: > 100 mg/l, Fish, 96.00 Hours Species		Test Results
Product			
CF411A-X-XC			
Aquatic			
Fish	LC50	Fish	> 100 mg/l, 96 Hours
12.2. Persistence and degradability	Not available	2.	
12.3. Bioaccumulative potential	Not available	2.	
Partition coefficient n-octanol/water (log Kow)	Not available	2.	
Bioconcentration factor (BCF)	Not available	2.	
12.4. Mobility in soil	Not available	2.	
12.5. Results of PBT and vPvB assessment	Not a PBT or	vPvB substance or mixture.	
12.6. Other adverse effects	Not available	2.	

SECTION 13: Disposal considerations

13.1. Waste treatment methe	ods
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

Further information

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulations
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.
Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended
Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended
Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended
Not listed. Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended
Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry
Not listed.

Regulation (EC) No. 1907 Not listed.	7/2006, REACH Article 59(1) Candidate List as currently published by ECHA
Authorizations	
Regulation (EC) No. 143/ Not listed.	2011 Annex XIV Substances Subject to Authorization
Restrictions on use	
Regulation (EC) No. 1907 amended	7/2006, REACH Annex XVII Substances subject to restriction on marketing and use as
Not listed. Directive 2004/37/EC: or mutagens at work	n the protection of workers from the risks related to exposure to carcinogens and
Not regulated. Directive 92/85/EEC: on are breastfeeding	the safety and health of pregnant workers and workers who have recently given birth or
Not regulated.	
Other EU regulations	
-	eso II) on the control of major-accident hazards involving dangerous substances
Not regulated.	e protection of the health and safety of workers from the risks related to chemical
Not regulated. Directive 94/33/EC on th	e protection of young people at work
Not regulated.	
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
Other information	This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.
National regulations	Not available.
15.2. Chemical safety assessment	Not available.
SECTION 16: Other info	rmation
References	Not available.
Tufamuation on analystica	

References	Not available.
Information on evaluation method leading to the classification of mixture	Not available.
Issue date	16-Oct-2015
Revision information	None.
Training information	Not available.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Manufacturer information	HP Inc. 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds