roduct name:	Toner cartridge (K) d-Color MF364/304/254
ode number:	B1166
Product description:	Black toner.
ompany name:	Olivetti S.p.A. Via Jervis 77 10015 Ivrea (TO) - ITALY
or information:	Tel. 0039 (0)125 775710 Fax 0039 (0)125 775711 e-mail : <u>supplies @olivetti.com</u>
or emergency:	Centro Antiveleni-Ospedale Niguarda (Milano) 0039 (0)2 66101029

2. Nazards identification		
Classification: Not classifi	ed as dangerous in according to the Regulation EC n°1272/2008	
Emergency Overview: Black powder (mean dia. is 5-10um by volume). Almost oderless.		
Most Important Hazards a	and Effects of the Products	
Ingestion Effect:	None currently known.	
Inhalation Effect:	None currently known. Minimal respiratory tract irritation may occur as with exposure to large amount of any non-toxic dust.	
Eye Effect:	None currently known.	
Skin Effect:	None currently known.	
Chronic Effects:	Prolonged inhalation of excessive dusts may cause lung damage. Use of this product, as intended, does not result in inhalation of excessive dust.	
Environment Hazards:	No data are available on the adverse effects of this product on the environment.	
Specific Hazards:	Dust explosion (like most finely divided organic powders)	



3. Composition/information on ingredients

Chemical name	Weight %	CAS number	EINECS number	EU classification
Styrene acrylic resin	60-70	+++	+++	Not classified
Ferrite iron oxide	5-15	1309-37-1	215-168-2	Not classified
Manganese Oxide	1-10	1344-43-0	215-695-8	Not classified
Wax	1-10	+++	+++	Not classified
Carbon black	1-10	1333-86-4	215-609-9	Not classified
Wax 2	1-10	+++	+++	Not classified
Amorphous silica	1-10	7631-86-9	231-545-4	Not classified
Titanium bioxide	<1	13463-67-7	236-675-5	Not classified

+++: Supplier's confidential information Carbon black Reach registration number:01-2119384822-32-XXXX

4. First - aid measures		
Ingestion:	Wash out mouth with water. Drink one or two glasses of water. If symptoms occur, get medical attention.	
Inhalation:	Move victim to fresh air immediately. If symptoms occur, get medical attention.	
Eye contact:	Immediately flush eyes with plenty of water for 15 minutes. If symptoms occur, get medical attention.	
Skin contact:	Wash with water and mild soap.	

5. Fire - fighting measures	
Suitable Extinguishing Media:	CO2, water spray, foam and dry chemical.
Suitable Extinguishing Media to Avoid:	Full water jet
Fire and Explosion Hazards:	If dispersed in air, like most finely divided organic powders, may form an explosive mixture.
Protection of fire-fighters:	Use self-contained breathing apparatus (SCBA)



Material Safety Data Sheet In according to the Regulation (CE) n. 1907/2006 REACH Issue date:08/04/2015 data Rev. Date:02/10/2015 Data Sheet B1166 in Rev. n. 1

6. Accidental release measure	29
Personal precautions:	None
Environmental precautions:	None.
Methods for Cleaning-up:	Wear personal protective equipment (See Section 8).Vacuum or sweep material and place in a bag and hold for waste disposal. Use vacuum equipped with High Efficiency Particulate Air(HEPA) filter. Vacuum should be electrically bonded and grounded to dispel static electricity. To avoid dust generation, do not sweep dry.

7. Handl	ing and storage	
Handling:		
	Technical Measures:	None
	Precautions:	Do not breathe dust.
		Avoid contact with eyes.
	Safe Handling Advice:	Try not to disperse the particulates.
Storage:		
	Technical Measures:	None
	Storage Conditions:	Keep container closed. Store in a cool and dry place. Keep out of reach of children.
	Incompatible Products:	None
	Packaging Materials:	Bottles or Cartridge designated

8. Exposure controls/personal protection		
Ventilation:	None required with intended use	
Hygiene measures:	Wash hands after handling compounds and before eating, smoking, using lavatory, and at the end of day.	
Exposure limit value:	<i>Carbon Black</i> : OSHA Z-Tables (USA): 3.5 mg/m ³ ; ACGIH-TLV (USA) : 3.5 mg/m ³ ; NTP (USA): Not listed; IARC Monografhs: Group 2B; California Proposition 65 (USA): Listed; DFG-MAK (GER): III 3B; Worksafe- TWA (Austl): 3 mg/m ³ .	
Personal Protective Equipment:	Not required under normal conditions. For use other than in normal operating procedures (such as in the event of large spill), goggles and respirators may be required.	
olivetti		

Material Safety Data Sheet In according to the Regulation (CE) n. 1907/2006 REACH Issue date:08/04/2015 data Rev. Date:02/10/2015 Data Sheet B1166 in Rev. n. 1

9. Physical and chemical properties

Physical state:	Solid	
Form:	Powder (mean dia. Is 5-10 um by volume)	
Color:	Black	
рН	Not applicable	
Odor:	Almost odorless	
Boiling point (°C)	Not applicable	
Melting point (°C / [F]):	Around No data available / [] (Softening Point)	
Flash Point (°C):	Not applicable	
Ignition Temperature (°C)	No data available	
Vapor Pressure:	Not applicable	
Specific Gravity:	1.2	
Solubility:	Insoluble in water	
Partition Coefficient, n-Octanol/Water:	Not applicable	

10. Stability and reactivity	
Stability:	Stable except above 200 °C (392 F).
Hazardous Reactions:	Dust explosion, like most finely divided organic powders.
Conditions to avoid:	Electric discharge, throwing into fire.
Materials to Avoid:	Oxidizing materials.
Hazardous decomposition products:	CO, CO ₂ , NO _X and smoke. Hazardous Polymerization: Will not occur.



11. Toxicological information

Acute Toxicity:

Ingestion(oral), LD50(mg/kg): >2500 (Rat) Dermal, LD50(mg/kg): No data available Inhalation, LC50(mg/l): >5.13 (Rat,4hour) (This was the highest attainable concentration) Eye irritation: Minimal irritant (Rabbit) Skin irritation: Mild irritant (Rabbit)

Skin sensitizer: Non sensitizer (Guinea pig)

Local Effects: see Chronic Toxicity or Long term Toxicity

Chronic Toxicity or Long Term Toxicity:

In a two-year inhalation study of chronic toxicity and carcinogenicity using a typical toner in rats, there were no lung changes at all in the lowest exposure level (1mg/m3), the most relevant level to potential human exposures. A minimal to mild degree of fibrosis was noted in 22% of the animals at the middle exposure level (4mg/m3), and a mild to moderate degree of fibrosis was observed in 92% of the rats at the highest exposure level(16mg/m3). The lung changes observed in the higher exposure groups are interpreted in terms of "lung overloading", a series of generic responses to the presence of large quantities of respirable, insoluble and relatively benign dusts retained for extended time periods in the lungs. Lung tumor frequency was unchanged among rats exposed to toner at the three exposure levels, and for air-only control rats.

Carcinogenicity:

In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to Carbon Black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

Mutagenicity: Negative(AMES test)

12. Ecological information

No data are available on the adverse effects of this material on the environment.

Ecotoxicity: No data available Mobility: No data available Persistence and degradability: No data available Bioaccumulative potential: No data available



13. Disposal considerations

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.

14. Transport information

Information on Code and Classifications According to International Regulations

UN Classification: None

15. Regulatory information

EU regulations

Classification and labelling have been performed according to EU directives 67/548/EEC, 1999/45/EC including amendments.

Symbol and Indication : R-Phrase : S-Phrase : Not required. Not required. Not required.

16. Other information

This Material Safety Data Sheet was prepared in according to the Regulation (CE) n. 1907/2006 REACh and Regulation EC n°1272/2008.

This information adds to those contained in the 'Instructions of use' for same product, but does not substitute them.

The information contained herein relates only to the referred product as manufactured and put into the market, and is not valid for other combinations of same materials.

It is the user's responsibility to determine the suitability of such information for his intended use.

