Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 - United Kingdom (UK)



SAFETY DATA SHEET

Primera Cyan Ink PN: 53422

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier			
Product name	: Prime	era Cyan Ink PN: 53422	
Description of the product	type :	Part number :	
Cyan Dye Ink			
		53422	
REACH Status		mpt under REACH. Pre-regi	e toner formulation are registered, pre-registered stered chemicals will be registered between 2011
Product type	: Liquid		
1.2 Relevant identified uses	of the sub	stance or mixture and uses	s advised against
Product use	: Inkjet	printer	
Area of application	: Consu	imer applications.	
1.3 Details of the supplier of Lexmark International, Inc.	the safety	≀ data sheet	
740 West New Circle Road Lexington, Ky 40550			
e-mail address of person responsible for this SDS	: rcassic	dy@lexmark.com	
Only representative			
Only representative		n Sterling House	
		ourse, Boar Leeds, Q, United Kingdom	
		-	
e-mail address of person responsible for this SDS	: SDUIIOC	k@uk.environcorp.com	
Emergency telephone number (with hours of operation)	: +44 (0)) 113 245 7552	
1.4 Emergency telephone nu	mber		
Supplier			
Telephone number	Emerg	ations :1-859-232-2000 ency :1-859-232-3333 Fel: US/Canada/Puerto Rico International	1-800-255-3924 1-813-248-0585
		(Collect calls accepted)	

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Hours of operation

: 24/7

SECTION 2: Ha	azards identification
---------------	-----------------------

2.1 Classification of the sub	stance or mixture
Product definition	: Mixture
Classification according to Not classified.	Regulation (EC) No. 1272/2008 [CLP/GHS]
Ingredients of unknown toxicity	: Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 13.3%
Ingredients of unknown ecotoxicity	: Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 2.5%
Classification according to	Directive 1999/45/EC [DPD]
The product is not classifie	d as dangerous according to Directive 1999/45/EC and its amendments.
Classification	: Not classified.
See Section 16 for the full te	xt of the R phrases or H statements declared above.
See Section 11 for more det	ailed information on health effects and symptoms.
2.2 Label elements	

Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazardous ingredients	: Not applicable.
Supplemental label	: Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

elements

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

			Classification		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Water Soluble Organic - Solvent		≥5 - <10	Not classified.	Not classified.	[2]
Water soluble dye -		≥3 - <5	Not classified.	Aquatic Chronic 4, H413	[1]
Hydroxylated alkane -		≥1 - <3	Xi; R36/37/38	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	[1]
Date of issue/Date of revis	ion : 9 July 2015				2/

SECTION 3: Composition/information on ingredients

See Section 16 for be been been been been been been been	L	•	•		
above. above.			phrases declared above.	statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. **Over-exposure signs/symptoms** : No specific data. Eye contact Inhalation : No specific data. Skin contact : No specific data. Ingestion : No specific data. 4.3 Indication of any immediate medical attention and special treatment needed Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. **Specific treatments** : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

5.3 Advice for firefighters		
Special precautions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	со	ntainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

SECTION 6: Accidental release measures

6.4 Reference to other	: See Section 1 for emergency contact information.
sections	See Section 8 for information on appropriate personal protective equipment.
	See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe han	dling
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values		
Water Soluble Organic Solvent	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Particulate TWA: 150 ppm 8 hours. Form: Sum of vapour and particulates TWA: 474 mg/m ³ 8 hours. Form: Sum of vapour and particulates		
procedures atmosphere of of the ventilation protective equilation the following: the assessme limit values and atmospheres of of exposure to (Workplace at for the measure	contains ingredients with exposure limits, personal, workplace r biological monitoring may be required to determine the effectiveness on or other control measures and/or the necessity to use respiratory ipment. Reference should be made to monitoring standards, such as European Standard EN 689 (Workplace atmospheres - Guidance for nt of exposure by inhalation to chemical agents for comparison with d measurement strategy) European Standard EN 14042 (Workplace - Guide for the application and use of procedures for the assessment o chemical and biological agents) European Standard EN 482 mospheres - General requirements for the performance of procedures rement of chemical agents) Reference to national guidance		
Derived effect levels			
No DELs available.			
Predicted effect concentrations			

SECTION 8: Exposure controls/personal protection

No PECs available.

8.2 Exposure controls		
Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airb contaminants.	oorne
Individual protection measu		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working per Appropriate techniques should be used to remove potentially contaminated clo Wash contaminated clothing before reusing. Ensure that eyewash stations an safety showers are close to the workstation location.	othing.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a lassessment indicates this is necessary to avoid exposure to liquid splashes, m gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses side-shields.	nists,
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard sl be worn at all times when handling chemical products if a risk assessment indi this is necessary.	
Body protection	Personal protective equipment for the body should be selected based on the tabeing performed and the risks involved and should be approved by a specialist before handling this product.	
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should approved by a specialist before handling this product.	be
Respiratory protection	Use a properly fitted, air-purifying or air-fed respirator complying with an appro standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the pro and the safe working limits of the selected respirator.	า
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation In some cases, fume scrubbers, filters or engineering modifications to the proceeding equipment will be necessary to reduce emissions to acceptable levels.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Cyan
Odour	: Faint odour.
Odour threshold	: Not available.
рН	: 7 to 8.5
Melting point/freezing point	: 0°C
Initial boiling point and boiling range	: Not available.
Flash point	: [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Upper/lower flammability or explosive limits	: Not available.
Vapour pressure	: Not available.
Date of issue/Date of revision	: 9 July 2015

Vapour density	1	Not available.
Relative density	:	Not available.
Solubility(ies)	÷	Not available.
		Miscible in water.
Partition coefficient: n-octanol/	1	Not available.
water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Explosive properties	:	Not available.
Oxidising properties	:	Not available.

SECTION 9: Physical and chemical properties

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity				
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.			
10.2 Chemical stability	: The product is stable.			
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.			
10.4 Conditions to avoid	: No specific data.			
10.5 Incompatible materials	: No specific data.			
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.			

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Cyan Ink PN: 53422	LD50 Oral	Rat	>2000 mg/kg	-
Conclusion/Summary	: Not available.			
Acute toxicity estimates				
Not available.				
Irritation/Corrosion				
Conclusion/Summary	: Not available.			
<u>Sensitiser</u>				
Conclusion/Summary	: Not available.			
<u>Mutagenicity</u>				
Conclusion/Summary	: Not available.			
<u>Carcinogenicity</u>				
Conclusion/Summary	: Not available.			
ate of issue/Date of revision	: 9 July 2015			7.

SECTION 11: Toxicological information

Reproductive toxicityConclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary : Not available. Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Hydroxylated alkane	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Routes of entry anticipated: Oral, Dermal.
Potential acute health effect	<u>S</u>	
Inhalation	1	No known significant effects or critical hazards.
Ingestion	1	No known significant effects or critical hazards.
Skin contact	1	No known significant effects or critical hazards.
Eye contact	1	No known significant effects or critical hazards.
Symptoms related to the ph	<u>ys</u>	ical, chemical and toxicological characteristics
Inhalation	:	No specific data.
Ingestion	:	No specific data.
Skin contact	1	No specific data.
Eye contact	1	No specific data.
Delayed and immediate effe	cts	and also chronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	1	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effe	ect	<u>s</u>
Not available.		
Conclusion/Summary	1	Not available.
General	1	No known significant effects or critical hazards.
Carcinogenicity	4	No known significant effects or critical hazards.
Mutagenicity	1	No known significant effects or critical hazards.
Teratogenicity	1	No known significant effects or critical hazards.
Developmental effects	1	No known significant effects or critical hazards.
Fertility effects		No known significant effects or critical hazards.
Other information	1	Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Cyan Ink PN: 53422	Acute EC50 >1000 mg/l	Daphnia	24 hours
	Acute EC50 >1000 mg/l	Daphnia	48 hours
Conclusion/Summary			

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Water soluble dye	6.6	-	high

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment

PBT	: Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects

: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	 Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	•				
	ADR/RID	ADN	IMDG	IATA	
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	
14.2 UN proper shipping name	-	-	-	-	
14.3 Transport hazard class(es)	-	-	-	-	
14.4 Packing group	-	-	-	-	
14.5 Environmental hazards	No.	No.	No.	No.	
Additional information	-	-	-	-	

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk : Not available. according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation

Substances of very high concern

None of the components are listed.

	-	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Other EU regulations		
Europe inventory	:	All ingredients are listed on the European Inventory of Existing Commercial Substances (EINECS) list, have been registered on the European List of New Chemical Substances (ELINCS), or are exempt.
Black List Chemicals	1	Not listed
Priority List Chemicals	:	Not listed
Integrated pollution prevention and control list (IPPC) - Air	:	Not listed
Integrated pollution prevention and control list (IPPC) - Water	:	Not listed

SECTION 15: Regulatory information

International regulations lists

AICS (Australia)	:	All ingredients are listed in Australian Inventory of Chemical Substances (AICS), have been registered, or are exempt.
China inventory (IECSC)	:	All ingredients are listed on the Chinese inventory (IECSC) or are exempt.
DSL/NDSL	:	At least one component is not listed in DSL but all such components are listed in NDSL.
ENCS (Japan)	:	All ingredients are listed on the Japanese Existing and New Chemical Substances (ENCS) list, have been registered, or are exempt.
Philippines inventory (PICCS)	:	All ingredients are listed on the Philippines Inventory (PICCS) or are exempt.
Korea inventory (KECI)	:	All ingredients are listed on the Korean Existing Chemicals List (ECL), have been registered, or are exempt.
United States inventory (TSCA 8b)	:	All ingredients are listed on the Toxic Substances Control Act (TSCA) inventory, have been registered, or are exempt.
Chemical Weapons Convention List Schedule I Chemicals	:	Not listed
Chemical Weapons Convention List Schedule II Chemicals	:	Not listed
Chemical Weapons Convention List Schedule III Chemicals	:	Listed
15.2 Chemical Safety Assessment	:	This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

✓ Indicates information that has changed from previously issued version.

	· · · · · · · · · · · · · · · · · · ·
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
Key literature references and sources for data	 Regulation (EC) No. 1272/2008 [CLP] International transport regulations Occupational exposure limits IATA Dangerous Goods Regulation (DGR) 55th Edition 2014

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classi	fication	Justification
Not classified.		
Full text of abbreviated H statements	: H315 Causes skin irrit H319 Causes serious H335 May cause resp H413 May cause long	eye irritation.
Full text of classifications [CLP/GHS]	: Aquatic Chronic 4, H413 Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335	LONG-TERM AQUATIC HAZARD - Category 4 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

SECTION 16: Other information		
: R36/37/38- Irritating to eyes, respiratory system and skin.		
: Xi - Irritant		
: 9 July 2015		
: No previous validation		
: 1		

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.