Product Name : PRINT CARTRIDGE M SP C220E MSDS Number : 406054 Date Prepared : 30/11/2006 Date Modified : 07/04/2009 Date : 28/05/2009

RICOH

Safety Data Sheet (ISO form)

1. Product and Company Identification

Product Name General Use	:PRINT CARTRIDGE M SP C220E :The Image Formation of Printing Machine or Copier
MSDS Number	:406054
Company Name	: Ricoh Company,Ltd.
Department	:Environment Safety Center, Corporate Environment Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp

2.Composition/Information on Ingredients

Substance or Preparation

Preparation

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin 1	Confidential	Confidential	40-60
Polyester Resin 2	Confidential	Confidential	30-50
Organic Pigment	C32H25CIN4O5	67990-05-0	1-10
Wax	Confidential	Confidential	1-5
Silica	Confidential	Confidential	1-5
Organic Salt	Confidential	Confidential	1-5

This product does not contain any of the following substances as ingredients. And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE).

3.Hazards Identification

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use.

Environmental Effects

There are no significant hazards expected with intended use.

Physical and Chemical Hazards

There are no significant hazards expected with intended use.

Specific Hazards

Dust explosion (like most finely grained organic powders)

RICOH

Main Symptoms Acute Inhalation Toxicity Exposure to excessive amount of dust may cause physical irritation to respiratory tract. Acute Oral Toxicity Low acute toxicity in animal experiment. Acute Eye Irritation May cause slight transient irritation. Acute Skin Irritation May be non-irritant.
Sensitization From test no apparent significant hazards are expected. (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.) Chronic Effect
Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.
Carcinogenicity This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA. The Classification of The Chemical Product This preparation is not classified as dangerous according to Directive 1999/45/EC.
 4.First-Aid Measures Inhalation Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact Wash thoroughly with soapy water. Eye Contact Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion Drink several glasses of water to dilute ingested toner. Seek medical advice. Notes to a physician Not applicable
 5.Fire-Fighting Measures Extinguishing Media CO2, dry chemicals, foam or water. Extinguishing Media to Avoid Not applicable. Specific Hazards Can form explosive dust-air mixtures when finely dispersed in air. Specific Method No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Fire-fighters Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions Do not breathe in dust. Environment Precautions Do not flush into sewers or watercourses. Methods for Cleaning Up Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth.

Product Name : PRINT CARTRIDGE M SP C220E MSDS Number : 406054 Date Prepared : 30/11/2006 Date Modified : 07/04/2009 Output Date : 28/05/2009

RICOH

7.Handling and Storage Handling **Technical Measures/Precautions** Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees centigrade for a long time. Avoid direct sunlight. **Packaging Material** Not applicable Specific Use(s) Image formation in printing machines or copiers.

8. Exposure Controls/Personal Protection

Technical Measures Use adequate ventilation. None required with intended use. **Control Parameters** 5.0mg/m3 (Respirable fraction) USA OSHA PEL (TWA) : 15mg/m3 (Total dust) ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction) DFG MAK : 4.0mg/m3 (Total dust) 1.5mg/m3 (Respirable fraction) Personal Protection **Respiratory Protections** None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. **Hygiene Measures** Wash hands after handling.

9. Physical and Chemical Properties

Appearance Physical State	: Solid	
Form	: Powder	
Colour	: Magenta	
Odour	: Slightly plastic odour	
Information		
pH:Not		
applicable		
	tures/Temperature Ranges at Which Changes in Physical State Occ	ur
Boiling Point (egrees : Not applicable	
centigrade)		
Melting centigrade)	int (degrees : (Softening point) Approx.110	

Decomposition Temperature (degrees centigrade) Flash Point (degrees centigrade) Explosion Properties (degrees centigrade) : Not available

: Not applicable

: This product is considered a nonexplosive material under normal use.

RICOH

Product Name : PRINT CARTRIDGE M SP C220E MSDS Number : 406054 Date Prepared : 30/11/2006 Date Modified : 07/04/2009 OutputDate : 28/05/2009

Vapor Pressure (Pa) Not applicable Vapor Not applicable Density(AIR=1) Density (g/cm3) Measuring Temp (degrees centigrade) : 25 Approx.1.2 Solubility Water Solubility (g/L) : Insoluble Chloroform Solubility (g/L) : Slightly soluble Octanol/Water Partition Coefficient Not available Other Information : Not flammable Flammability Viscosity (Pa·s) : Not applicable Volatile (%) : 0.2 or below 10. Stability and Reactivity Stability Stable Hazardous Reaction Dust explosion, like most finely grained organic powders. Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur. 11. Toxicological Information Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over (Rat) (Based on other product test results of similar ingredients.) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (Based on other product test results of similar ingredients.) Acute Eye Irritation : Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.) Sensitization Acute Allergenic Effects : 0 % (Marmot) (Based on other product test results of similar ingredients.) Specific Effects Carcinogenicity :

This product does not contain the carcinogenic substances which are listed on NTP, IARC and OSHA.

Mutagenicity : Negative (Ames test)

Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12.Ecological Informat Mobility		ta are available on any adverse effects on the environment.
Persistence/Degradabilit	: Not av	vailable
у		
Bioaccumulation	: Not av	vailable
Ecotoxicity		
Acute Toxicity for Fish (LC50)		: Not classified as toxic (EU Directive 1999/45/EC)
Acute Toxicity for Daphnia		: Not classified as toxic (EU Directive 1999/45/EC)
(EC50)		
Algae Inhibition Test		: Not classified as toxic (EU Directive 1999/45/EC)
(IC50)		
13 Disposal Considera	tion	

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements .

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions:

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulation	S	
Land Transport		
RID/ADR	: Not applicable	
DOT 49 CFR	: Not applicable	
ADNR	: Not applicable	
Sea Transport		
IMDG Code	: Not applicable	
Air Transport		
ICAO-TI/IATA-DGR	: Not applicable	
The UN Classificatio	n : Not applicable	
Number		
Specific Precautionary Transport Measures and conditions		
Avoid direct sunlight in quality.		

15.Regulatory Information

Regulations **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbols & Indications : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC 304/2003/EC Not regulated US Information Information on the label : Not required TSCA (Toxic Substances Control Act) :

This toner complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product

RICOH

Health ; 1, Flammal HMIS Rating : The Na Health ; 1, Flammal Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Mond	: National Fire Protection Agency (USA) bility ; 1, Reactivity ; 0 ational Paint and Coating Association (USA) bility ; 1, Reactivity ; 0 bgraph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans , Vol.65, ting Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261	
S. Takenaka and R. Merr Fundamental and Applied	Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, nelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" d Toxicology 17, pp 280-299	
IARC (2008) "IARC Mc Vol.93"	phograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,	
	ELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for to Titanium Dioxide DRAFT"	
ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and	
OSHA Z-Tables NTP (USA)	 Biological Exposure Indices US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens 	
DFG-MAK Symbol (EC) 91/155/ EEC	DFG List of MAK and BAT Value : EU Directive 67/548/EEC	
1999/45/EC Annex V	: EU Directive 91/155/ EEC : EU Directive 1999/45/EC	
76/769/ EEC EC 304/2003	 EU Directive 76/769/ EEC Regulation (EC) No 304/2003 of the European Parliament and of the Council of 28 January 2003 concerning the export and import of dangerous chemicals 	
WHMIS Controlled product	: Canada Workplace Hazardous Information System	
OELs-TWA (Australia)	 Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)] 	
Abbreviations : OSHA PEL PEL (F	Permissible Exposure Limit) under Occupational Safaty and Health Act	
(Permissible Exposure Limit) under Occupational Safety and Health Act Threshold Limit Values) under American Conference of Governmental Industrial	
DFG-MAK MAK (I RoHS Restric	Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft tion of the use of certain Hazardous Substances in Electrical and Electronic	
TWA Time V	Equipment Time Weighted Average	
	International Agency for Research on Cancer	
	National Toxicology Program	
	Workplace Hazardous Information System National Occupational Health and Safety Commission Act 1985	
Disclaimer :		
	ished without warranty, express or implied, except that it is accurate to the best	
knowledge of RICOH C	COMPANY, LTD.	
It relates only to the specific material designated herein, and does not relate to use in combination with		
any other material or p RICOH COMPANY, LT	rocess. D assumes no legal responsibility for use or reliance upon this information.	

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.