>80 <20 <10

<5

Product Name : RICOH TONER TYPE 3210D BLACK (Black toner) MSDS Number : 888182 Date Prepared : 02/12/2002 Date Modified : 01/08/2014 Date : 07/05/2015



Safety Data Sheet (ISO form)

1. Product and Company Identification

Product Name	RICOH TONER TYPE 3210D BLACK (Black toner)
General Use	:The Image Formation of Printing Machine or Copier
MSDS Number	:888182
Company Name	:Ricoh Company,Ltd.
Department	Environment Safety Center, Corporate Environment Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007 Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055–920–1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp
Composition /In	formation on Ingradianta

2.Composition/Information on Ingredients

Substance or Preparation Preparation

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Polyester Resin	Confidential	Confidential	>
Carbon Black	С	1333-86-4	<
Wax	Confidential	Confidential	<
Silica	O2Si	7631-86-9	

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA). And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name : Carbon Black	
CAS Number	: 1333-86-4
OSHA Z-Tables (USA)	: 3.5mg/m3
NTP (USA)	: Not listed
Symbol (EU)	: Not listed
DFG-MAK	: III 3B
California Proposition 65 (USA)	: Listed

EEC Number	: 215-609-9
ACGIH-TLV	: 3.5mg/m3
IARC Monographs	: Group 2B
R-Phrase (EU)	: Not listed
OELs-TWA (Australia)	: 3.0mg/m3

3. Hazards Identification

The Most Important Hazards Adverse Human Health Effects There are no significant hazards expected with intended use. Environmental Effects There are no significant hazards expected with intended use. Physical and Chemical Hazards There are no significant hazards expected with intended use. Specific Hazards Dust explosion (like most finely grained organic powders)

Main Symptoms Acute Inhalation Toxicity Exposure to excessive amount of dust may cause physical irritation to respiratory tract. Acute Oral Toxicity Low acute toxicity in animal experiment. Acute Eye Irritation May cause slight transient irritation. Acute Skin Irritation May cause slight transient irritation.

Sensitization

From test no apparent significant hazards are expected . (Only few cases reported on incidental allergy-related conjunctivitis or dermatitis.)

Chronic Effect

Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.

Carcinogenicity

Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.

But oral/skin test does not show carcinogenicity.

The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

The Classification of The Chemical Product

This preparation is not classified as dangerous according to Directive 1999/45/EC.

4.First-Aid Measures

Inhalation

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact

Wash thoroughly with soapy water. Eye Contact

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion

Drink several glasses of water to dilute ingested toner. Seek medical advice. Notes to a physician

Not applicable

5.Fire-Fighting Measures Extinguishing Media

CO2,dry chemicals,foam or water. Extinguishing Media to Avoid

Not applicable. Specific Hazards

Can form explosive dust-air mixtures when finely dispersed in air. Specific Method

No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

6.Accidental Release Measures

Personal Precautions

Do not breathe in dust. Environment Precautions

Do not flush into sewers or watercourses. Methods for Cleaning Up Fine powder may form explosive dust-air mixture.Confirm there is no source of fire and if there is a source,remove it.Sweep up spilled powder slowly and clean reminder with wet cloth.If a vacuum cleaner is used,a dust explosion-proof type must be chosen.

7.Handling and Storage

Handling
Technical Measures/Precautions
Not applicable
Safe Handling Advice
Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust.
Storage
Technical Measures
Not applicable
Storage Conditions
Keep out of reach of children.
Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35degrees
centigrade for a long time. Avoid direct sunlight.
Packaging Material
Not applicable
Specific Use(s)
Image formation in printing machines or copiers.

8.Exposure Controls/Personal Protection Technical Measures

Use adequate ventilation. None required with intended use.

Control Parameters USA OSHA PEL (TWA) : 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction) ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction) DFG MAK : 4.0mg/m3 (Total dust) 1.5mg/m3 (Respirable fraction) Personal Protection **Respiratory Protections** None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. **Hygiene Measures** Wash hands after handling.

9. Physical and Chemical Properties

AppearancePhysical State:Form:PowderColour:BlackOdour:Slightly plastic odour	
Information pH : Not applicable Specific Temperatures/Temperature Ranges a Boiling Point (degrees centigrade) : Not appli Melting Point (degrees centigrade) : (Softenin	cable
Decomposition Temperature (degrees centigrade) Flash Point (degrees centigrade) Explosion Properties (degrees centigrade)	: Not available : Not applicable :

This product is considered a nonexplosive material under normal use.

Vapor Pressure (Pa): Not applicableVapor Density(AIR=1): Not applicableDensity (g/cm3): Approx. 1.2Measuring Temp (degrees centigrade) : 25

Solubility

Water Solubility (g/L): InsolubleChloroform Solubility (g/L): Slightly solubleOctanol/Water Partition CoefficientNot availableOther InformationOther Information

Flammability	: Not flammable
Viscosity (Pa•s)	: Not applicable
Volatile (%)	: 0.2 or below

10.Stability and Reactivity

Stability Stable Hazardous Reaction Dust explosion, like most finely grained organic powders.

Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

11.Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50): 5000 or over [mg/kg] (Rat) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (PII=0.13) Acute Eye Irritation : Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.) Sensitization Acute Allergenic Effects : 0 % (Marmot) Specific Effects Carcinogenicity : Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat. But oral/skin test does not show carcinogenicity. The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in use of rat.

Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12. Ecological Information

Mobility Persistence/Degradability Bioaccumulation		
Ecotoxicity Acute Toxicity for F Acute Toxicity for E		: Not classified as toxic (EU Directive 1999/45/EC) : Not classified as toxic (EU Directive 1999/45/EC)
(EC50) Algae Inhibition Tes	t (IC50)	: Not classified as toxic (EU Directive 1999/45/EC)

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements. Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions: Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

14. Transport Information

International Regulations Land Transport RID/ADR : Not applicable DOT 49 CFR : Not applicable ADNR : Not applicable Sea Transport IMDG Code : Not applicable Air Transport ICAO-TI/IATA-DGR : Not applicable The UN Classification Number : Not applicable Class : Not applicable Specific Precautionary Transport Measures and conditions Avoid direct sunlight in quality.

15.Regulatory Information

```
Regulations
EU Information
      Information on the label (1999/45/EC and 67/548/EEC)
              Symbols &
                              : Not required
             Indications
              R-Phrase
                              : Not required
             S-Phrase
                              : Not required
              Special Precautions under 1999/45/EC Annex V : Not required
      76/769/EEC
              This product complies with applicable rules and regulations under 76/769/EEC
      304/2003/EC
             Not regulated
      US Information
      Information on the label : Not required
      TSCA (Toxic Substances Control Act) :
              This toner complies with all applicable rules and regulations under TSCA.
      SARA Title III
             313 Reportable Ingredients : Not regulated
      California Proposition 65: Not regulated
      Canada Information
      WHMIS Controlled product : Not a controlled product
```

16.Other Information

NFPA Hazard Rating: National Fire Protection Agency (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0 HMIS Rating : The National Paint and Coating Association (USA)

Health ; 1, Flammability ; 1, Reactivity ; 0

Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and
	Biological Exposure Indices
OSHA Z-Tables	
NTP (USA)	: US Department of Health and Human Services National Toxicology Program
	Annual Report on Carcinogens
DFG-MAK	DFG List of MAK and BAT Value
Symbol (EC)	: EU Directive 67/548/EEC
91/155/ EEC	: EU Directive 91/155/ EEC
1999/45/EC An	
76/769/ EEC	: EU Directive 76/769/ EEC
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the Council
	of 28 January 2003 concerning the export and import of dangerous chemicals
	ed product : Canada Workplace Hazardous Information System
OELs-TWA (Aus	
	Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]
Abbreviations	
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial
	Hygienists
REACH	(EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,
	Authorization and Restriction of Chemicals
SVHC	Substances of Very High Concern
ECHA	The European Chemicals Agency
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic
	Equipment
TWA	Time Weighted Average
IARC	nternational Agency for Research on Cancer
NTP	
	National Toxicology Program
WHMIS	Workplace Hazardous Information System
NOHSC	National Occupational Health and Safety Commission Act 1985

Disclaimer :

This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.