

Page: 1/4

Date Issued : Jun. 1, 2009 MSDS No. F-01791

1.PRODUCT AND COMPANY IDENTIFICATION

Product Name : MX-312NT / MX-312GT / MX-312AT / MX-312BT / MX-312FT / MX-312JT

MX-313JT / MX-314JTK (Black Toner)

Supplier Identification: Sharp Corporation

22-22 Nagaike-cho, Abeno-ku, Osaka, Japan

Local suppliers are listed below. Please contact the nearest supplier for additional information.

Area	(Country)	(Name and Telephone Number)				
North America	U.S.A.	Sharp Electronics Corporation				
		Sharp Plaza, Mahwah, NJ				
		Telephone number for information	: 1-800-237-4277			
		Emergency telephone number	: 1-800-255-3924			
	Canada	Sharp Electronics of Canada Ltd.				
		Telephone number for information	: 905-890-2100			
		Emergency telephone number	: 1-800-255-3924			
Oceania	Australia	Sharp Corporation of Australia PTY. Ltd	d.			
		No1 Huntingwood Drive Huntingwood Blacktown N.S.W.				
		Telephone number for information	: 1300-13-50-22			
Europe	Germany	Sharp Electronics (Europe) GMBH				
		Sonninstrasse 3, 20097 Hamburg				
		Telephone number to access MSDS	: 040-2376-2185			
		For more information	: 040-2376-2613			
	United	Sharp Electronics (U. K.) Ltd.				
	Kingdom	Telephone number for information	: 08705-274-277			
	France	Sharp Electronics France S.A.				
		Telephone number for information	: 01-49-90-34-00			
	Austria	Sharp Electronics GMBH				
		Telephone number for information	: 01-727-19-0			
	Italy	Sharp Electronics (Italy) S.P.A.				
		Telephone number for information	: 02895951			
	Spain	Sharp Electronics (Espana) S.A.	00 504 07 00			
	N. (1 1 1	Telephone number for information	: 93-581-97-00			
	Netherlands	Sharp Electronics Benelux B.V.	- 00 0050500			
	0	Telephone number for information	: 30-6359500			
	Sweden	Sharp Electronics Nordic AB	- 00 604 06 00			
	0 11 1	Telephone number for information	: 08-634-36-00			
	Switzerland	Sharp Electronics(Schweiz)AG	. 01 946 6111			
	11 4 5	Telephone number for information	: 01-846-6111			
Middle East	U.A.E.	Sharp Middle East FZE				
		P.O.Box 17115 Jebel Ali, Dubai	: 04-815311			
		Telephone number for information	. 04-013311			

2.COMPOSITION / INFORMATION ON INGREDIENTS

• •	Preparation[X]	.	00114 DE1	400ULTIV	14 A 17 T14/A	NOUGO TIMA
<u>Ingredient</u>	CAS No.	<u>Proportion</u>	<u>OSHA PEL</u>	ACGIH TLV	MAK-TWA	NOHSC-TWA
Styrene-Acrylate copolymer	Confidential	80-90%	Not listed	Not listed	Not listed	Not listed
Carbon black	1333-86-4	5-10%	3.5mg/m ³	3.5mg/m ³	Not listed	3mg/m ³
Polyethylene	Confidential	1-5%	Not listed	Not listed	Not listed	Not listed
Polypropylene	Confidential	1-5%	Not listed	Not listed	Not listed	Not listed
Charge control agent	Confidential	0.1-1%	Not listed	Not listed	Not listed	Not listed
Amorphous silica	68611-44-9	0.1-1%	80 mg/m ³	2mg/m ³	Not listed	Not listed
Iron Oxide	1309-38-2	1-5%	Not listed	Not listed	Not listed	Not listed



Page : 2/4

Date Issued : Jun. 1, 2009

MSDS No. F-01791

3.HAZARDS IDENTIFICATION

Most Important Hazards and Effects of the Products

Human Health Effects: There are no anticipated carcinogenic effects from exposure based on animal tests

performed using toner. When used as intended according to instructions, studies do not

indicate any symptoms of fibrosis will occur.

Environmental Effects : Not toxic to aquatic organisms

[Estimated from the other product containing similar material]

Specific Hazards : Dust explosion (like most finely divided organic powders)

Directive 1999/45/EC(Europe): Not classified as dangerous

4.FIRST-AID MEASURES

Route(s) of Entry: <u>Inhalation?</u> <u>Skin? <u>Ingestion?</u></u>

Yes No Possible but very unusual.

Inhalation: Remove to fresh air. If symptoms occur, consult medical personnel. **Skin Contact**: Wash with soap and water for 15 minutes or until particle is removed.

If irritation does occur, consult medical personnel.

Eye Contact: Flush eyes immediately with water for 15 minutes. If irritation does occur, consult medical personnel.

: Rinse with water and drink several glasses of water. If irritation or discomfort does occur, consult

medical personnel.

5.FIRE-FIGHTING MEASURES

Extinguishing Media: Water, CO₂, foam and dry chemicals

Special Fire Fighting Procedures: None

Fire and Explosion Hazards : Toner material, like most finely divided organic powders, may form an explosive

mixture.

6.ACCIDENTAL RELEASE MEASURES

Personal Precautions : None Environmental Precautions : None

Methods for Cleaning Up : Wipe off with paper or cloth. Do not use vacuum cleaner when a large amount is

released. It, like most finely divided organic powders, is capable of creating a

dust explosion.

7.HANDLING AND STORAGE

Handling

Ingestion

Technical Measures : None Precautions : None

Safe Handling Advice : Use of a dust mask is recommended when handling a large quantity of toner or during long

term exposure, as with any non-toxic dust. Try not to disperse the particles.

Storage

Technical Measures : None

Storage Conditions : Keep container closed and Store in a cool and dry place.

Keep out of the reach of children.

Incompatible Products: None

8.EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures

Ventilation : Not required under intended use.

Exposure Limit Values

OSHA-PEL(USA) : 15mg/m³ (Total Dust), 5mg/m³ (Respirable Dust)

ACGIH-TLV(USA) : 10mg/m³ (Total Dust), 3mg/m³ (Respirable Dust)



Page : 3/4

Date Issued: Jun. 1, 2009 MSDS No. F-01791

Personal Protective Equipment

Respiratory Protection : Not required under intended use.
Hand Protection : Not required under intended use.
Eye Protection : Not required under intended use.
Skin Protection : Not required under intended use.

Other Protective Equipment : Use of a dust mask and goggles are recommended when handling a large

quantity of toner or during long term exposure, as with any non-toxic dust.

9.PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State: Solid Form: Powder Color: Black Odor: odorless

Ph : Not applicable
Boiling / Melting Point : Not applicable
Softening Point(°C) : 100 - 130
Flash Point(°C) : Not applicable
Ignition Point(°C) : > 350
Explosion Properties : No data

Density(g/cm³) : 1.1 (bulk density : approx. 0.35)

Solubility in Water : Negligible

10.STABILITY AND REACTIVITY

Stability : Stable

Hazardous Reactions: Dust explosion, like most finely divided organic powders.

Conditions to Avoid : Electric discharge, throwing into fire.

11.TOXICOLOGICAL INFORMATION

Acute Toxicity

 $\label{eq:local_local_local} \begin{array}{ll} \text{Ingestion(oral)} & : LD_{50} > 2000 \text{mg/kg (Rats)} \text{ [Estimated from the other product containing similar material]} \\ \text{Inhalation} & : LC_{50} > 5.0 \text{mg/L (Rats)} \text{ [Estimated from the other product containing similar material]} \\ \text{Eye irritation} & : \text{Not an irritant (Rabbits)} \text{ [Estimated from the other product containing similar material]} \\ \text{Skin irritation} & : \text{Not an irritant (Rabbits)} \text{ [Estimated from the other product containing similar material]} \\ \end{array}$

Skin sensitizer : No sensitization[Estimated from the other product containing similar material]

Mutagenicity : Negative (Ames Test) [Estimated from the other product containing similar material]

Carcinogenicity : In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human

carcinogen). This classification is given to chemicals for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation, where carbon black is bound in a resin matrix, demonstrated no association between toner exposure

and tumor development in rats.

Chronic Effect : In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of

lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m³) exposure group, but no pulmonary change was reported in the lowest (1mg/m³)

exposure group, the most relevant level to potential human exposures.



Page: 4/4

Date Issued : Jun. 1, 2009

MSDS No. F-01791

12.ECOLOGICAL INFORMATION

Ecotoxicity

On available data, toner is not harmful to aquatic organisms

13.DISPOSAL CONSIDERATIONS

Waste from Residues : Waste material may be dumped or incinerated under conditions which meet all federal,

state and local environmental regulations.

Contaminated Packaging: Waste may be disposed or incinerated under conditions which meet all federal, state

and local environmental regulations.

14.TRANSPORT INFORMATION

UN Classification : None
Not classified as hazardous for transport.

15.REGULATORY INFORMATION

US Information

TSCA(Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

SARA(Superfund Amendments and Reauthorization Act) Title III

302 Extreme Hazardous Substance : None 311/312 Hazard Classification : None

EU Information

1999/45/EC and 67/548/EEC

Symbol & Indication : Not required R-Phrase : Not required

76/769/EEC : All chemical substances in this product comply with all applicable rules or

order under 76/769/EEC.

16.OTHER INFORMATION

NFPA Rating (USA) : Health=1 Flammability=1 Reactivity=0 WHMIS Legislation (Canada) : This product is not a controlled product.

References

IARC(1996): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 65, Printing Process And Printing Inks, Carbon Black and Some Nitro Compounds, Lyon, pp.149-261

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299.

The information on this data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. However, all materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we do not guarantee that these are the only hazards which exist.