

Revision Date: 1.November 2018 Date of first issue :20.December 2012 SDS Number : F-02368

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: MX-62GT-YB
1.2 Relevant identified uses of t	he substance or mixture and uses advised against
Use of the Substance/Mixture	: Reprographic agents (Toner)
1.3 Details of the supplier of the	e safety data sheet
Company	: SHARP Manufacturing France S.A.
	Route de Bollwiller, 68360 Soultz, Haut Rhin, France
Telephone	: +49 40 2376-0
E-mail address of person	: compliance@sharp.eu
responsible for the SDS	
•	

### 1.4 Emergency telephone number

+49 40 2376-2525 (from 9:00 to 17:00 CET/CEST, English, German Only)

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not Classified as hazardous

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms	: None
Signal word	: None
Hazard statements	: None
Precautionary statements	: None

### 2.3 Other hazards

Potential dust explosion hazard.



Revision Date: 1.November 2018 Date of first issue :20.December 2012 SDS Number : F-02368

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

confidential	(REGULATION (EC) No1272/2008) Not classified Not classified	(%) 60-70 5-10 5-40
onfidential	Not classified Not classified	5-10
onfidential	Not classified	5-10
	Not elecsified	F 40
66-340-9	Not classified	5-10
onfidential	Not classified	1-5
31-545-4	Not classified	1-5
onfidential	Not classified	1-5
		31-545-4 Not classified

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. Protection of first-aiders First Aid responders should pay attention to self-protection, : and use the recommended personal protective equipment when the potential for exposure exists. If inhaled If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. In case of skin contact : Remove contaminated clothing and shoes. Get medical attention if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse. In case of eye contact : If in eyes, rinse well with water. Get medical attention if irritation develops and persists. : If swallowed, Get medical attention. If swallowed Rinse mouth thoroughly with water. 4.2 Most important symptoms and effects, both acute and delayed Risks : Dust contact with the eyes can lead to mechanical irritation. 4.3 Indication of any immediate medical attention and special treatment needed : Treat symptomatically and supportively. Treatment



Revision Date: 1.November 2018 Date of first issue :20.December 2012 SDS Number : F-02368

SECTION 5: Firefighting measures		
5.1 Extinguishing media		
Suitable extinguishing media	:	Water spray
		Alcohol-resistant foam
		Dry chemical
		Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from the subst	ar	nce or mixture
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire.
		Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
		Nitrogen oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefighters	s:	In the event of fire, wear self-contained breathing apparatus.
		Use personal protective equipment.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local
		circumstances and the surrounding environment.
		Use water spray to cool unopened containers.
		Remove undamaged containers from fire area if it is safe to
		do so. Evacuate area.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective e	equipment and emergency procedures
Personal precautions	: Use personal protective equipment.
	Follow safe handling advice and personal protective
	equipment recommendations.
6.2 Environmental precautions	
Environmental precautions	: Discharge into the environment must be avoided.
	Prevent further leakage or spillage if it is safe to do so.
	Retain and dispose of contaminated water.
	Local authorities should be advised if significant spillages
	cannot be contained.
6.3 Methods and material for containr	ment and cleaning up
Methods for cleaning up	: Sweep up or vacuum up spillage and collect in suitable
	container for disposal.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).



Revision Date: 1.November 2018 Date of first issue :20.December 2012 SDS Number : F-02368

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

7.1 Precautions for safe handling	
Technical measures	: Static electricity may accumulate and ignite suspended dust
	causing an explosion.
	Provide adequate precautions, such as electrical grounding
	and bonding, or inert atmospheres.
Advice on safe handling	: Do not breathe dust. Do not swallow. Avoid contact with eyes.
	Handle in accordance with good industrial hygiene and safety
	practice. Keep container tightly closed.
	Minimize dust generation and accumulation.
	Keep away from heat and sources of ignition.
	Take care to prevent spills, waste and minimize release to the
	environment.
Hygiene measures	: When using do not eat, drink or smoke.
	Wash contaminated clothing before re-use.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Requirements for storage	: Keep tightly closed. Keep in a cool, well-ventilated place.
areas and containers	Be stored in accordance with the particular national regulation
Advice on common storage	: Do not be stored together with the following product types:
	Strong oxidizing agents
	Organic peroxides
	Explosives
	Gases
7.3 Specific end use(s)	
Specific use(s)	: No data available



Revision Date: 1.November 2018 Date of first issue :20.December 2012 SDS Number : F-02368

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Silicon dioxide	7631-86-9	TWA (inhalable dust)	6 mg/m3 (Silica)	GB EH40
Silicon dioxide	7031-00-9	TWA (Respirable dust)	2.4 mg/m3 (Silica)	GB EH40

### 8.2 Exposure controls

### **Engineering measures**

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

### Personal protective equipment

Eye protection	: Not required under intended use
Hand protection	: Not required under intended use
Skin and body protection	: Not required under intended use
Respiratory protection	: Not required under intended use

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	:	Powder
Colour	:	Yellow
Odour	:	Odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	100 - 130 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Density	:	ca. 1,2 g/cm3
Bulk density	:	ca. 0,4 g/cm3
Solubility(ies)		
Water solubility	:	Negligible
Partition coefficient: n-octanol/water	:	Not applicable



Revision Date: 1.November 2018 Date of first issue :20.December 2012 SDS Number : F-02368

		SDS Number : F-02368
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
9.2 Other information		
No data available		
SECTION 10: Stability and reactivity		
10.1 Reactivity		
Not classified as a reactivity hazard.		
10.2 Chemical stability		
Stable under normal conditions.		
10.3 Possibility of hazardous reactions		
Hazardous reactions	:	Dust can form an explosive mixture in the air.
		Can react with strong oxidizing agents.
10.4 Conditions to avoid		
Conditions to avoid	:	None known.
10.5 Incompatible materials		
Materials to avoid	:	Oxidizing agents
10.6 Hazardous decomposition products		
No hazardous decomposition products a	re	known.
SECTION 11: Toxicological information	on	
11.1 Information on toxicological effects		
Information on likely routes of exposure	:	Inhalation
Information on likely routes of exposure	:	Inhalation Skin contact
Information on likely routes of exposure	:	
Information on likely routes of exposure	:	Skin contact
Information on likely routes of exposure Acute toxicity	:	Skin contact Ingestion
	:	Skin contact Ingestion
Acute toxicity	: :	Skin contact Ingestion Eye contact
Acute toxicity Acute oral toxicity	:	Skin contact Ingestion Eye contact LD50 : > 2000 mg/kg
Acute toxicity Acute oral toxicity Acute inhalation toxicity	:	Skin contact Ingestion Eye contact LD50 : > 2000 mg/kg
Acute toxicity Acute oral toxicity Acute inhalation toxicity Skin corrosion/irritation	: :	Skin contact Ingestion Eye contact LD50 : > 2000 mg/kg
Acute toxicity Acute oral toxicity Acute inhalation toxicity Skin corrosion/irritation No skin irritation	: :	Skin contact Ingestion Eye contact LD50 : > 2000 mg/kg
Acute toxicity Acute oral toxicity Acute inhalation toxicity Skin corrosion/irritation No skin irritation Serious eye damage/eye irritation	: :	Skin contact Ingestion Eye contact LD50 : > 2000 mg/kg



Revision Date: 1.November 2018 Date of first issue :20.December 2012 SDS Number : F-02368

		SDS Number	: F-02368
Germ cell mutagenicity			
AMES	: negative		
Carcinogenicity			
Not classified based on available information	on.		
Reproductive toxicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposure			
No data available			
Aspiration toxicity			
Not relevant			
SECTION 12: Ecological information			
12.1 Toxicity			
Toxicity to fish	: LC50: > 100 mg/l		
	Exposure time: 96 h		
Toxicity to daphnia and other aquatic	: EC50: > 100 mg/l		
invertebrates	Exposure time: 48 h		
Toxicity to algae	: EC50: > 100 mg/l		
	Exposure time: 72 h		
12.2 Persistence and degradability			
No data available			
12.3 Bioaccumulative potential			
No data available			
12.4 Mobility in soil			
No data available			
12.5 Results of PBT and vPvB assessme	nt		
Not relevant			
12.6 Other adverse effects			
No data available			
SECTION 13: Disposal consideration	S		
13.1 Waste treatment methods			
Product	: Dispose of it in accorda	ance with local regu	llations.
	According to the Europ	ean Waste Catalog	ue, Waste Codes
	are not product specific	, but application sp	ecific.
	Waste codes should be	e assigned by the us	ser, preferably in



Revision Date: 1.November 2018 Date of first issue :20.December 2012 SDS Number : F-02368

	SDS Number : F-02368
	discussion with the waste disposal authorities.
Contaminated packaging	: Dispose of it as an unused product.
	Empty containers should be taken to an approved waste
	handling site for recycling or disposal.
SECTION 14: Transport informa	tion
4.1 UN number	: None
4.2 UN proper shipping name	: None
4.3 Transport hazard class(es)	: None
4.4 Packing group	: None
4.5 Environmental hazards	: None
4.6 Special precautions for user	: Not applicable
4.7 Transport in bulk according to	Annex II of MARPOL 73/78 and the IBC Code
Remarks	: Not applicable for product as supplied.
SECTION 15: Regulatory inform	ation
5.1 Safety, health and environmer	ntal regulations/legislation specific for the substance or mixture
Regulation (EC) No 649/2012 of the	he European Parliament : Not applicable
and the Council concerning the ex	
and the Council concerning the ex dangerous chemicals	
-	port and import of
dangerous chemicals	ances of Very High : Not applicable
dangerous chemicals REACH - Candidate List of Substa	ances of Very High : Not applicable 59).
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article	ances of Very High : Not applicable 59).
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer	ances of Very High : Not applicable 59).
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer	ances of Very High : Not applicable 59). • substances that deplete : Not applicable
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer Regulation (EC) No 850/2004 on p	ances of Very High : Not applicable 59). I substances that deplete : Not applicable bersistent organic pollutants : Not applicable
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer Regulation (EC) No 850/2004 on p 5.2 Chemical Safety Assessment	ances of Very High : Not applicable 59). In substances that deplete : Not applicable persistent organic pollutants : Not applicable as not been carried out.
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer Regulation (EC) No 850/2004 on p 5.2 Chemical Safety Assessment A Chemical Safety Assessment ha	ances of Very High : Not applicable 59). In substances that deplete : Not applicable persistent organic pollutants : Not applicable as not been carried out.
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer Regulation (EC) No 850/2004 on p 5.2 Chemical Safety Assessment A Chemical Safety Assessment has SECTION 16: Other information	ances of Very High : Not applicable 59). In substances that deplete : Not applicable persistent organic pollutants : Not applicable as not been carried out.
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer Regulation (EC) No 850/2004 on p 5.2 Chemical Safety Assessment A Chemical Safety Assessment has SECTION 16: Other information Full text of other abbreviations	ances of Very High : Not applicable 59). In substances that deplete : Not applicable persistent organic pollutants : Not applicable as not been carried out.
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer Regulation (EC) No 850/2004 on p <b>5.2 Chemical Safety Assessment</b> A Chemical Safety Assessment has <b>SECTION 16: Other information</b> <b>Full text of other abbreviations</b> GB EH40	<pre>sport and import of ances of Very High : Not applicable 59). substances that deplete : Not applicable persistent organic pollutants : Not applicable as not been carried out. : UK. EH40 WEL - Workplace Exposure Limits</pre>
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer Regulation (EC) No 850/2004 on p 5.2 Chemical Safety Assessment A Chemical Safety Assessment has SECTION 16: Other information Full text of other abbreviations GB EH40 GB EH40 / TWA	<pre>sport and import of ances of Very High : Not applicable 59). a substances that deplete : Not applicable bersistent organic pollutants : Not applicable as not been carried out.  : UK. EH40 WEL - Workplace Exposure Limits : Long-term exposure limit (8-hour TWA reference period)</pre>
dangerous chemicals REACH - Candidate List of Substa Concern for Authorisation (Article Regulation (EC) No 1005/2009 on the ozone layer Regulation (EC) No 850/2004 on p 5.2 Chemical Safety Assessment A Chemical Safety Assessment ha SECTION 16: Other information Full text of other abbreviations GB EH40 GB EH40 / TWA Further information	<pre>sport and import of ances of Very High : Not applicable 59). a substances that deplete : Not applicable bersistent organic pollutants : Not applicable as not been carried out.  : UK. EH40 WEL - Workplace Exposure Limits : Long-term exposure limit (8-hour TWA reference period)</pre>

and belief at the date of its publication. The information is designed only as a guidance for safe handling,



Revision Date: 1.November 2018 Date of first issue :20.December 2012 SDS Number : F-02368

use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.