

MATERIAL SAFETY DATA SHEET

Date: October 22, 2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:	Toner Kit for UTAX CD 5135/5235/P-3520MFP/P-3525MFP
Manufacturer	
Name:	KYOCERA Document Solutions Inc.
Address:	2-28, 1-Chrome, Tamatsukuri, Chuo-ku,
	Osaka, Japan, 540-8585
Supplier	
Name:	TA Triumph-Adler GmbH
Address:	Ohechaussee 235, 22848 Norderstedt, Germany
Telephone number:	+49 (0) 40 / 528490

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name (Common name)	CAS No.	%
Styrene acrylate copolymer (2 kinds)	Confidential	50 - 60
Magnetite	Confidential	40 - 50
Wax	Confidential	1 – 5
Titanium dioxide	13463-67-7	<1

Information of ingredients: Information of PBT and vPvB:

No component of this product is a PBT or vPvB substance under Annex XIII of Regulation (EC) No 1907/2006.

3. HAZARDS IDENTIFICATION

Most important hazards: Specific hazards: Other information on hazards: Ingestion: Inhalation:	Not classified as dangerous (1999/45/EC) None Potential health effects Ingestion is not applicable route of entry for intended use. Prolonged inhalation of excessive dusts may cause lung damage. Use of this product, as intended, does not result in inhalation of excessive dusts.
Eve contact:	
Eye contact:	May cause transient eye irritation.
Skin contact:	Unlikely to cause skin irritation.
4. FIRST-AID MEASURES	
Inhalation:	Remove from exposure to fresh air and gargle with plenty of water. Consult a doctor in case of such a symptoms as
	coughing.
Skin contact:	Wash with soap and water.
Eye contact:	Flush with water immediately and see a doctor if irritating.
Ingestion:	Rinse out the mouth. Drink one or two glasses of water to dilute. Seek medical treatment if necessary.
5. FIRE-FIGHTING MEASURES	
Extinguishing media:	Water (Sprinkle with water), foam, powder, CO_2 or dry

Extinguishing media:	Water (Sprinkle with water), foam, powder, CO_2 or dry
	chemical extinguisher
Fire-fighting procedure:	Pay attention not to blow away toner powder. Drain water off around and decrease the atmosphere temperature to extinguish the fire.



Personal precautions:	Avoid inhalation, ingestion, eye and skin contact in case of accidental toner release.
Environmental precautions: Method for cleaning up:	Do not release into drains and surface water. Gather the released toner not to blow away and to wipe up with a wat dath
	with a wet cloth.

7. HANDLING AND STORAGE

Handling:	Never open the toner container.
Storage:	Keep toner container tightly closed and store in a cool, dry
	and dark place keeping away from fire.
	Keep away from children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Inhalable fraction 10 mg/m ³ , Respirable fraction 3 mg/m ³
Titanium dioxide 10 mg/m ³
Total dust 15 mg/m ³ , Respirable fraction 5 mg/m ³
Titanium dioxide 15 mg/m ³ (Total dust)
Inhalable fraction 4 mg/m ³
Respiratory protection, eye protection, hand protection, skin
and body protection are not required under normal use.
Ventilator is not required under normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Solid
Form:	Fine powder
Colour:	Black
Odor:	Odorless
pH:	N.A.
Melting point:	140 °C
Explosion properties:	Dust explosion is improbable under normal use.
	Experimental explosiveness of toner is classified into the
	same rank such kind of powder as flour, dry milk and
	resin powder according to the pressure rising speed.
Density:	1.5-2.0 g/cm ³
Solubility:	Almost insoluble in water

10. STABILITY AND REACTIVITY

Stability / Reactivity:	Stable under normal use.
Hazardous reactions:	None

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity:	(rat) LD ₅₀ >2,500 mg/kg*
Acute dermal toxicity:	(rat) LD ₅₀ >2,000 mg/kg*
Acute inhalation toxicity:	(rat) LC ₅₀ (4hr)>5.13 mg/l*
Acute eye irritation:	(rabbit) Mild irritant*
Acute skin irritation:	(rabbit) Non-irritant*
Skin sensitisation:	(mouse) Non-sensitiser*
Mutagenicity:	AMES Test is negative
Reproductive toxicity:	No reproductive toxicant, according to MAK, California
	Proposition 65, TRGS 905 and EU Directive 67/548/EEC.
Carcinogenicity:	No carcinogen or potential carcinogen, according to IARC, Japan Association on Industrial Health, ACGIH, EPA, OSHA,



NTP, ILO, MAK, California Proposition 65, TRGS 905 and EU Directive 67/548/EEC.

* Estimated from other products containing same materials.

The IARC re-evaluated titanium dioxide as a group 2B carcinogen (possibly carcinogenic to humans) as the result of inhalation exposure test in rats. But, oral/skin test does not show carcinogenicity. (4) In the animal chronic inhalation studies for titanium dioxide, the lung tumour was observed in only rats. It is estimated that this is attributed to the overload of rat's lung clearance mechanism (overload phenomenon). (5) The inhalation of excessive titanium dioxide does not occur in normal use of this product. Also, epidemiological studies to date have not revealed any evidence of relation between occupational exposure to titanium dioxide and respiratory tract diseases.

Chronic effects:

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of rats in the high concentration (16 mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animal in the middle (4 mg/m³) exposure group. But no pulmonary change was reported in the lowest (1 mg/m³) exposure group, the most relevant potential human exposures.

Other information: None 12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Do not incinerate toner and toner containers. Dangerous sparks may cause burn. Any disposal practice should be done under conditions which meet local, state and federal laws and regulations relating to waste (contact local or state environmental agency for specific rules).

14. TRANSPORT INFORMATION

UN No.:	None
UN shipping name:	None
UN classification:	None
UN packing group:	None
Special precautions:	None

15. REGULATORY INFORMATION

EU Information

Label information according to the Directives 67/548/EEC and 1999/45/EC. Symbol and indication: Not required R-Phrase: Not required

Not required
Not required
None

US Information

All components in this product comply with order under TSCA.

16. OTHER INFORMATION

To the best of our knowledge, the information contained herein is accurate. However, we cannot assume any liability whatsoever for the accuracy or completeness of the information contained herein.

IF IT WORX, IT'S

- Pulmonary response to toner upon chronic inhalation exposure in rats H. Muhle et. al Fundamental and Applied Toxicology 17.280-299 (1991) Lung clearance and retention of toner, utilizing a tracer technique, during chronic inhalation exposure in rats B. Bellmann Fundamental and Applied Toxicology 17.300-313 (1991)
- (2) ACGIH TLV (Threshold Limit Values)
- (3) OSHA PEL (Permissible Exposure Limits)
- (4) IARC Monograph on the evaluation of the carcinogenic risk of chemicals to humans, Vol. 93
 (5) NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of health hazard and
- recommendation for occupational exposure to Titanium Dioxide DRAFT"
- ISO 11014-1 Safety data sheet for chemical products

Regulation (EC) No 1907/2006

American Conference of Governmental Industrial Hygienists
2: Regulation on classification, labelling and packaging of
substances and mixture (CLP) Annex VI Table 3.2.
Environmental Protections Agency (USA)
International Agency for Research on Cancer
Maximale Arbeitsplatzkonzentration der Deutschen
Forschungsgesellschaft
National Toxicology Program
Occupational Safety and Health Administration
California, Safe drinking water and toxic enforcement
act of 1986
Technische Regeln für Gefahrenstoffe (Deutsche)
Toxic Substances Control Act (USA)
Time Weighted Average
United Nations