## **Section I - Product Identification**

Trade Names/Synonyms:		Part No.:	6R1262, 6R1263, 6R1264, 6R1265,
	Black/Cyan/Magenta/ Yellow Replenisher		6R1266, 6R1267, 6R1268, 6R1269, 6R1270, 6R1271, 6R1272, 6R1273,
WHMIS Status:	This is not a WHMIS controlled product.		6R1317, 6R1318, 6R1319

Ingredients (% by wt.) Resin (>60%)

Frits (<15%) Wax (>5%) Pigments (>3%) <u>CAS No.</u> 292629-36-8 65997-18-4 8002-74-2 1333-86-4/147-14-8/Proprietary

Section II - Emergency and First Aid				
Primary Route of Entry:	Symptoms of Overexposure:			
Inhalation	Minimal respiratory tract irritation may occur as with			
Eyes:	exposure to large amounts of any non-toxic dust.			
Flush with water.				
Skin:	Medical Conditions Generally Aggravated by Exposure:			
Wash with soap and water.	None when used as described by product literature.			
Inhalation:				
Remove from exposure.	Additional Information:			
Ingestion:	None.			
Dilute stomach contents with several glasses of milk or water.				
Ç				

## Section III - Toxicology and Health Information

The toxicity data noted below is based on the test results of this toner or similar reprographic materials:

Oral LD <sub>50</sub> :	>5 g/kg (rats) practically non-toxic. >5 g/kg (rabbits) practically non-toxic.	TLV:	10 mg/m <sup>3</sup> (total dust) 5 mg/m <sup>3</sup> (respirable dust)
Dermal LD <sub>50</sub> :		DET	
Inhalation LC <sub>50</sub> :	>5 mg/l (rats, 4 hr exposure)practically non-toxic.	PEL:	$15 \text{ mg/m}^3$ (total dust)
	>20 mg/l (calculated 1 hr exposure) non-poisonous, DOT.		5 mg/m <sup>3</sup> (respirable dust)
Eye Irritation:	Not an irritant	STEL:	Not established
Skin Sensitization:	Not a sensitizer.	Ceiling:	Not established
Skin Irritation:	Not an irritant	XEL <sup>1</sup> :	$2.5 \text{ mg/m}^3$ (total dust)
Human Patch:	Non-irritating, non-sensitizing		0.4 mg/m <sup>3</sup> (respirable dust)
Mutagenicity:	No mutagenicity detected in Ames assay.		
Carcinogens:	None present		
Aquatic LC <sub>50</sub> :	>1000 mg/l (fathead minnows) non-toxic.		

Additional Information: The results obtained from a Xerox sponsored Chronic Toner Inhalation Study demonstrated no lung change in rats for the lowest  $(1 \text{ mg/m}^3)$  exposure level ( the level most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of the animals at the middle  $(4 \text{ mg/m}^3)$  exposure level, while a slight degree of fibrosis was noted in all the animals at the highest  $(16 \text{ mg/m}^3)$  exposure level. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special test toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially available Xerox toner, and would not be functionally suitable for Xerox equipment.

<sup>1</sup>XEL-Xerox Exposure Limit

## Section IV - Physical Data

Appearance/Odor: Boiling Point: Solubility in Water: Evaporation Rate: Vapor Density (Air=1): Volatile:	Fine powder (black, green, blue, re yellow or other colors) / faint odor Not applicable Negligible Not applicable Not applicable Not applicable % (Wt.) Not appli	Softening Range: Melting Point: Specific Gravity (H <sub>2</sub> O=1): Vapor Pressure (mm Hg): pH:	48°C -54°C Not determined ~1 Not applicable Not applicable			
	Section V - Fire and	l Explosion Data				
Flash Point (Method Used) Flammable Limits: NFPA 704: Extinguishing Media: Special Fire Fighting Proce Fire and Explosion Hazard	LEL: Not applicable, UE Consumer Use & Storage Mfg/Processor Use & Sto <i>Avoid direct stream</i> get Avoid inhalation of smok Is: Toner is a combustible po	Not applicable LEL: Not applicable, UEL: Not applicable Consumer Use & Storage "Cartridge" / "Bottle" Health - 0, Fire -1, Reactivity – 0 <i>Afg</i> /Processor Use & Storage "Bulk" Health - 0, Fire -3, Reactivity - 0 <i>Avoid direct stream</i> gently apply water mist, water fog, or foam Avoid inhalation of smoke. Wear protective clothing and self-contained breathing apparatus. Coner is a combustible powder. Like most organic materials in powder form, it can form explosive mixtures when dispersed in air.				
	Section VI -Reactive	ity Data				
Stability:StableHazardous Polymerization:Will Not OccurHazardous Decomposition Products:Products of combustion may be toxic. Avoid breathing smoke.Incompatibility (Materials to Avoid):None known						
	Section VII - Specia	l Protection Information				
Respiratory Protection: Eye Protection: Protective Gloves: Other:	Eye Protection:None required when used as intended in Xerox equipment.Protective Gloves:None required when used as intended in Xerox equipment.					
Section VIII - Special Precautions						
Handling and Storage:Keep container tightly closed.Conditions to Avoid:Avoid prolonged inhalation of excessive dust.						
Section IX- Spill, Leak, and Disposal Procedures						
For Spills or Leakage:	Sweep up or vacuum spilled toner and carefully transfer into sealable waste container. Sweep slowly to minimize generation of dust during clean-up. If a vacuum is used, the motor must be rated as <i>dust tight</i> . A conductive hose bonded to the machine should be used to reduce static buildup (See Section V). Residue can be removed with soap and cold water. Garments may be washed or dry cleaned, after removal of loose toner.					
Waste Disposal Method:	State and Local requirements may	vaste according to Federal Regulation y, however, be more restrictive. Consu ies for additional information. Inciner	It with the appropriate State			
Section X - Transportation Information						

## Section X - Transportation Information

This product is <u>not</u> regulated as a Hazardous Material during transportation.