

**Safety Data Sheet** 

Page 1/8

\_\_\_\_\_

SDS #: A-10015 Toner - Black, Cyan, Yellow, Magenta

**Issuing Date** 2011-07-13 **Revision Date** 2022-03-08 **Version** 3

**Active** 

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

**Product Name** 

Toner Cartridge for Phaser 7800

**Magnetic Toner** 

Part no. 106R01563, 106R01564, 106R01565, 106R01566, 106R01567, 106R01568, 106R01569,

106R01570, 106R01571, 106R01572, 106R01573, 106R01574, 106R01575, 106R01576, 106R01577, 106R01578, 106R01579, 106R01580, 106R01581, 106R01624, 106R01625,

106R01626

Color Black, Cyan, Yellow, Magenta

Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

Details of the supplier of the safety data sheet

Manufactured by Xerox Corporation

Webster, NY 14580

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability

E-mail address askxerox@xerox.com

Emergency telephone Safety Information US: (800) 275-9376

Chemical Emergency only (Chemtrec) (800) 424-9300 (703) 527-3887 (collect outside the US or Canada)

For the most current document https://safetysheets.business.xerox.com

HAZARDS IDENTIFICATION

Classification of the substance or mixture

This product contains no hazardous ingredients that meet the threshold for classification of the mixture.

Customer use / Cartridges and sealed bottles

OSHA Hazard Classification This product is an article which contains a mixture / preparation in powder form. Safety

information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based

on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to



Page 2/8

SDS #: A-10015 Toner - Black, Cyan, Yellow, Magenta

employees and other users of this product.

Label elements

Signal Word None

Hazard Statements None required

Precautionary Statements None required

Other hazards

Not a PBT according to REACH Annex XIII
May form explosible dust-air mixture if dispersed

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixtures

Chemical Name	CAS No.	Weight %	Classification (Reg. 1272/2008)	Hazard Statements
Resin	Proprietary	70-90		
Wax	Proprietary	1-10		
Yellow pigment	Proprietary	0-10		
Carbon black	1333-86-4	0-10		
Cyan pigment	Proprietary	0-10		
Magenta pigment	Proprietary	0-10		
Silica (Surface Treated)	68909-20-6	<3	STOT RE 2	H373
Amorphous silica	7631-86-9	1-5		
Titanium dioxide	13463-67-7	<1	Carc (Inhal) 2	H351

<sup>&</sup>quot;--" indicates no classification or hazard statements apply.

Full text of H- statements: see section 16

# 4. FIRST AID MEASURES

### Description of first-aid measures

**General advice** For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this material safety data sheet to the doctor in attendance.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

Skin contact Wash skin with soap and water

**Inhalation** Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

### Most important symptoms and effects, both acute and delayed

**Acute toxicity** 

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

Chronic toxicity No known effects under normal use conditions

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust.



Page 3/8

SDS #: A-10015 Toner - Black, Cyan, Yellow, Magenta

Aggravated Medical Conditions None under normal use conditions

Indication of immediate medical attention and special treatment needed

Protection of first-aiders No special protective equipment required

Notes to physician Treat symptomatically

# FIRE-FIGHTING MEASURES

### Extinguishing media

Suitable extinguishing media
Use water spray or fog; do not use straight streams, Foam
Unsuitable extinguishing media
Do not use a solid water stream as it may scatter and spread fire

### Special hazards arising from the substance or mixture

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

# **Hazardous combustion products**

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)

### Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

# Other information

Flammability Not flammable. Will not readily ignite.

Flash point Not applicable

### 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

# **Environmental precautions**

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways

### Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud

Methods for cleaning up

Use an electrically protected vacuum cleaner to remove excess, then wash with COLD

water. Hot water fuses the toner, making it difficult to remove

# Reference to other sections

See section 12 for additional ecological information

See Section 13 for additional information

# HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice, Avoid dust

accumulation in enclosed space, Prevent dust cloud

**Hygiene measures** None under normal use conditions

### Conditions for safe storage, including any incompatibilities



Page 4/8

SDS #: A-10015 Toner - Black, Cyan, Yellow, Magenta

Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place, Store at room temperature

Incompatible products None

Specific end uses

Xerographic printing

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Limits** 

ACGIH TLV TWA

ACGIH TLV TWA

OSHA PEL TWA

OSHA PEL TWA

OSHA PEL TWA

OSHA PEL TWA

Serox Exposure Limit

Xerox Exposure Limit

Xerox Exposure Limit

Xerox Exposure Limit

ACGIH TLV TWA

3 mg/m³ (respirable dust)

5 mg/m³ (respirable dust)

2.5 mg/m³ (total dust)

0.4 mg/m³ (respirable dust)

**Component Information** 

Chemical Name	ACGIH TLV	OSHA PEL
Wax	TWA: 2 mg/m <sup>3</sup>	
Carbon black	TWA: 3 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
Cyan pigment	TWA: 1 mg/m <sup>3</sup>	
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup>

Exposure controls

Engineering measures None under normal use conditions

Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protectionNo special protective equipment requiredHand protectionNo special protective equipment requiredSkin and body protectionNo special protective equipment requiredRespiratory protectionNo special protective equipment required

Thermal hazards None under normal processing

**Environmental Exposure Controls** 

**Environmental Exposure** Keep out of drains, sewers, ditches and waterways

**Controls** 

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Powder Odor Faint

Physical stateSolidOdor thresholdNot applicableColorBlack, Cyan, Yellow , MagentapHNot applicable

Flash point Not applicable

Melting / Freezing Point Not applicable
Boiling point/range Not applicable

**Softening point** 49 - 60 °C / 120 - 140 °F

Evaporation rate Not applicable

Flammability Not flammable. Will not readily ignite.

Flammability Limits in Air Not applicable



Page 5/8

SDS #: A-10015 Toner - Black, Cyan, Yellow, Magenta

\_\_\_\_\_

Vapor pressureNot applicableVapor densityNot applicable

Specific gravity ~ 1
Water solubility Negligible
Partition coefficient Not applicable
Autoignition temperature Not determined
Viscosity Not applicable

**Explosive properties** Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Oxidizing properties Not applicable

### Other information

None

# 10. STABILITY AND REACTIVITY

# Reactivity

No dangerous reaction known under conditions of normal use

### Chemical stability

Stable under normal conditions.

# Possibility of hazardous reactions

Hazardous reactions None under normal processing

Hazardous polymerization Hazardous polymerization does not occur

# Conditions to avoid

Prevent dust cloud. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

# Incompatible Materials

None

### Hazardous decomposition products

None under normal use

# 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

### Information on toxicological effects

Acute toxicity
Product Information

**Irritation** No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

# **Component Information**

Chemical Name	LC50 Inhalation	Dermal LD50	Oral LD50
Wax		3600 mg/kg (Rabbit)	5000 mg/kg (Rat)
Carbon black		3 g/kg (Rabbit)	15400 mg/kg (Rat)
Cyan pigment			10000 mg/kg (Rat)
Magenta pigment		3 g/kg (Rabbit)	23 g/kg (Rat)



# SDS #: A-10015 Toner - Black, Cyan, Yellow, Magenta

Page 6/8

 Amorphous silica
 >2.2 mg/L (Rat ) 1 h
 >2000 mg/kg (Rabbit)
 >5000 mg/kg (Rat )

 Titanium dioxide
 10000 mg/kg (Rat )

Chronic toxicity

Sensitization No sensitization responses were observed

Neurological Effects No information available

Target organ effects None known

CMR Effects

Mutagenic effects Not mutagenic in AMES Test

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards

**Carcinogenicity** See "Other Information" in this section.

Chemical Name	NTP	IARC
Carbon black		2B
Titanium dioxide		2B

### Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

The IARC (International Agency for Research on Cancer) has listed titanium dioxide as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of titanium dioxide in this mixture does not present a health hazard. The IARC classification is based on studies in rats using high concentrations of pure, unbound TiO 2 particles of respirable size. Epidemiological studies do not suggest a carcinogenic effect in humans. In addition, the titanium dioxide in this mixture is encapsulated in a matrix or bound to the surface of the toner.

### Other toxic effects

Aspiration Hazard Not applicable Other adverse effects None known

### Information on other hazards

Endocrine disrupting properties No information available

### 12. ECOLOGICAL INFORMATION

# **Toxicity**

On available data, the mixture / preparation is not harmful to aquatic life

**Component Information** 

O : IN				1
Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to	Toxicity to daphnia and
		_	microorganisms	other aquatic invertebrates
Carbon black				EC50 > 5600 mg/L 24 h
Amorphous silica	440 mg/L EC50 72 h (Pseudokirchneriella subcapitata)	LC50= 5000 mg/L Brachydanio rerio 96 h		EC50 = 7600 mg/L 48 h

### Persistence and degradability

Not readily biodegradable

### Bioaccumulative potential

Bioaccumulation is unlikely



**SDS#:** A-10015 Toner - Black, Cyan, Yellow, Magenta

Page 7/8

### Mobility in soil

Insoluble in water

**Component Information** 

Chemical Name	log Pow
Cyan pigment	6.6

### Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)

### Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life and should not be allowed to enter drains, sewers, or waterways.

# 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Waste Disposal Methods** Can be landfilled or incinerated, when in compliance with local regulations If incineration is

to be carried out, care must be exercised to prevent dust clouds forming.

Contaminated packaging No special precautions are needed in handling this material

Other information Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life

and should not be allowed to enter drains, sewers, or waterways.

# 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

### 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### **OSHA Regulatory Status**

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling and proper use of the product. This SDS should be retained and made available to employees and other users of this product.

# Canada

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

# **International Inventories**

**TSCA** Complies Complies **DSL/NDSL** 

# **U.S. Federal Regulations**

**SARA 313** 



Page 8/8

SDS #: A-10015 Toner - Black, Cyan, Yellow, Magenta

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372 Clean Water Act

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990. CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

# **California Proposition 65**

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Titanium dioxide is regulated under California Proposition 65 only if a product results in exposure in the form of "airborne, unbound particles of respirable size". Toner products do not result in exposure to titanium dioxide in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

Chemical Name	CAS No.	California Prop. 65
Carbon black	1333-86-4	Carcinogen
Titanium dioxide	13463-67-7	Carcinogen

### U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

### 16. OTHER INFORMATION

 Issuing Date
 2011-07-13

 Revision Date
 2022-03-08

Revision Note (M)SDS sections updated:, 3
Full text of H-Statements referred to under sections 2 and 3

H351 - Suspected of causing cancer if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

# Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end