

Safety Data Sheet

SDS #: A-10328 Toner - Black

Issuing Date 2018-05-24 Revision Date 2018-06-05 Version 1

**Active** 

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Identifier** 

**Product Name** 

Toner for Xerox B1022 Multifunction Printer, Xerox B1025

Multifunction Printer

Part no. 006R01731

Color Black
Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Xerographic printing

Details of the supplier of the safety data sheet

Manufactured by Xerox Corporation Webster, NY 14580

ntact

For further information, please contact

Contact person Manager, Environment, Health, Safety & Sustainability

E-mail address askxerox@xerox.com

**Emergency telephone** Safety Information US: (800) 275-9376

Chemical Emergency only (Chemtrec) (800) 424-9300

## 2. HAZARDS IDENTIFICATION

## Classification of the substance or mixture

## Customer use / Cartridges and sealed bottles

OSHA Hazard Classification This product is an article which contains a mixture / preparation in powder form. Safety

information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based

on the packaging and method of dispensing.

While this material is not considered hazardous by the OSHA hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information for the safe handling

and proper use of the product. This SDS should be retained and made available to

employees and other users of this product.

Label elements

Signal Word None

Hazard Statements None required



Precautionary Statements None required

## Other hazards

Not a PBT according to REACH Annex XIII May form explosible dust-air mixture if dispersed

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixtures

| Chemical Name         | CAS No.     | Weight % | Classification (Reg. 1272/2008) | Hazard Statements |
|-----------------------|-------------|----------|---------------------------------|-------------------|
| Styrene acrylic resin | PROPRIETARY | 75-85    | -                               |                   |
| Wax                   | PROPRIETARY | 5-10     |                                 |                   |
| Carbon black          | 1333-86-4   | 1-6      |                                 |                   |
| Silica                | PROPRIETARY | 1-3      | -                               |                   |

<sup>&</sup>quot;--" indicates no classification or hazard statements apply.

## 4. FIRST AID MEASURES

Description of first-aid measures

General advice For external use only. When symptoms persist or in all cases of doubt seek medical advice.

Show this material safety data sheet to the doctor in attendance.

**Eye contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes

**Skin contact** Wash skin with soap and water

**Inhalation** Move to fresh air

Ingestion Rinse mouth with water and afterwards drink plenty of water or milk

# Most important symptoms and effects, both acute and delayed

**Acute toxicity** 

EyesNo known effectSkinNo known effectInhalationNo known effectIngestionNo known effect

Chronic toxicity No known effects under normal use conditions

Main symptoms Overexposure may cause:

mild respiratory irritation similar to nuisance dust.

Aggravated Medical Conditions None under normal use conditions

Indication of immediate medical attention and special treatment needed

Protection of first-aiders No special protective equipment required

Notes to physician Treat symptomatically

## 5. FIRE-FIGHTING MEASURES

# Extinguishing media

Suitable extinguishing media
Use water spray or fog; do not use straight streams, Foam
Unsuitable extinguishing media
Do not use a solid water stream as it may scatter and spread fire

## Special hazards arising from the substance or mixture

#### **Hazardous combustion products**

Hazardous decomposition products due to incomplete combustion, Carbon oxides, Nitrogen oxides (NOx)



Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

## Advice for fire-fighters

In the event of fire and/or explosion do not breathe fumes. Wear fire/flame resistant/retardant clothing. Use self-contained pressure-demand breathing apparatus if needed to prevent exposure to smoke or airborne toxins. Wear self-contained breathing apparatus and protective suit

#### Other information

Flammability Not flammable. Will not readily ignite.

Flash point Not applicable

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Avoid breathing dust

## **Environmental precautions**

No special environmental precautions required

## Methods and material for containment and cleaning up

Methods for containment Prevent dust cloud

Methods for cleaning up

Use a vacuum cleaner to remove excess, then wash with COLD water. Hot water fuses the

toner making it difficult to remove.

## Reference to other sections

The environmental impact of this product has not been fully investigated

However, this preparation is not expected to present significant adverse environmental effects.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice

Avoid dust accumulation in enclosed space

Prevent dust cloud

Hygiene measures None under normal use conditions

#### Conditions for safe storage, including any incompatibilities

Technical measures and storage Keep container tightly closed in a dry and well-ventilated place

**conditions** Store at room temperature

Incompatible products None

# Specific end uses

Xerographic printing

## EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Limits** 

ACGIH TLV TWA

ACGIH TLV TWA

OSHA PEL TWA

10 mg/m³ (inhalable particles)
3 mg/m³ (respirable dust)
15 mg/m³ (total dust)
5 mg/m³ (respirable dust)

607E25520



SDS #: A-10328 Toner - Black Page 4/7

Xerox Exposure Limit2.5 mg/m³ (total dust)Xerox Exposure Limit0.4 mg/m³ (respirable dust)

**Component Information** 

| Chemical Name | ACGIH TLV                | OSHA PEL                   |
|---------------|--------------------------|----------------------------|
| Carbon black  | TWA: 3 mg/m <sup>3</sup> | TWA: 3.5 mg/m <sup>3</sup> |

**Exposure controls** 

Engineering measures None under normal use conditions

Individual protection measures, such as personal protective equipment (PPE)

Eye/Face protectionNo special protective equipment requiredHand protectionNo special protective equipment requiredSkin and body protectionNo special protective equipment requiredRespiratory protectionNo special protective equipment required.

Thermal hazards None under normal processing

Environmental Exposure Controls Keep out of drains, sewers, ditches and waterways

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

AppearancePowderOdorFaint

Physical stateSolidOdor threshold<br/>pHNot applicable<br/>Not applicable

Flash point Not applicable

Boiling point/range Not applicable

**Softening point** 49 - 60 °C / 120 - 140 °F

**Evaporation rate** Not applicable

Flammability Not flammable. Will not readily ignite.

Flammability Limits in Air Not applicable

Vapor pressure
Vapor density
Specific gravity

Not applicable
Not applicable
~ 1

Water solubility
Partition coefficient
Autoignition temperature
Decomposition temperature
Viscosity

Negligible
Not applicable
Not determined
Not applicable

**Explosive properties** Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition

source is a potential dust explosion hazard

Oxidizing properties Not applicable

## Other information

None

## 10. STABILITY AND REACTIVITY

#### Reactivity

No dangerous reaction known under conditions of normal use

## **Chemical stability**



Stable under normal conditions

## Possibility of hazardous reactions

Hazardous reactions None under normal processing

Hazardous polymerization Hazardous polymerization does not occur

#### Conditions to avoid

Prevent dust cloud, Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

## Incompatible Materials

None

## Hazardous decomposition products

None under normal use

#### 11. TOXICOLOGICAL INFORMATION

The toxicity data noted below is based on the test results of similar reprographic materials.

## Information on toxicological effects

**Acute toxicity** 

**Product Information** 

**Irritation** No skin irritation, No eye irritation

 Oral LD50
 > 5 g/kg (rat)

 Dermal LD50
 > 5 g/kg (rabbit)

 LC50 Inhalation
 > 5 mg/L (rat, 4 hr)

**Component Information** 

| Component innormation |                 |                 |                   |
|-----------------------|-----------------|-----------------|-------------------|
| Chemical Name         | LC50 Inhalation | Dermal LD50     | Oral LD50         |
| Wax                   |                 |                 | 8 g/kg (Rat)      |
| Carbon black          |                 | 3 g/kg (Rabbit) | 15400 mg/kg (Rat) |

#### Chronic toxicity

Sensitization No sensitization responses were observed

Neurological Effects No information available

Target organ effects None known

CMR Effects

Mutagenic effects Not mutagenic in AMES Test

Reproductive toxicity

This product does not contain any known or suspected reproductive hazards

**Carcinogenicity** See "Other Information" in this section.

| Chemical Name | NTP | IARC |
|---------------|-----|------|
| Carbon black  |     | 2B   |

#### Other information

The IARC (International Agency for Research on Cancer) has listed carbon black as "possibly carcinogenic to humans". However, Xerox has concluded that the presence of carbon black in this mixture does not present a health hazard. The IARC classification is based on studies evaluating pure, "free" carbon black. In contrast, toner is a formulation composed of specially prepared polymer and a small amount of carbon black (or other pigment). In the process of making toner, the small amount of carbon black becomes encapsulated within a matrix. Xerox has performed extensive testing of toner, including a chronic bioassay (test for potential carcinogenicity). Exposure to toner did not produce evidence of cancer in exposed animals. The results were submitted to regulatory agencies and published extensively.

## Other toxic effects

Aspiration Hazard Not applicable
Other adverse effects None known



## 12. ECOLOGICAL INFORMATION

#### **Toxicity**

On available data, the mixture / preparation is not harmful to aquatic life

**Component Information** 

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to    | Toxicity to daphnia and     |
|---------------|-------------------|------------------|----------------|-----------------------------|
|               |                   |                  | microorganisms | other aquatic invertebrates |
| Carbon black  |                   |                  |                | EC50 > 5600 mg/L 24 h       |

#### Persistence and degradability

Not readily biodegradable

## Bioaccumulative potential

Bioaccumulation is unlikely

#### Mobility in soil

Insoluble in water

#### Other adverse effects

The environmental impact of this product has not been fully investigated. However, this preparation is not expected to present significant adverse environmental effects.

## 13. DISPOSAL CONSIDERATIONS

## Waste treatment methods

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated packaging No special precautions are needed in handling this material

Other information Although toner is not an aquatic toxin, microplastics may be a physical hazard to aquatic life

and should not be allowed to enter drains, sewers, or waterways.

## 14. TRANSPORT INFORMATION

This material is not subject to regulation as a hazardous material for shipping

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **OSHA Regulatory Status**

This product is an article which contains a mixture / preparation in powder form. Safety information is given for exposure to the article as sold and used by the customer. Intended use of the product is not expected to result in exposure to the mixture / preparation based on the packaging and method of dispensing.

# <u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.



#### **International Inventories**

TSCA Complies DSL/NDSL Complies

## **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **Clean Water Act**

This product is not regulated as a pollutant pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product is not regulated as a hazardous air pollutant (HAPS) under Section 112 of the Clean Air Act Amendments of 1990.

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

## **California Proposition 65**

Carbon black is regulated under California Proposition 65 only if in the form of "airborne, unbound particles of respirable size". Toner products do not contain carbon black in the form of "airborne, unbound particles of respirable size". Therefore, the requirements of Proposition 65 do not apply to this product.

| Chemical Name | CAS No.   | California Prop. 65 |
|---------------|-----------|---------------------|
| Carbon black  | 1333-86-4 | Carcinogen          |

# U.S. State Right-to-Know Regulations

Although this product contains substances included in some U.S. State Right-to-Know regulations, the particles are bound in a unique matrix and, therefore, the product does not pose any specific hazard.

## 16. OTHER INFORMATION

Issuing Date2018-05-24Revision Date2018-06-05Revision NoteInitial Release

#### Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

end